


PROFILE VIEW

NO SCALE



PLAN VIEW

NO SCALE

NOTES

1. THE DIMENSIONS SHOWN HERE ARE TYPICAL AND MAY BE MODIFIED IN SPECIFIC SITUATIONS BY THE DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION.
2. TREES ARE TO BE LOCATED WITH THE FOLLOWING MINIMUM CLEARANCES:
 - a. 5' FROM WATER MAIN
 - b. 5' FROM GAS BOX
 - c. 5' FROM INLET OR MH
 - d. 10' FROM FIRE HYDRANT
 - e. 15' FROM STREET LIGHT
- *3. MINOR TREE SPACING 30' ($\pm 5'$) O.C. MIN.
- *4. MAJOR TREE SPACING 50' ($\pm 5'$) O.C. MIN.
- TREES TO BE PLATED UNDER STANDARD NO. MC-703.02 ARE TO BE SPACED 50' ($\pm 5'$) O.C.
5. SHADE TREES TO BE 1 1/2" MINIMUM CALIPER 10' MINIMUM HEIGHT.
6. FLOWERING TREES TO BE 1 1/2" MINIMUM CALIPER 6' MINIMUM HEIGHT.
7. SPECIES TO BE AS APPROVED BY THE DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION.
8. SEE STANDARD NO. MC-702.01 FOR PLANTING DETAILS.
9. NO TREE IS PERMITTED IF GREENSPACE IS LESS THAN 6'.
10. NO TREE IS PERMITTED WITHIN LIMIT OF SIGHT.
11. TREE PLANTINGS (IN THE PROFILE VIEW) ARE TO BE LOCATED IN ACCORDANCE WITH THE APPROPRIATE OPEN SECTION ROADWAY STANDARD.

<p>APPROVED <i>11 July 2000</i> DATE</p> <p><i>[Signature]</i> DIRECTOR, DPWT</p> <p><i>[Signature]</i> CHIEF, DIV. OF ENG. SERVICES</p>	<p>REVISED</p> <table border="1" style="width: 100%; height: 100%; border-collapse: collapse;"> <tr><td> </td></tr> </table>								<p>MONTGOMERY COUNTY DEPARTMENT OF PUBLIC WORKS AND TRANSPORTATION</p> <hr/> <p>TREE LOCATIONS OPEN SECTION ROADS</p> <hr/> <p>STANDARD NO. MC-701.01</p>