

47. RUSH ORDERS

The County reserves the right to place rush orders that will entail delivery within twenty-four (24) hours of job release. The Flat Fee for such orders shall be listed on the space provided on the Quotation Sheet, under Optional Item (page E-1). If no cost is listed, then there will be no charge to the County for any rush order.

48. MATERIAL SAFETY DATA SHEETS

Material Safety Data Sheets must be forwarded to the Department of Recreation, Aquatic Team within ten (10) calendar days after notification.

SECTION D – SPECIFICATIONS/SCOPE OF WORK

The Contractor must be able to provide to Montgomery County, Carbon Dioxide within seven (7) calendar days (non-rush orders) of receiving a purchase order. Upon request from the County, the deliveries are to be made at the facilities listed below. Deliveries must occur between the hours of 8:00am and 5:00pm, Monday through Friday, excluding County holidays.

Facilities/ Pools

**Eunice Kennedy Shriver & Sargent Shriver Aquatic Center**  
5900 Executive Boulevard, N. Bethesda, MD 20852 -  
**(CLOSED TIL 2026)**

**Germantown Indoor Swim Center**  
18000 Central Park Circle, Boyds, MD 20841

**Martin Luther King, Jr. Swim Center**  
1201 Jackson Road, Silver Spring, MD 20904

**Olney Swim Center**  
16605 Georgia Avenue, Olney, MD 20832

**Silver Spring Recreation and Aquatic Community Center**  
1319 Apple Avenue, Silver Spring, MD 20910

**Western County Outdoor Pool**  
20151 Fisher Avenue, Poolesville, MD 20837

When required, the Contractor must have the ability to deliver Carbon Dioxide within twenty-four (24) hours of notice from the County. The rush charge for such order will be paid at the charge listed on the Quotation Sheet, under Optional Item. If no amount is listed, there is no additional charge to the County for any requested rush order.

The Contractor must provide Carbon Dioxide tanks on a yearly rental rate listed on the Quotation Sheet.