



# MONTGOMERY COUNTY EXECUTIVE ORDER

Offices of the County Executive • 101 Monroe Street • Rockville, Maryland 20850

Subject Street Acceptance	Executive Order No. 257-18	Subject Suffix SA
Originating Department Department of Permitting Services	Department Number 14-18	Effective Date 12/11/18

**Re: Acceptance of Roads for Maintenance MCDPS Permit No., 301203.**

This is to certify that construction of the following named streets have been completed in accordance with all applicable provisions of the Montgomery County Road Design and Construction Code as specified in the above-referenced permits. The materials used in the construction of these streets were tested and found to be in compliance with County Standards and Specifications.

**Subdivision – Clarksburg Village**  
**Permit No.: 301203**  
**Date of Final Inspection: October 30, 2018**  
**Total Distance: 1,393 feet/ 0.26 miles**  
**Total Lane Miles: 0.57**  
**Total Bond Amount: \$243,400.00**

**Clarksburg Village Investments**  
**C/O Elm Street Development Inc.**  
**1355 Beverly Road, Suite 240**  
**McLean, Va. 22101-3649**

**Juniper Blossom Place:** A tertiary closed section residential roadway with a right of way 50 feet wide beginning at Station 0+00 at the intersection of New Cut Road and continuing in a northeasterly direction, including the intersection of Winding Woods Way at Station 9+55.02 and ending at Station 9+98.02 for a distance of 998 feet. Paving width 26 feet, concrete sidewalks on both sides five (5) feet in width, curb and gutters, and storm drainage. Paving consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate, and a 1.5-inch asphaltic concrete surface course.

**Winding Woods Way:** A tertiary closed section residential roadway with a right of way 50 feet in width beginning at Station 8+41.34 at the intersection of New Cut Road and continuing in a southeasterly direction and including the intersection of Juniper Blossom Place at Station 11+31.34 to Station 12+36.34 for a distance of 395 feet. Paving width 26 feet, concrete sidewalks on both sides five (5) feet in width, curb and gutters, and storm drainage. Paving consists of a 3-inch asphaltic concrete base course, a 1.5-inch asphaltic concrete intermediate, and a 1.5-inch asphaltic concrete surface course.



# MONTGOMERY COUNTY EXECUTIVE ORDER

Offices of the County Executive • 101 Monroe Street • Rockville, Maryland 20850

Subject Street Acceptance	Executive Order No. 257-18	Subject Suffix SA
Originating Department Department of Permitting Services	Department Number 14-18	Effective Date 12/11/18

## SUMMARY OF THIS EXECUTIVE ORDER

Number of Permits: ..... 1  
Number of Subdivisions: ..... 1  
Distance of Streets Accepted - Feet: ..... 1,393  
Distance of Streets Accepted - Miles: ..... 0.26  
Distance of Streets Accepted - Lane-Miles: ..... 0.57

All work and submissions required for acceptance of the foregoing streets has been completed and acceptance is recommended.

Nov 23, 2018  
Date

By: Christina T. Cortez  
Manager, Department of Permitting Services  
Division of Land Development  
Right-of-Way Inspections

It is recommended that Montgomery County, Maryland, accept the roads described above for maintenance:

12-5-2018  
Date

Paul H. Miller P.D.S.  
Director, Department of Permitting Services

Said roads are hereby accepted for maintenance:

12/11/18  
Date

Paul L.  
Assistant Chief Administrative Officer

APPROVED AS TO FORM AND LEGALITY  
OFFICE OF THE COUNTY ATTORNEY  
BY: Charles J. Fide  
DATE: 29 November 2018