



GENERAL NOTES

1. REFER TO MARYLAND STATE HIGHWAY ADMINISTRATION SPECIFICATIONS FOR MATERIALS AND METHODS OF CONSTRUCTION.
2. DRIVEWAY AND DRIVEWAY APRON TO BE MAINTAINED BY PROPERTY OWNER.
3. THE EXPANSION JOINTS SHALL BE PLACED AT LOCATIONS SHOWN.
4. EXPANSION JOINT MATERIAL SHALL BE 1/2 INCH PREFORMED CORK, TRIMMED AND SEALED WITH NON-STAINING TWO-COMPONENT POLYSULFIDE OR POLYURETHANE ELASTOMERIC TYPE SEALANT COMPLYING WITH ASTM-C920. 1

<p>APPROVED <u>14 APR '06</u> DATE</p> <p><i>Archie Hill</i> _____ DIRECTOR, DEPT. OF PUBLIC WORKS & TRANSPORTATION</p> <p><i>Holger Serrano</i> _____ for CHIEF, DIV. OF CAP. DEV.</p>	<p>REVISED</p> <p>RENAMED 04-27-2005</p> <p>1 ASTM-C920 4/2006</p>	<p>MONTGOMERY COUNTY DEPARTMENT OF PUBLIC WORKS & TRANSPORTATION</p> <p>RESIDENTIAL DRIVEWAY WITH CURB RADIUS</p> <p>STANDARD NO. MC-301.05</p>
--	---	---