



PROFILE VIEW
NO SCALE



PLAN VIEW
NO SCALE

NOTES

1. THE DIMENSIONS SHOWN HERE ARE TYPICAL AND MAY BE MODIFIED IN SPECIFIC SITUATIONS BY THE DEPARTMENT OF TRANSPORTATION.
2. TREES ARE TO BE LOCATED WITH THE FOLLOWING MINIMUM CLEARANCES:
 - a. 5' FROM WATER MAIN
 - b. 5' FROM GAS BOX
 - c. 5' FROM INLET OR MH
 - d. 10' FROM FIRE HYDRANT
 - e. 15' FROM STREET LIGHT
- * 3. MINOR TREE SPACING 30' ($\pm 5'$) O.C. MIN.
- * 4. MAJOR TREE SPACING 50' ($\pm 5'$) O.C. MIN.
5. SHADE TREES TO BE 1 1/2" MINIMUM CALIPER 10' MINIMUM HEIGHT.
6. FLOWERING TREES TO BE 3/4" MINIMUM CALIPER 6' MINIMUM HEIGHT.
7. SPECIES TO BE AS APPROVED BY THE MONTGOMERY COUNTY DEPARTMENT OF TRANSPORTATION.
8. SEE STANDARD NO. MC-702.01 FOR PLANTING DETAILS.
9. NO TREE IS PERMITTED IF GREENSPACE IS LESS THAN 6'.
10. NO TREE IS PERMITTED WITHIN LIMIT OF SIGHT.



P:\DOT\STD\MCS3101 6-24-94 11:26:04 am EST

APPROVED JAN 5/96
DATE

[Signature]
DIRECTOR, DEPT. OF TRANS.
[Signature]
CHIEF, DIV. OF ENG. SERVICES

REVISED

MONTGOMERY COUNTY
DEPARTMENT OF TRANSPORTATION

TREE LOCATIONS
CLOSED SECTION ROADS

STANDARD NO. MC-700.01