



DPS | Montgomery County
Department of Permitting Services



2425 Reddie Drive, 7th Floor
Wheaton, MD 20902
240-777-0311
montgomerycountymd.gov/dps

Residential Swimming Pool Inspections

Inspection Sequence		Prior to Inspection Request		Performed by		Inspection approval required prior to
Type	Code	Work to be Completed	Approved Inspections	DPS	Others	
Pool Bonding	012	1. Pool formed with rebar installed as per plans and bonded prior to concrete placement. Excavation must be completely enclosed by a 42-in. high safety fence when work is not performed.		Yes		<ul style="list-style-type: none"> Placing concrete or gunite
Deck Bonding	012	1. Pool perimeter surface bonding shall be provided as specified in Section 680.26(B)(2) of electrical code	<ul style="list-style-type: none"> 012, pool bonding 	Yes		<ul style="list-style-type: none"> Placing concrete on deck slab or deck pavers
Final	251	2. Pool completely installed and a permanent barrier shall be erected as required by Section 51-15(b) of Montgomery County	<ul style="list-style-type: none"> 012, pool bonding 012, deck bonding 	Yes		<ul style="list-style-type: none"> Using pool

During construction of enclose the excavation and pool with a temporary or permanent fence or wall as required by Montgomery County Code section 51-15(a). This barrier must be 42 inches high and must be of a type that warns of potential danger, for example orange safety fence.