



DPS

**Montgomery County
Department of Permitting Services**

255 Rockville Pike, 2nd Floor
Rockville, MD 20850-4166
Phone: 311 in Montgomery County or (240)777-0311
<http://www.montgomerycountymd.gov/dps>



Residential Swimming Pool Inspections

| Inspection Sequence | | Prior to Inspection Request | | Performed by | | Inspection approval required prior to |
|---------------------|------|---|--|--------------|--------|--|
| Type | Code | Work to be Completed | Approved Inspections | DPS | Others | |
| Pool Bonding | 012 | 1. Pool formed with rebar installed as per plans and bonded prior to concrete placement. Excavation must be completely enclosed by a 42-in. high safety fence when work is not performed. | | Yes | | • Placing concrete or gunite |
| Deck Bonding | 012 | 1. Pool perimeter surface bonding shall be provided as specified in Section 680.26(B)(2) of electrical code | • 012, pool bonding | Yes | | • Placing concrete on deck slab or deck pavers |
| Final | 251 | 2. Pool completely installed and a permanent barrier shall be erected as required by Section 51-15(b) of Montgomery County | • 012, pool bonding • 012, deck bonding | Yes | | • Using pool |

During construction of enclose the excavation and pool with a temporary or permanent fence or wall as required by Montgomery County Code section 51-15(a). This barrier must be 42 inches high and must be of a type that warns of potential danger, for example orange safety fence.