



DEPARTMENT OF ENVIRONMENTAL PROTECTION

Isiah Leggett  
County Executive

Robert G. Hoyt  
Director

July 16, 2012

Mr. Edward M. Dexter, Program Administrator  
Solid Waste Programs  
Maryland Department of the Environment  
1800 Washington Boulevard  
Baltimore, Maryland 21230

Dear Mr. Dexter:

This report provides a summary of the results of water quality monitoring performed at the Oaks Solid Waste Landfill for the semiannual period from October 2011 to April 2012 as required by Code of Maryland Regulations (COMAR) 26.04.07.22, COMAR 26.04.07.21E(5), COMAR 26.04.07.21E(5a), and the Code of Federal Regulations 40 CFR 258. In addition, methane gas monitoring on a quarterly basis is reported for the first and second quarter of 2012.

To comply with these requirements, the County collects water samples at 27 groundwater monitoring wells and two stream locations semiannually. The landfill site is also monitored for methane gas from the 27 groundwater wells and also from 21 methane gas monitoring wells. The results of this sampling and monitoring activities are reported to Maryland Department of the Environment (MDE) semiannually.

Data collected during this reporting period represents typical seasonal fluctuations in water quality with respect to monitored parameters for this landfill. Based on the sampling results obtained during this reporting period, there are no indications of any environmental consequences that would require special attention. Overall, results obtained for this reporting period are consistent with prior monitoring results in terms of the number of detections and concentrations of pollutants above Maximum Contaminant Level (MCL). The following is a summary of monitoring results obtained from the latest semiannual monitoring activities performed in April 2012.

➤ **VOLATILE ORGANIC COMPOUNDS:**

The highlights of the results for this reporting period are listed below. Please refer to Table 1 of this report for all the VOC results.

- Overall, the number and concentration of VOCs detected above MCL during this monitoring period are consistent with prior monitoring results.
- The compounds detected and the monitoring locations of those detections are similar and consistent with prior monitoring results.
- For this reporting period only one sample contained VOC concentrations above the recommended Maximum Contamination Level (MCL) established by the National Primary

Drinking Water Standards. The previous monitoring periods included two MCL exceedances for the Fall 2011 and one exceedance for the Spring of 2010. (Please note that there are no domestic drinking water wells in the vicinity of this site.)

- The only sample containing Tetrachloroethene concentrations above the MCL of 5 ug/l was detected in MW-06 at 7.0 ug/l.

➤ **ELEMENTS AND INDICATORS:**

- For this reporting period, one sample containing Chromium concentration above the recommended Maximum Contamination Levels (MCL) of 0.005 mg/l was detected at MW-21 at 0.013 mg/l.

➤ **METHANE GAS:**

- Methane gas has not been detected at any of the gas or water monitoring wells during this reporting period.

➤ **GROUNDWATER ELEVATION:**

- Due to typical seasonal precipitation fluctuations for this area, the average water levels in the monitoring wells during the latest monitoring event shows an increase in water table levels by 0.37 ft compared to measurements obtained in October 2011. The general trend over the years is that during periods when the water table is low, concentrations of contaminants increase and when the water table recovers, the concentrations decrease.

Based on the data and information collected and processed for this reporting period, there are no indications of any unusual results and therefore no further actions are recommended. The County continues to closely monitor the presence contaminants and will notify MDE prior to the next report in the event a detection is found to be significantly different from previous levels that cannot be explained by water table variations.

Please contact Nasser Kamazani (Senior Environmental Engineer) at (240) 777-7717 with any questions about this report.

Sincerely,



David Lake, Manager  
Water and Wastewater Policy Group

cc: Robert Hoyt, Director,  
Department of Environmental Protection

Dan Locke, Chief, Division of Solid Waste Services,  
Department of Environmental Protection

**WATER QUALITY AND METHANE  
MONITORING REPORT**

**for**

**OAKS LANDFILL**

**Montgomery County, Maryland**

**SPRING 2012**

**Report Period: October 2011 through April 2012**

**Prepared by Montgomery County Department of Environmental Protection**

**Prepared for Maryland Department of Environment, Solid Waste Program**

**July 16, 2012**

## **TABLE OF CONTENTS**

### **Introduction**

- 1. Volatile Organic Chemical Sampling Results**
- 2. Metals Sampling Results**
- 3. Inorganic Sampling Results and Physical Water Quality Measurements**
- 4. Groundwater Elevations and Flow**
- 5. Methane Monitoring**
- 6. Conclusions**

### **APPENDICES**

**Appendix A Oaks Landfill Aerial Photo and Sample Locations**

**Appendix B Tables of Volatile Organic Compounds**

**Appendix C Volatile Organic Compounds – Trend Analysis**

**Appendix D Tables of Metals**

**Appendix E Table of Groundwater Elevations and Groundwater Elevation Contour Map**

**Appendix F Table of Methane Monitoring Results**

## Introduction

The County Department of Environmental Protection (DEP) operates a groundwater monitoring program for the Oaks Landfill (closed as of 1997). To monitor the quality of ground and surface water, DEP samples twenty-seven groundwater observation wells and two surface water stations on a semiannual basis. Locations of these wells can be found on the aerial photo marked *Oaks Landfill Sampling Locations* in Appendix A. Parameters measured or analyzed include: field parameters (temperature, pH, conductivity), and MDE Table 1 and 2 (Volatile Organic Compounds) and Table 3 and 4 (Elements and Indicator Parameters) analyses.


This report is organized into five sections, which discuss the results and observations based on the landfill water quality monitoring program. The five sections include a discussion of:

- VOC sampling results
- Metals sampling results
- Groundwater elevation and flow
- Methane Gas
- Trends Analysis/Conclusions

The appendices provide data tables for reference, as well as aerial photos and maps.

### 1. Volatile Organic Chemical Sampling Results

The trends observed in recent years regarding the concentration changes of VOCs in groundwater which were reported in prior reports including the last report (Fall 2011) continue to be observed. The general trend over the past several years is that during periods when the water table is low, concentrations of contaminants increase. When the water table recovers due to infiltration of precipitation (usually with a two to three month lag), the contaminants concentration decrease. This correlation between contaminant concentrations and water level fluctuations in monitoring wells has been depicted in the following graph. Similar trends have been observed in other monitoring wells.



Changes from the last report include the following:

- Overall, the number and concentration of VOCs detected above MCL during this monitoring period are consistent with prior monitoring results.
- The compounds detected and the monitoring locations of those detections are similar and consistent with prior monitoring results.
- For this reporting period only one sample contained VOC concentrations above the recommended Maximum Contamination Level (MCL) established by the National Primary Drinking Water Standard. The prior monitoring periods included two MCL exceedances for the Fall 2011 and one exceedance in Spring 2011. (Please note that there are no domestic drinking water wells in the vicinity of this site.)
- The only sample containing Tetrachloroethene concentrations above the MCL of 5 ug/l was detected in MW-06 at 7.0 ug/l.
- Two other samples containing Tetrachloroethene concentrations below the MCL of 5 ug/l were detected in monitoring wells MW-02 at 1.1 ug/l and in monitoring MW-7 at 1.9 ug/l.
- Three samples containing cis-1,2-Dichloroethane concentrations below the MCL of 70 ug/l were detected in MW-06 at 8.1 ug/l, in MW-07 at 8.4 ug/l, and in MW-22 at 1.9 ug/l.
- Three samples containing Trichloroethene concentrations below the MCL of 5 ug/l were detected in MW-06 at 3.4 ug/l, in MW-07 at 1.9 ug/l, and in MW-16 at 1.4 ug/l.
- Three samples containing 1,1-Dichloroethane concentrations were detected in MW-06 at 3.5 ug/l, MW-07 at 5.9 ug/l, and MW-14 at 1.3 ug/l. There are no MCL established for this compound.

Results and additional information for all of the VOCs can be found in Appendix B. Table 1 contains the results from the October 2011 sampling event. Table 2 shows the monitoring results for the past several years.

## **2. Metals Sampling Results**

For this reporting period, one sample containing Chromium concentration above the recommended Maximum Contamination Levels (MCL) of 0.005 mg/l was detected at MW-21 at 0.013 mg/l. Similar to previous analyses, trace concentrations (concentration below reliable detection limit and the EPA MCL) for lead, mercury, and other metals were detected in some of the monitoring wells.


Beginning with this reporting period; in order to evaluate the groundwater turbidity and its potential interferences to metals analysis, the County collected filtered and unfiltered groundwater samples for each monitoring well. The metals analysis conducted on filtered and unfiltered samples indicate insignificant reductions in concentrations for most of metals in filtered samples. However, the only sample that exceeded the MCL for Chromium in this reporting period was obtained from the unfiltered sample collected from MW-21. The Chromium concentration from the

filtered sample for the same location was found to be non-detectable. Please refer to Table-A, Appendix D (Table of Metals) of this report for additional information on filtered and unfiltered sampling results for metals.

Overall, the results indicate comparable concentrations for metals from the last reporting period. Laboratory results for these metals are included in Appendix D, Table-3 of this report.

### 3. Groundwater Elevations and Flow

As shown in Appendix E, Groundwater elevations at the Oaks Landfill monitoring wells have increased by an average of about 0.37 ft compared to measurements obtained in Fall 2011. Please refer to Appendix E of this report for additional information. As indicated in prior reports the groundwater elevations at the Oaks Landfill have stabilized and the fluctuations generally appear to follow the trends observed in the surrounding areas as indicated in the following USGS figures from wells in similar geology located in Montgomery County.



A table of groundwater elevations, a map of the resultant groundwater table contours and the direction of flow is included in Appendix E.

### 4. METHANE GAS:

Methane gas has not been detected at any of the methane gas or groundwater monitoring wells during this reporting period. Tables of Methane gas monitoring

results can be found in Appendix F.

## **5. Conclusions/Trend Analysis**

Most of the trends observed for the past several years indicate that the landfill is having a minimal impact on groundwater quality. There have however, been some limited changes occurring in the groundwater. The general trend over the years is that during periods when the water table is low, concentrations of contaminants increase and when the water table recovers, the concentrations decrease. The explanation for this appears to be related to the local hydrogeologic regime and related physical and chemical interactions.

It is hypothesized that lower water tables result in a decrease in pH due to the lower percentage of clays present deeper in the saprolitic column. This decrease in pH both increases the capacity for dissolving and carrying metals, and decreases the speed at which chemical reactions occur that degrade VOCs.

Overlaid on this pattern has been the flattening out of the groundwater gradient under the landfill due to capping in 2001 and the cessation of operations in 1997, as well as the lack of groundwater consumption by neighbors due to the provision of public water in 1990s. As a result of this, there have been some minor changes in flow patterns and resultant chemical concentrations associated with the area wide groundwater elevation changes. A review of the more recent data at the Oaks Landfill would indicate that most of the detected VOCs involve chlorinated solvent degradation products including Tetrachloroethene, Trichloroethene, 1,1-Dichloroethane, cis-1,2-Dichloroethene, and Dichloromethane in the northwest quadrant of the landfill where MW-06, MW-07, MW-22, MW-23 are located.

For this reporting period, concentration trends and some statistical analysis were performed for some of the above VOCs. A summary of this analysis is provided in Appendix C of this report.


Since the detection of VOCs around the northwest quadrant of the landfill in the early 1990's, and methane exceedences in 1999, the County has been regularly sampling the groundwater to monitor the concentrations of these substances to meet regulatory requirements in the vicinity of the landfill. The County continues to closely monitor the presence of VOCs and methane gas, and will notify MDE prior to next report in the event a detection is found to be significantly different from the latest reported levels, that cannot be explained by water table fluctuations.

**Appendix A**

**Oaks Landfill Aerial Photo and**

**Sample Locations**

# Oaks Landfill Monitoring Well Locations



# **Appendix B**

## **Tables of Volatile Organic Compounds**

**Results in ( $\mu\text{g/l}$ )**

# TABLE 1: Volatile Organic Compounds

Parameter	Detection Limit	Units	MW-01	MW-02	MW-03	MW-04	MW-05	MW-06
1,1,1,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND	3.5
1,2,3-Trichloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
2-Butanone	5	ug/L	ND	ND	ND	ND	ND	ND
2-Hexanone	5	ug/L	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	5	ug/L	ND	ND	ND	ND	ND	ND
Acetone	5	ug/L	ND	ND	ND	ND	ND	ND
Acrylonitrile	5	ug/L	ND	ND	ND	ND	ND	ND
Benzene	1	ug/L	ND	ND	ND	ND	ND	ND
Bromochloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Bromodichloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Bromoform	1	ug/L	ND	ND	ND	ND	ND	ND
Bromomethane	1	ug/L	ND	ND	ND	ND	ND	ND
Carbon disulfide	1	ug/L	ND	ND	ND	ND	ND	ND
Carbon Tetrachloride	1	ug/L	ND	ND	ND	ND	ND	ND
Chlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
Chloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
Chloroform	1	ug/L	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND	8.1
cis-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND	ND
Dibromochloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Dibromomethane	1	ug/L	ND	ND	ND	ND	ND	ND
Ethylbenzene	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl Chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl Iodide	1	ug/L	ND	ND	ND	ND	ND	ND
Methylene chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl-tert-butyl ether	2	ug/L	ND	ND	ND	ND	ND	ND
Styrene	1	ug/L	ND	ND	ND	ND	ND	ND
Tetrachloroethene	1	ug/L	ND	1.1	ND	ND	ND	7
Toluene	1	ug/L	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND	ND
Trans-1,4-dichloro-2-butene	5	ug/L	ND	ND	ND	ND	ND	ND
Trichloroethene	1	ug/L	ND	ND	ND	ND	ND	3.4
Trichlorofluoromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Vinyl acetate	1	ug/L	ND	ND	ND	ND	ND	ND
Vinyl Chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Xylenes (Total)	1	ug/L	ND	ND	ND	ND	ND	ND

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

# TABLE 1: Volatile Organic Compounds

Parameter	Detection Limit	Units	MW-07	MW-08	MW-09	MW-10	MW-11	MW-12
1,1,1,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	1	ug/L	5.9	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
2-Butanone	5	ug/L	ND	ND	ND	ND	ND	ND
2-Hexanone	5	ug/L	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	5	ug/L	ND	ND	ND	ND	ND	ND
Acetone	5	ug/L	ND	ND	ND	ND	ND	ND
Acrylonitrile	5	ug/L	ND	ND	ND	ND	ND	ND
Benzene	1	ug/L	ND	ND	ND	ND	ND	ND
Bromochloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Bromodichloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Bromoform	1	ug/L	ND	ND	ND	ND	ND	ND
Bromomethane	1	ug/L	ND	ND	ND	ND	ND	ND
Carbon disulfide	1	ug/L	ND	ND	ND	ND	ND	ND
Carbon Tetrachloride	1	ug/L	ND	ND	ND	ND	ND	ND
Chlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
Chloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
Chloroform	1	ug/L	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	1	ug/L	8.4	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND	ND
Dibromochloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Dibromomethane	1	ug/L	ND	ND	ND	ND	ND	ND
Ethylbenzene	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl Chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl Iodide	1	ug/L	ND	ND	ND	ND	ND	ND
Methylene chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl-tert-butyl ether	2	ug/L	ND	ND	ND	ND	ND	ND
Styrene	1	ug/L	ND	ND	ND	ND	ND	ND
Tetrachloroethene	1	ug/L	1.9	ND	ND	ND	ND	ND
Toluene	1	ug/L	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND	ND
Trans-1,4-dichloro-2-butene	5	ug/L	ND	ND	ND	ND	ND	ND
Trichloroethene	1	ug/L	1.9	ND	ND	ND	ND	ND
Trichlorofluoromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Vinyl acetate	1	ug/L	ND	ND	ND	ND	ND	ND
Vinyl Chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Xylenes (Total)	1	ug/L	ND	ND	ND	ND	ND	ND

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

# TABLE 1: Volatile Organic Compounds

Parameter	Detection Limit	Units	MW-13	MW-14	MM-15	MW-16	MW-17	MW-18A
1,1,1,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	1	ug/L	ND	1.3	ND	ND	ND	ND
1,2,3-Trichloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
2-Butanone	5	ug/L	ND	ND	ND	ND	ND	ND
2-Hexanone	5	ug/L	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	5	ug/L	ND	ND	ND	ND	ND	ND
Acetone	5	ug/L	ND	ND	ND	ND	ND	ND
Acrylonitrile	5	ug/L	ND	ND	ND	ND	ND	ND
Benzene	1	ug/L	ND	ND	ND	ND	ND	ND
Bromochloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Bromodichloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Bromoform	1	ug/L	ND	ND	ND	ND	ND	ND
Bromomethane	1	ug/L	ND	ND	ND	ND	ND	ND
Carbon disulfide	1	ug/L	ND	ND	ND	ND	ND	ND
Carbon Tetrachloride	1	ug/L	ND	ND	ND	ND	ND	ND
Chlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
Chloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
Chloroform	1	ug/L	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND	ND
Dibromochloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Dibromomethane	1	ug/L	ND	ND	ND	ND	ND	ND
Ethylbenzene	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl Chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl Iodide	1	ug/L	ND	ND	ND	ND	ND	ND
Methylene chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl-tert-butyl ether	2	ug/L	ND	ND	ND	ND	ND	ND
Styrene	1	ug/L	ND	ND	ND	ND	ND	ND
Tetrachloroethene	1	ug/L	ND	ND	ND	ND	ND	ND
Toluene	1	ug/L	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND	ND
Trans-1,4-dichloro-2-butene	5	ug/L	ND	ND	ND	ND	ND	ND
Trichloroethene	1	ug/L	ND	ND	ND	1.4	ND	ND
Trichlorofluoromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Vinyl acetate	1	ug/L	ND	ND	ND	ND	ND	ND
Vinyl Chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Xylenes (Total)	1	ug/L	ND	ND	ND	ND	ND	ND

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

# TABLE 1: Volatile Organic Compounds

Parameter	Detection Limit	Units	MW-19	MW-20	MW-21	MW-22	MW-23	MW-24
1,1,1,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	1	ug/L	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
2-Butanone	5	ug/L	ND	ND	ND	ND	ND	ND
2-Hexanone	5	ug/L	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	5	ug/L	ND	ND	ND	ND	ND	ND
Acetone	5	ug/L	ND	ND	ND	ND	ND	ND
Acrylonitrile	5	ug/L	ND	ND	ND	ND	ND	ND
Benzene	1	ug/L	ND	ND	ND	ND	ND	ND
Bromochloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Bromodichloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Bromoform	1	ug/L	ND	ND	ND	ND	ND	ND
Bromomethane	1	ug/L	ND	ND	ND	ND	ND	ND
Carbon disulfide	1	ug/L	ND	ND	ND	ND	ND	ND
Carbon Tetrachloride	1	ug/L	ND	ND	ND	ND	ND	ND
Chlorobenzene	1	ug/L	ND	ND	ND	ND	ND	ND
Chloroethane	1	ug/L	ND	ND	ND	ND	ND	ND
Chloroform	1	ug/L	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	1	ug/L	ND	ND	ND	1.9	ND	ND
cis-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND	ND
Dibromochloromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Dibromomethane	1	ug/L	ND	ND	ND	ND	ND	ND
Ethylbenzene	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl Chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl Iodide	1	ug/L	ND	ND	ND	ND	ND	ND
Methylene chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Methyl-tert-butyl ether	2	ug/L	ND	ND	ND	ND	ND	ND
Styrene	1	ug/L	ND	ND	ND	ND	ND	ND
Tetrachloroethene	1	ug/L	ND	ND	ND	ND	ND	ND
Toluene	1	ug/L	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND	ND
Trans-1,4-dichloro-2-butene	5	ug/L	ND	ND	ND	ND	ND	ND
Trichloroethene	1	ug/L	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane	1	ug/L	ND	ND	ND	ND	ND	ND
Vinyl acetate	1	ug/L	ND	ND	ND	ND	ND	ND
Vinyl Chloride	1	ug/L	ND	ND	ND	ND	ND	ND
Xylenes (Total)	1	ug/L	ND	ND	ND	ND	ND	ND

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

# TABLE 1: Volatile Organic Compounds

Parameter	Detection Limit	Units	MW-25	MW-26	MW-27	SW-20	SW-30
1,1,1,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND
1,1,1-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	1	ug/L	ND	ND	ND	ND	ND
1,1,2-Trichloroethane	1	ug/L	ND	ND	ND	ND	ND
1,1-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND
1,1-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND
1,2,3-Trichloropropane	1	ug/L	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	1	ug/L	ND	ND	ND	ND	ND
1,2-Dibromoethane	1	ug/L	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND
1,2-Dichloroethane	1	ug/L	ND	ND	ND	ND	ND
1,2-Dichloropropane	1	ug/L	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	1	ug/L	ND	ND	ND	ND	ND
2-Butanone	5	ug/L	ND	ND	ND	ND	ND
2-Hexanone	5	ug/L	ND	ND	ND	ND	ND
4-Methyl-2-pentanone	5	ug/L	ND	ND	ND	ND	ND
Acetone	5	ug/L	ND	ND	ND	ND	ND
Acrylonitrile	5	ug/L	ND	ND	ND	ND	ND
Benzene	1	ug/L	ND	ND	ND	ND	ND
Bromochloromethane	1	ug/L	ND	ND	ND	ND	ND
Bromodichloromethane	1	ug/L	ND	ND	ND	ND	ND
Bromoform	1	ug/L	ND	ND	ND	ND	ND
Bromomethane	1	ug/L	ND	ND	ND	ND	ND
Carbon disulfide	1	ug/L	ND	ND	ND	ND	ND
Carbon Tetrachloride	1	ug/L	ND	ND	ND	ND	ND
Chlorobenzene	1	ug/L	ND	ND	ND	ND	ND
Chloroethane	1	ug/L	ND	ND	ND	ND	ND
Chloroform	1	ug/L	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND
Dibromochloromethane	1	ug/L	ND	ND	ND	ND	ND
Dibromomethane	1	ug/L	ND	ND	ND	ND	ND
Ethylbenzene	1	ug/L	ND	ND	ND	ND	ND
Methyl Chloride	1	ug/L	ND	ND	ND	ND	ND
Methyl Iodide	1	ug/L	ND	ND	ND	ND	ND
Methylene chloride	1	ug/L	ND	ND	ND	ND	ND
Methyl-tert-butyl ether	2	ug/L	ND	ND	ND	ND	ND
Styrene	1	ug/L	ND	ND	ND	ND	ND
Tetrachloroethene	1	ug/L	ND	ND	ND	ND	ND
Toluene	1	ug/L	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	1	ug/L	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	1	ug/L	ND	ND	ND	ND	ND
Trans-1,4-dichloro-2-butene	5	ug/L	ND	ND	ND	ND	ND
Trichloroethene	1	ug/L	ND	ND	ND	ND	ND
Trichlorofluoromethane	1	ug/L	ND	ND	ND	ND	ND
Vinyl acetate	1	ug/L	ND	ND	ND	ND	ND
Vinyl Chloride	1	ug/L	ND	ND	ND	ND	ND
Xylenes (Total)	1	ug/L	ND	ND	ND	ND	ND

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-01	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-01	1,1,1-Trichloroethane	ug/L	ND																			
MW-01	1,1,2,2-Tetrachloroethane	ug/L	ND	1.52	ND	ND	ND	ND	ND	ND												
MW-01	1,1,2-Trichloroethane	ug/L	ND																			
MW-01	1,1-Dichloroethane	ug/L	ND																			
MW-01	1,1-Dichloroethene	ug/L	ND																			
MW-01	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-01	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-01	1,2-Dibromoethane	ug/L	ND																			
MW-01	1,2-Dichlorobenzene	ug/L	1.13	ND	1.86	NT	ND	NT	ND	ND	ND											
MW-01	1,2-Dichloroethane	ug/L	ND																			
MW-01	1,2-Dichloropropane	ug/L	ND																			
MW-01	1,4-Dichlorobenzene	ug/L	ND	2	ND	ND	ND	ND	ND	ND												
MW-01	2-Butanone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-01	2-Hexanone	ug/L	ND	NT	NT	NT	1.78	ND	ND	NT	ND	ND	ND	ND								
MW-01	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	2.01	NT	ND	ND	ND							
MW-01	Acetone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND								
MW-01	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-01	Benzene	ug/L	ND																			
MW-01	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-01	Bromodichloromethane	ug/L	ND																			
MW-01	Bromoform	ug/L	ND																			
MW-01	Bromomethane	ug/L	ND																			
MW-01	Carbon disulfide	ug/L	1.85	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND							
MW-01	Carbon Tetrachloride	ug/L	ND																			
MW-01	Chlorobenzene	ug/L	ND																			
MW-01	Chloroethane	ug/L	ND																			
MW-01	Chloroform	ug/L	ND																			
MW-01	cis-1,2-Dichloroethene	ug/L	ND																			
MW-01	cis-1,3-Dichloropropene	ug/L	ND																			
MW-01	Dibromochloromethane	ug/L	ND																			
MW-01	Dibromomethane	ug/L	ND																			
MW-01	Ethylbenzene	ug/L	ND																			
MW-01	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-01	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-01	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND							
MW-01	ortho-Xylene	ug/L	ND																			
MW-01	para-Xylene & meta-Xylene	ug/L	ND																			
MW-01	Styrene	ug/L	ND																			
MW-01	Tetrachloroethene	ug/L	ND																			
MW-01	Toluene	ug/L	ND																			
MW-01	trans-1,2-Dichloroethene	ug/L	ND																			
MW-01	trans-1,3-Dichloropropene	ug/L	ND																			
MW-01	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-01	Trichloroethene	ug/L	ND																			
MW-01	Trichlorofluoromethane	ug/L	ND																			
MW-01	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-01	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-02	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-02	1,1,1-Trichloroethane	ug/L	ND																			
MW-02	1,1,2,2-Tetrachloroethane	ug/L	ND	1.77	ND	ND	ND	ND	ND	ND												
MW-02	1,1,2-Trichloroethane	ug/L	ND																			
MW-02	1,1-Dichloroethane	ug/L	ND	0.55	1.22	ND	ND	ND	ND	ND	ND											
MW-02	1,1-Dichloroethene	ug/L	ND																			
MW-02	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-02	1,2-Dibromo-3-chloropropane	ug/L	ND	ND	ND	1.2	ND															
MW-02	1,2-Dibromoethane	ug/L	ND																			
MW-02	1,2-Dichlorobenzene	ug/L	ND	1.8	NT	ND	NT	ND	ND	ND												
MW-02	1,2-Dichloroethane	ug/L	ND																			
MW-02	1,2-Dichloropropane	ug/L	ND																			
MW-02	1,4-Dichlorobenzene	ug/L	ND	2.01	ND	ND	ND	ND	ND	ND												
MW-02	2-Butanone	ug/L	ND	1.18	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND						
MW-02	2-Hexanone	ug/L	ND	NT	NT	NT	NT	2.04	ND	ND	NT	ND	ND	ND								
MW-02	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-02	Acetone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND								
MW-02	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-02	Benzene	ug/L	ND																			
MW-02	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-02	Bromodichloromethane	ug/L	ND																			
MW-02	Bromoform	ug/L	ND																			
MW-02	Bromomethane	ug/L	ND																			
MW-02	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-02	Carbon Tetrachloride	ug/L	ND																			
MW-02	Chlorobenzene	ug/L	ND																			
MW-02	Chloroethane	ug/L	ND																			
MW-02	Chloroform	ug/L	ND																			
MW-02	cis-1,2-Dichloroethene	ug/L	ND																			
MW-02	cis-1,3-Dichloropropene	ug/L	ND																			
MW-02	Dibromochloromethane	ug/L	ND																			
MW-02	Dibromomethane	ug/L	ND																			
MW-02	Ethylbenzene	ug/L	ND																			
MW-02	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-02	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-02	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND							
MW-02	ortho-Xylene	ug/L	ND																			
MW-02	para-Xylene & meta-Xylene	ug/L	ND																			
MW-02	Styrene	ug/L	ND																			
MW-02	Tetrachloroethene	ug/L	ND	1.84	ND	1.83	ND	1.14	1.83	1.26	1.5	1.43	ND	1.33	1.42	1.07	1.52	1.79	ND	ND	2	1.1
MW-02	Toluene	ug/L	ND																			
MW-02	trans-1,2-Dichloroethene	ug/L	ND																			
MW-02	trans-1,3-Dichloropropene	ug/L	ND																			
MW-02	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-02	Trichloroethene	ug/L	ND	0.64	0.58	ND																
MW-02	Trichlorofluoromethane	ug/L	ND																			
MW-02	Vinyl Acetate	ug/L	ND	NT	ND	ND	ND															
MW-02	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-03	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-03	1,1,1-Trichloroethane	ug/L	ND																			
MW-03	1,1,2,2-Tetrachloroethane	ug/L	ND	1.74	ND	ND	ND	ND	ND	ND												
MW-03	1,1,2-Trichloroethane	ug/L	ND																			
MW-03	1,1-Dichloroethane	ug/L	ND	1.11	ND																	
MW-03	1,1-Dichloroethene	ug/L	ND																			
MW-03	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-03	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-03	1,2-Dibromoethane	ug/L	ND																			
MW-03	1,2-Dichlorobenzene	ug/L	ND	1.86	NT	ND	NT	ND	ND	ND												
MW-03	1,2-Dichloroethane	ug/L	ND																			
MW-03	1,2-Dichloropropane	ug/L	ND																			
MW-03	1,4-Dichlorobenzene	ug/L	ND	1.95	ND	ND	ND	ND	ND	ND												
MW-03	2-Butanone	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-03	2-Hexanone	ug/L	ND	NT	NT	NT	2.19	ND	ND	NT	ND	ND	ND									
MW-03	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-03	Acetone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND									
MW-03	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-03	Benzene	ug/L	ND																			
MW-03	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-03	Bromodichloromethane	ug/L	ND																			
MW-03	Bromoform	ug/L	ND																			
MW-03	Bromomethane	ug/L	ND	0.53	ND																	
MW-03	Carbon disulfide	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-03	Carbon Tetrachloride	ug/L	ND																			
MW-03	Chlorobenzene	ug/L	ND																			
MW-03	Chloroethane	ug/L	ND																			
MW-03	Chloroform	ug/L	ND	0.71	ND																	
MW-03	cis-1,2-Dichloroethene	ug/L	ND	1.14	ND																	
MW-03	cis-1,3-Dichloropropene	ug/L	ND																			
MW-03	Dibromochloromethane	ug/L	ND																			
MW-03	Dibromomethane	ug/L	ND																			
MW-03	Ethylbenzene	ug/L	ND																			
MW-03	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND									
MW-03	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND									
MW-03	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND								
MW-03	ortho-Xylene	ug/L	ND																			
MW-03	para-Xylene & meta-Xylene	ug/L	ND																			
MW-03	Styrene	ug/L	ND																			
MW-03	Tetrachloroethene	ug/L	ND	3.53	ND																	
MW-03	Toluene	ug/L	ND																			
MW-03	trans-1,2-Dichloroethene	ug/L	ND																			
MW-03	trans-1,3-Dichloropropene	ug/L	ND																			
MW-03	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-03	Trichloroethene	ug/L	ND	1.28	ND																	
MW-03	Trichlorofluoromethane	ug/L	ND																			
MW-03	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-03	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-04	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-04	1,1,1-Trichloroethane	ug/L	ND																			
MW-04	1,1,2,2-Tetrachloroethane	ug/L	ND	1.78	ND	ND	ND	ND	ND	ND												
MW-04	1,1,2-Trichloroethane	ug/L	ND																			
MW-04	1,1-Dichloroethane	ug/L	ND																			
MW-04	1,1-Dichloroethene	ug/L	ND																			
MW-04	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-04	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-04	1,2-Dibromoethane	ug/L	ND																			
MW-04	1,2-Dichlorobenzene	ug/L	ND	1.89	NT	ND	NT	ND	ND	ND												
MW-04	1,2-Dichloroethane	ug/L	ND																			
MW-04	1,2-Dichloropropane	ug/L	ND																			
MW-04	1,4-Dichlorobenzene	ug/L	ND	ND	ND	ND	ND	1.03	ND	2.04	ND	ND	ND	ND	ND	ND						
MW-04	2-Butanone	ug/L	ND	ND	ND	1.01	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND
MW-04	2-Hexanone	ug/L	ND	NT	NT	NT	2.06	ND	ND	NT	ND	ND	ND									
MW-04	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-04	Acetone	ug/L	ND	NT	NT	NT	NT	9.1	ND	ND	ND	ND	ND	ND								
MW-04	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND							
MW-04	Benzene	ug/L	ND	6.7	ND	ND																
MW-04	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-04	Bromodichloromethane	ug/L	ND																			
MW-04	Bromoform	ug/L	ND																			
MW-04	Bromomethane	ug/L	ND																			
MW-04	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	14	ND	ND								
MW-04	Carbon Tetrachloride	ug/L	ND																			
MW-04	Chlorobenzene	ug/L	ND																			
MW-04	Chloroethane	ug/L	ND																			
MW-04	Chloroform	ug/L	ND																			
MW-04	cis-1,2-Dichloroethene	ug/L	ND																			
MW-04	cis-1,3-Dichloropropene	ug/L	ND																			
MW-04	Dibromochloromethane	ug/L	ND	0.71	ND																	
MW-04	Dibromomethane	ug/L	ND																			
MW-04	Ethylbenzene	ug/L	ND																			
MW-04	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-04	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-04	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND							
MW-04	ortho-Xylene	ug/L	ND																			
MW-04	para-Xylene & meta-Xylene	ug/L	ND																			
MW-04	Styrene	ug/L	ND																			
MW-04	Tetrachloroethene	ug/L	ND	0.55	ND																	
MW-04	Toluene	ug/L	ND																			
MW-04	trans-1,2-Dichloroethene	ug/L	ND																			
MW-04	trans-1,3-Dichloropropene	ug/L	ND																			
MW-04	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-04	Trichloroethene	ug/L	ND																			
MW-04	Trichlorofluoromethane	ug/L	ND																			
MW-04	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-04	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-05	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-05	1,1,1-Trichloroethane	ug/L	ND																			
MW-05	1,1,2,2-Tetrachloroethane	ug/L	ND	1.66	ND	ND	ND	ND	ND	ND												
MW-05	1,1,2-Trichloroethane	ug/L	ND																			
MW-05	1,1-Dichloroethane	ug/L	1.24	ND	1.26	1.89	ND	ND	ND	ND	ND	ND										
MW-05	1,1-Dichloroethene	ug/L	ND																			
MW-05	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-05	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-05	1,2-Dibromoethane	ug/L	ND																			
MW-05	1,2-Dichlorobenzene	ug/L	ND	1.89	NT	ND	NT	ND	ND	ND												
MW-05	1,2-Dichloroethane	ug/L	ND																			
MW-05	1,2-Dichloropropane	ug/L	ND																			
MW-05	1,4-Dichlorobenzene	ug/L	ND	2.02	ND	ND	ND	ND	ND	ND												
MW-05	2-Butanone	ug/L	1.17	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND							
MW-05	2-Hexanone	ug/L	ND	NT	NT	NT	NT	2.18	ND	ND	NT	ND	ND	ND								
MW-05	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-05	Acetone	ug/L	ND	NT	NT	NT	NT	NT	10.3	ND	ND	ND	ND	ND								
MW-05	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-05	Benzene	ug/L	ND																			
MW-05	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-05	Bromodichloromethane	ug/L	ND																			
MW-05	Bromoform	ug/L	ND																			
MW-05	Bromomethane	ug/L	ND																			
MW-05	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-05	Carbon Tetrachloride	ug/L	ND																			
MW-05	Chlorobenzene	ug/L	ND																			
MW-05	Chloroethane	ug/L	ND																			
MW-05	Chloroform	ug/L	ND																			
MW-05	cis-1,2-Dichloroethene	ug/L	ND	ND	ND	ND	ND	ND	1.03	ND	1.84	ND	ND	3.35	2.47	1.91	1.41	ND	ND	ND	ND	ND
MW-05	cis-1,3-Dichloropropene	ug/L	ND																			
MW-05	Dibromochloromethane	ug/L	ND																			
MW-05	Dibromomethane	ug/L	ND																			
MW-05	Ethylbenzene	ug/L	ND																			
MW-05	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-05	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-05	Methyl Tertiary Butyl Ether	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-05	ortho-Xylene	ug/L	ND																			
MW-05	para-Xylene & meta-Xylene	ug/L	ND																			
MW-05	Styrene	ug/L	ND																			
MW-05	Tetrachloroethene	ug/L	ND	1.86	ND	2.73	1.51	1.21	2.5	2.05	3.57	2.25	ND	4.93	4.26	2.47	2.65	1.83	ND	ND	2.5	ND
MW-05	Toluene	ug/L	ND																			
MW-05	trans-1,2-Dichloroethene	ug/L	ND																			
MW-05	trans-1,3-Dichloropropene	ug/L	ND																			
MW-05	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-05	Trichloroethene	ug/L	ND	ND	ND	1.03	ND	ND	1.46	1.02	1.68	ND	ND	2.41	2	1.51	1.27	ND	ND	ND	ND	ND
MW-05	Trichlorofluoromethane	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	NT	ND	ND	ND								
MW-05	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-05	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-06	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-06	1,1,1-Trichloroethane	ug/L	ND																			
MW-06	1,1,2,2-Tetrachloroethane	ug/L	ND	1.79	ND	ND	ND	ND	ND	ND												
MW-06	1,1,2-Trichloroethane	ug/L	ND																			
MW-06	1,1-Dichloroethane	ug/L	ND	5.82	ND	4.64	5.3	5.88	8.94	ND	1.12	3.99	5.16	ND	3.51	2.12	3.59	1.2	ND	ND	ND	3.5
MW-06	1,1-Dichloroethene	ug/L	ND	2.62	ND																	
MW-06	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-06	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-06	1,2-Dibromoethane	ug/L	ND																			
MW-06	1,2-Dichlorobenzene	ug/L	ND	1.88	NT	ND	NT	ND	ND	ND												
MW-06	1,2-Dichloroethane	ug/L	ND																			
MW-06	1,2-Dichloropropane	ug/L	ND																			
MW-06	1,4-Dichlorobenzene	ug/L	ND	2.05	ND	ND	ND	ND	ND	ND												
MW-06	2-Butanone	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-06	2-Hexanone	ug/L	ND	NT	NT	NT	NT	2.6	ND	ND	NT	ND	ND	ND								
MW-06	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-06	Acetone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND								
MW-06	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-06	Benzene	ug/L	ND																			
MW-06	Bromochloromethane	ug/L	ND	1.61	ND	ND	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND						
MW-06	Bromodichloromethane	ug/L	ND																			
MW-06	Bromoform	ug/L	ND	1.01	ND	ND	ND	ND	ND	ND												
MW-06	Bromomethane	ug/L	ND																			
MW-06	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-06	Carbon Tetrachloride	ug/L	ND																			
MW-06	Chlorobenzene	ug/L	ND																			
MW-06	Chloroethane	ug/L	ND																			
MW-06	Chloroform	ug/L	ND																			
MW-06	cis-1,2-Dichloroethene	ug/L	ND	3.93	ND	3.45	3.92	4.57	8.6	4.35	8.99	3.43	9.9	5.32	5.08	1.59	5.18	4.9	13	ND	ND	8.1
MW-06	cis-1,3-Dichloropropene	ug/L	ND																			
MW-06	Dibromochloromethane	ug/L	ND																			
MW-06	Dibromomethane	ug/L	ND	3.23	ND																	
MW-06	Ethylbenzene	ug/L	ND																			
MW-06	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	3.3	ND								
MW-06	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-06	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND							
MW-06	ortho-Xylene	ug/L	ND																			
MW-06	para-Xylene & meta-Xylene	ug/L	ND																			
MW-06	Styrene	ug/L	ND																			
MW-06	Tetrachloroethene	ug/L	ND	13.21	ND	14.36	ND	9.62	16.75	9.46	18.67	8.6	18.1	9.45	10.55	2.91	8.6	7.5	13.1	ND	9	7
MW-06	Toluene	ug/L	ND																			
MW-06	trans-1,2-Dichloroethene	ug/L	ND																			
MW-06	trans-1,3-Dichloropropene	ug/L	ND																			
MW-06	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-06	Trichloroethene	ug/L	ND	3.42	ND	4.4	3.71	4	6.87	3.05	6.26	2.34	5.57	3.08	2.99	1.12	3.07	2.19	ND	ND	2.3	3.4
MW-06	Trichlorofluoromethane	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	NT	ND	ND	ND								
MW-06	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-06	Vinyl Chloride	ug/L	ND	2.63	ND	1.19	0.79	ND														

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-07	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-07	1,1,1-Trichloroethane	ug/L	ND																			
MW-07	1,1,2,2-Tetrachloroethane	ug/L	ND	1.69	ND	ND	ND	ND	ND	ND												
MW-07	1,1,2-Trichloroethane	ug/L	ND																			
MW-07	1,1-Dichloroethane	ug/L	ND	4.77	ND	4.17	6.99	5.77	5.75	2.39	ND	6.92	6.97	1.11	3.89	6.92	2.74	3.33	ND	ND	ND	5.9
MW-07	1,1-Dichloroethene	ug/L	ND																			
MW-07	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-07	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-07	1,2-Dibromoethane	ug/L	ND																			
MW-07	1,2-Dichlorobenzene	ug/L	ND	1.83	NT	ND	NT	ND	ND	ND												
MW-07	1,2-Dichloroethane	ug/L	ND																			
MW-07	1,2-Dichloropropane	ug/L	ND																			
MW-07	1,4-Dichlorobenzene	ug/L	ND	2.02	ND	ND	ND	ND	ND	ND												
MW-07	2-Butanone	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-07	2-Hexanone	ug/L	ND	NT	NT	NT	2.28	ND	ND	NT	ND	ND	ND	ND								
MW-07	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	2.07	NT	ND	ND	ND	ND							
MW-07	Acetone	ug/L	ND	NT	NT	NT	NT	5.62	ND	ND	ND	ND	ND	ND								
MW-07	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-07	Benzene	ug/L	ND	1.06	ND																	
MW-07	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-07	Bromodichloromethane	ug/L	ND																			
MW-07	Bromoform	ug/L	ND	1.04	ND	ND	ND	ND	ND	ND												
MW-07	Bromomethane	ug/L	ND																			
MW-07	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-07	Carbon Tetrachloride	ug/L	ND																			
MW-07	Chlorobenzene	ug/L	ND																			
MW-07	Chloroethane	ug/L	ND																			
MW-07	Chloroform	ug/L	ND																			
MW-07	cis-1,2-Dichloroethene	ug/L	ND	10.27	ND	2.27	3.94	4.04	3.68	3.25	3.84	5.63	6.21	5.38	5.12	5.62	3	8.38	ND	ND	ND	8.4
MW-07	cis-1,3-Dichloropropene	ug/L	ND																			
MW-07	Dibromochloromethane	ug/L	ND																			
MW-07	Dibromomethane	ug/L	ND																			
MW-07	Ethylbenzene	ug/L	ND																			
MW-07	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-07	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-07	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND													
MW-07	ortho-Xylene	ug/L	ND																			
MW-07	para-Xylene & meta-Xylene	ug/L	ND																			
MW-07	Styrene	ug/L	ND																			
MW-07	Tetrachloroethene	ug/L	ND	7.27	ND	3.14	ND	1.95	3.38	1.91	3	3.25	5.24	3.15	3.11	2.14	1.54	2.91	ND	ND	3.7	1.9
MW-07	Toluene	ug/L	ND																			
MW-07	trans-1,2-Dichloroethene	ug/L	ND																			
MW-07	trans-1,3-Dichloropropene	ug/L	ND																			
MW-07	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-07	Trichloroethene	ug/L	ND	4.17	ND	1.52	2.06	1.49	1.94	1.1	1.56	1.65	2.44	1.53	1.72	1.54	ND	1.89	ND	ND	1.8	1.9
MW-07	Trichlorofluoromethane	ug/L	ND	0.51	ND																	
MW-07	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-07	Vinyl Chloride	ug/L	ND	1.32	ND	ND	ND	ND	ND	ND	1.38	ND	0.94	1.3	0.64	0.64	ND	1.32	ND	ND	ND	ND

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-08	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-08	1,1,1-Trichloroethane	ug/L	ND																			
MW-08	1,1,2,2-Tetrachloroethane	ug/L	ND	1.8	ND	ND	ND	ND	ND	ND												
MW-08	1,1,2-Trichloroethane	ug/L	ND																			
MW-08	1,1-Dichloroethane	ug/L	ND	ND	ND	ND	ND	ND	1.2	ND												
MW-08	1,1-Dichloroethene	ug/L	ND																			
MW-08	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-08	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-08	1,2-Dibromoethane	ug/L	ND																			
MW-08	1,2-Dichlorobenzene	ug/L	ND	1.9	NT	ND	NT	ND	ND	ND												
MW-08	1,2-Dichloroethane	ug/L	ND																			
MW-08	1,2-Dichloropropane	ug/L	ND																			
MW-08	1,4-Dichlorobenzene	ug/L	ND	2.07	ND	ND	ND	ND	ND	ND												
MW-08	2-Butanone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-08	2-Hexanone	ug/L	ND	NT	NT	NT	2.03	ND	ND	NT	ND	ND	ND	ND								
MW-08	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-08	Acetone	ug/L	ND	NT	NT	NT	NT	ND														
MW-08	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-08	Benzene	ug/L	ND																			
MW-08	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-08	Bromodichloromethane	ug/L	ND																			
MW-08	Bromoform	ug/L	ND																			
MW-08	Bromomethane	ug/L	ND																			
MW-08	Carbon disulfide	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND	ND								
MW-08	Carbon Tetrachloride	ug/L	ND																			
MW-08	Chlorobenzene	ug/L	ND																			
MW-08	Chloroethane	ug/L	ND																			
MW-08	Chloroform	ug/L	ND																			
MW-08	cis-1,2-Dichloroethene	ug/L	ND																			
MW-08	cis-1,3-Dichloropropene	ug/L	ND																			
MW-08	Dibromochloromethane	ug/L	ND																			
MW-08	Dibromomethane	ug/L	ND																			
MW-08	Ethylbenzene	ug/L	ND																			
MW-08	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-08	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-08	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND													
MW-08	ortho-Xylene	ug/L	ND																			
MW-08	para-Xylene & meta-Xylene	ug/L	ND																			
MW-08	Styrene	ug/L	ND																			
MW-08	Tetrachloroethene	ug/L	ND																			
MW-08	Toluene	ug/L	ND																			
MW-08	trans-1,2-Dichloroethene	ug/L	ND																			
MW-08	trans-1,3-Dichloropropene	ug/L	ND																			
MW-08	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND	ND								
MW-08	Trichloroethene	ug/L	ND																			
MW-08	Trichlorofluoromethane	ug/L	ND																			
MW-08	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-08	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-09	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-09	1,1,1-Trichloroethane	ug/L	ND																			
MW-09	1,1,2,2-Tetrachloroethane	ug/L	ND	1.57	ND	ND	ND	ND	ND	ND												
MW-09	1,1,2-Trichloroethane	ug/L	ND																			
MW-09	1,1-Dichloroethane	ug/L	ND																			
MW-09	1,1-Dichloroethene	ug/L	ND																			
MW-09	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-09	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-09	1,2-Dibromoethane	ug/L	ND																			
MW-09	1,2-Dichlorobenzene	ug/L	ND	1.8	NT	ND	NT	ND	ND	ND												
MW-09	1,2-Dichloroethane	ug/L	ND																			
MW-09	1,2-Dichloropropane	ug/L	ND																			
MW-09	1,4-Dichlorobenzene	ug/L	ND	1.88	ND	ND	ND	ND	ND	ND												
MW-09	2-Butanone	ug/L	ND	ND	ND	1.04	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND
MW-09	2-Hexanone	ug/L	ND	NT	NT	NT	2.04	ND	ND	NT	ND	ND	ND	ND								
MW-09	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-09	Acetone	ug/L	ND	NT	NT	NT	NT	ND														
MW-09	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-09	Benzene	ug/L	ND																			
MW-09	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-09	Bromodichloromethane	ug/L	ND																			
MW-09	Bromoform	ug/L	ND																			
MW-09	Bromomethane	ug/L	ND																			
MW-09	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-09	Carbon Tetrachloride	ug/L	ND																			
MW-09	Chlorobenzene	ug/L	ND																			
MW-09	Chloroethane	ug/L	ND																			
MW-09	Chloroform	ug/L	ND																			
MW-09	cis-1,2-Dichloroethene	ug/L	ND																			
MW-09	cis-1,3-Dichloropropene	ug/L	ND																			
MW-09	Dibromochloromethane	ug/L	ND																			
MW-09	Dibromomethane	ug/L	ND																			
MW-09	Ethylbenzene	ug/L	ND	2.4	ND	ND																
MW-09	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-09	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-09	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND													
MW-09	ortho-Xylene	ug/L	ND																			
MW-09	para-Xylene & meta-Xylene	ug/L	ND	8.2	ND	ND																
MW-09	Styrene	ug/L	ND																			
MW-09	Tetrachloroethene	ug/L	ND																			
MW-09	Toluene	ug/L	ND																			
MW-09	trans-1,2-Dichloroethene	ug/L	ND																			
MW-09	trans-1,3-Dichloropropene	ug/L	ND																			
MW-09	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND	ND								
MW-09	Trichloroethene	ug/L	ND																			
MW-09	Trichlorofluoromethane	ug/L	ND																			
MW-09	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-09	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-10	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-10	1,1,1-Trichloroethane	ug/L	ND																			
MW-10	1,1,2,2-Tetrachloroethane	ug/L	ND																			
MW-10	1,1,2-Trichloroethane	ug/L	ND																			
MW-10	1,1-Dichloroethane	ug/L	ND	1.31	ND																	
MW-10	1,1-Dichloroethene	ug/L	ND																			
MW-10	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-10	1,2-Dibromo-3-chloropropane	ug/L	ND	ND	ND	ND	ND	ND	1.49	ND												
MW-10	1,2-Dibromoethane	ug/L	ND																			
MW-10	1,2-Dichlorobenzene	ug/L	ND	ND	ND	ND	ND	ND	1.55	ND	ND	ND	ND	ND	ND	1.93	NT	ND	NT	ND	ND	ND
MW-10	1,2-Dichloroethane	ug/L	ND																			
MW-10	1,2-Dichloropropane	ug/L	ND																			
MW-10	1,4-Dichlorobenzene	ug/L	ND	ND	ND	ND	ND	ND	1.72	ND	ND	ND	ND	ND	ND	2.24	ND	ND	ND	ND	ND	ND
MW-10	2-Butanone	ug/L	2.32	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND							
MW-10	2-Hexanone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-10	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-10	Acetone	ug/L	ND	NT	NT	NT	NT	NT	8.76	ND	ND	ND	ND	ND								
MW-10	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-10	Benzene	ug/L	ND																			
MW-10	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-10	Bromodichloromethane	ug/L	ND																			
MW-10	Bromoform	ug/L	ND																			
MW-10	Bromomethane	ug/L	ND	3.72	0.56	ND																
MW-10	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	9.7	ND								
MW-10	Carbon Tetrachloride	ug/L	ND																			
MW-10	Chlorobenzene	ug/L	ND																			
MW-10	Chloroethane	ug/L	ND																			
MW-10	Chloroform	ug/L	ND																			
MW-10	cis-1,2-Dichloroethene	ug/L	ND																			
MW-10	cis-1,3-Dichloropropene	ug/L	ND																			
MW-10	Dibromochloromethane	ug/L	ND																			
MW-10	Dibromomethane	ug/L	ND																			
MW-10	Ethylbenzene	ug/L	ND																			
MW-10	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-10	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-10	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND													
MW-10	ortho-Xylene	ug/L	ND																			
MW-10	para-Xylene & meta-Xylene	ug/L	ND																			
MW-10	Styrene	ug/L	ND																			
MW-10	Tetrachloroethene	ug/L	ND	ND	ND	ND	ND	ND	1.43	ND	ND	ND	3.02	ND								
MW-10	Toluene	ug/L	ND																			
MW-10	trans-1,2-Dichloroethene	ug/L	ND																			
MW-10	trans-1,3-Dichloropropene	ug/L	ND																			
MW-10	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-10	Trichloroethene	ug/L	ND	1.03	ND																	
MW-10	Trichlorofluoromethane	ug/L	ND																			
MW-10	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-10	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-11	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-11	1,1,1-Trichloroethane	ug/L	ND																			
MW-11	1,1,2,2-Tetrachloroethane	ug/L	ND	1.7	ND	ND	ND	ND	ND	ND												
MW-11	1,1,2-Trichloroethane	ug/L	ND																			
MW-11	1,1-Dichloroethane	ug/L	ND																			
MW-11	1,1-Dichloroethene	ug/L	ND																			
MW-11	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-11	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-11	1,2-Dibromoethane	ug/L	ND																			
MW-11	1,2-Dichlorobenzene	ug/L	ND	1.85	NT	ND	NT	ND	ND	ND												
MW-11	1,2-Dichloroethane	ug/L	ND																			
MW-11	1,2-Dichloropropane	ug/L	ND																			
MW-11	1,4-Dichlorobenzene	ug/L	ND																			
MW-11	2-Butanone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-11	2-Hexanone	ug/L	ND	NT	NT	NT	1.99	ND	ND	NT	ND	ND	ND	ND								
MW-11	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-11	Acetone	ug/L	ND	NT	NT	NT	NT	9.26	ND	ND	ND	ND	ND	ND								
MW-11	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-11	Benzene	ug/L	ND																			
MW-11	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-11	Bromodichloromethane	ug/L	ND																			
MW-11	Bromoform	ug/L	ND																			
MW-11	Bromomethane	ug/L	ND																			
MW-11	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	6.8	ND	ND								
MW-11	Carbon Tetrachloride	ug/L	ND																			
MW-11	Chlorobenzene	ug/L	ND																			
MW-11	Chloroethane	ug/L	ND																			
MW-11	Chloroform	ug/L	ND																			
MW-11	cis-1,2-Dichloroethene	ug/L	ND																			
MW-11	cis-1,3-Dichloropropene	ug/L	ND																			
MW-11	Dibromochloromethane	ug/L	ND	0.77	ND																	
MW-11	Dibromomethane	ug/L	ND																			
MW-11	Ethylbenzene	ug/L	ND																			
MW-11	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-11	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-11	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND													
MW-11	ortho-Xylene	ug/L	ND																			
MW-11	para-Xylene & meta-Xylene	ug/L	ND																			
MW-11	Styrene	ug/L	ND																			
MW-11	Tetrachloroethene	ug/L	ND																			
MW-11	Toluene	ug/L	ND																			
MW-11	trans-1,2-Dichloroethene	ug/L	ND																			
MW-11	trans-1,3-Dichloropropene	ug/L	ND																			
MW-11	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND	ND								
MW-11	Trichloroethene	ug/L	ND																			
MW-11	Trichlorofluoromethane	ug/L	ND																			
MW-11	Vinyl Acetate	ug/L	ND	NT	ND	ND	ND	ND														
MW-11	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-12	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-12	1,1,1-Trichloroethane	ug/L	ND																			
MW-12	1,1,2,2-Tetrachloroethane	ug/L	ND	1.52	ND	ND	ND	ND	ND	ND												
MW-12	1,1,2-Trichloroethane	ug/L	ND																			
MW-12	1,1-Dichloroethane	ug/L	ND																			
MW-12	1,1-Dichloroethene	ug/L	ND																			
MW-12	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-12	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-12	1,2-Dibromoethane	ug/L	ND																			
MW-12	1,2-Dichlorobenzene	ug/L	ND	1.21	ND	ND	ND	ND	ND	ND	1.13	ND	ND	ND	1.84	NT	ND	NT	ND	ND	ND	ND
MW-12	1,2-Dichloroethane	ug/L	ND																			
MW-12	1,2-Dichloropropane	ug/L	ND																			
MW-12	1,4-Dichlorobenzene	ug/L	ND	1.29	ND	ND	ND	ND	ND	1.16	ND	ND	ND	2.1	ND							
MW-12	2-Butanone	ug/L	ND	ND	ND	1.24	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND
MW-12	2-Hexanone	ug/L	ND	NT	NT	NT	2.3	ND	ND	NT	ND	ND	ND	ND								
MW-12	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-12	Acetone	ug/L	ND	NT	NT	NT	NT	7.39	ND	ND	ND	ND	ND	ND								
MW-12	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-12	Benzene	ug/L	ND																			
MW-12	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND	ND												
MW-12	Bromodichloromethane	ug/L	ND																			
MW-12	Bromoform	ug/L	ND	1.06	ND																	
MW-12	Bromomethane	ug/L	ND																			
MW-12	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-12	Carbon Tetrachloride	ug/L	ND																			
MW-12	Chlorobenzene	ug/L	ND																			
MW-12	Chloroethane	ug/L	ND																			
MW-12	Chloroform	ug/L	ND																			
MW-12	cis-1,2-Dichloroethene	ug/L	ND																			
MW-12	cis-1,3-Dichloropropene	ug/L	ND																			
MW-12	Dibromochloromethane	ug/L	ND																			
MW-12	Dibromomethane	ug/L	ND																			
MW-12	Ethylbenzene	ug/L	ND																			
MW-12	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-12	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-12	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND													
MW-12	ortho-Xylene	ug/L	ND																			
MW-12	para-Xylene & meta-Xylene	ug/L	ND																			
MW-12	Styrene	ug/L	ND																			
MW-12	Tetrachloroethene	ug/L	ND	1.06	ND																	
MW-12	Toluene	ug/L	ND																			
MW-12	trans-1,2-Dichloroethene	ug/L	ND																			
MW-12	trans-1,3-Dichloropropene	ug/L	ND																			
MW-12	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-12	Trichloroethene	ug/L	ND																			
MW-12	Trichlorofluoromethane	ug/L	ND																			
MW-12	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-12	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-13	1,1,1,2-Tetrachloroethane	ug/L	ND	NS	NS	ND	NT	ND	ND	ND												
MW-13	1,1,1-Trichloroethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,1,2,2-Tetrachloroethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,1,2-Trichloroethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,1-Dichloroethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,1-Dichloroethene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,2,3-Trichloropropane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,2-Dibromo-3-chloropropane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,2-Dibromoethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,2-Dichlorobenzene	ug/L	ND	NS	NS	ND	NT	ND	ND	ND												
MW-13	1,2-Dichloroethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,2-Dichloropropane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	1,4-Dichlorobenzene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	2-Butanone	ug/L	ND	NT	NT	NT	NS	NS	ND	NT	ND	ND	ND									
MW-13	2-Hexanone	ug/L	ND	NT	NT	NT	NT	NS	NS	ND	NT	ND	ND	ND								
MW-13	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NS	NS	ND	NT	ND	ND	ND								
MW-13	Acetone	ug/L	ND	NT	NT	NT	NS	NS	ND	ND	ND	ND	ND									
MW-13	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NS	NS	ND	NT	ND	ND	ND								
MW-13	Benzene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Bromochloromethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Bromodichloromethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Bromoform	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Bromomethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Carbon disulfide	ug/L	ND	NT	NT	NT	NS	NS	ND	NT	ND	ND	ND									
MW-13	Carbon Tetrachloride	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Chlorobenzene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Chloroethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Chloroform	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	cis-1,2-Dichloroethene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	cis-1,3-Dichloropropene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Dibromochloromethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Dibromomethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Ethylbenzene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Methylene Chloride	ug/L	ND	NT	NT	NT	NS	NS	ND	NT	ND	ND	ND									
MW-13	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NS	NS	ND	NT	ND	ND	ND								
MW-13	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND								
MW-13	ortho-Xylene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	para-Xylene & meta-Xylene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Styrene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Tetrachloroethene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Toluene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	trans-1,2-Dichloroethene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	trans-1,3-Dichloropropene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NS	NS	ND	NT	ND	ND	ND									
MW-13	Trichloroethene	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Trichlorofluoromethane	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												
MW-13	Vinyl Acetate	ug/L	ND	NT	NT	NT	NT	NT	NS	NS	ND	NT	ND	ND	ND							
MW-13	Vinyl Chloride	ug/L	ND	NS	NS	ND	ND	ND	ND	ND												

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-14	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-14	1,1,1-Trichloroethane	ug/L	ND																			
MW-14	1,1,2,2-Tetrachloroethane	ug/L	ND	1.61	ND	ND	ND	ND	ND	ND												
MW-14	1,1,2-Trichloroethane	ug/L	ND																			
MW-14	1,1-Dichloroethane	ug/L	ND	1.62	ND	ND	ND	1.16	ND	1.06	ND	ND	ND	ND	ND	1.3						
MW-14	1,1-Dichloroethene	ug/L	ND																			
MW-14	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-14	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-14	1,2-Dibromoethane	ug/L	ND																			
MW-14	1,2-Dichlorobenzene	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-14	1,2-Dichloroethane	ug/L	ND																			
MW-14	1,2-Dichloropropane	ug/L	ND																			
MW-14	1,4-Dichlorobenzene	ug/L	ND	1.77	ND	ND	ND	ND	ND	ND												
MW-14	2-Butanone	ug/L	1.36	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND							
MW-14	2-Hexanone	ug/L	ND	NT	NT	NT	NT	1.96	ND	ND	NT	ND	ND	ND								
MW-14	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-14	Acetone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND								
MW-14	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-14	Benzene	ug/L	ND																			
MW-14	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-14	Bromodichloromethane	ug/L	ND																			
MW-14	Bromoform	ug/L	ND																			
MW-14	Bromomethane	ug/L	ND																			
MW-14	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-14	Carbon Tetrachloride	ug/L	ND																			
MW-14	Chlorobenzene	ug/L	ND																			
MW-14	Chloroethane	ug/L	ND																			
MW-14	Chloroform	ug/L	ND																			
MW-14	cis-1,2-Dichloroethene	ug/L	ND																			
MW-14	cis-1,3-Dichloropropene	ug/L	ND																			
MW-14	Dibromochloromethane	ug/L	ND																			
MW-14	Dibromomethane	ug/L	ND																			
MW-14	Ethylbenzene	ug/L	ND																			
MW-14	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-14	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-14	Methyl Tertiary Butyl Ether	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-14	ortho-Xylene	ug/L	ND																			
MW-14	para-Xylene & meta-Xylene	ug/L	ND																			
MW-14	Styrene	ug/L	ND																			
MW-14	Tetrachloroethene	ug/L	ND	1.09	ND	ND	0.68	ND	ND	1.17	ND	ND	ND	ND	ND							
MW-14	Toluene	ug/L	ND																			
MW-14	trans-1,2-Dichloroethene	ug/L	ND																			
MW-14	trans-1,3-Dichloropropene	ug/L	ND																			
MW-14	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-14	Trichloroethene	ug/L	ND																			
MW-14	Trichlorofluoromethane	ug/L	ND	1.24	ND																	
MW-14	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-14	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-15	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-15	1,1,1-Trichloroethane	ug/L	ND																			
MW-15	1,1,2,2-Tetrachloroethane	ug/L	ND	1.65	ND	ND	ND	ND	ND	ND												
MW-15	1,1,2-Trichloroethane	ug/L	ND																			
MW-15	1,1-Dichloroethane	ug/L	ND																			
MW-15	1,1-Dichloroethene	ug/L	ND																			
MW-15	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-15	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-15	1,2-Dibromoethane	ug/L	ND																			
MW-15	1,2-Dichlorobenzene	ug/L	ND	1.9	NT	ND	NT	ND	ND	ND												
MW-15	1,2-Dichloroethane	ug/L	ND																			
MW-15	1,2-Dichloropropane	ug/L	ND																			
MW-15	1,4-Dichlorobenzene	ug/L	ND	1.92	ND	ND	ND	ND	ND	ND												
MW-15	2-Butanone	ug/L	ND	ND	ND	1.14	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND
MW-15	2-Hexanone	ug/L	ND	NT	NT	NT	1.86	ND	ND	NT	ND	ND	ND									
MW-15	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-15	Acetone	ug/L	ND	NT	NT	NT	NT	ND														
MW-15	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-15	Benzene	ug/L	ND																			
MW-15	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-15	Bromodichloromethane	ug/L	ND																			
MW-15	Bromoform	ug/L	ND																			
MW-15	Bromomethane	ug/L	ND																			
MW-15	Carbon disulfide	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND	ND								
MW-15	Carbon Tetrachloride	ug/L	ND																			
MW-15	Chlorobenzene	ug/L	ND																			
MW-15	Chloroethane	ug/L	ND																			
MW-15	Chloroform	ug/L	ND																			
MW-15	cis-1,2-Dichloroethene	ug/L	ND																			
MW-15	cis-1,3-Dichloropropene	ug/L	ND																			
MW-15	Dibromochloromethane	ug/L	ND																			
MW-15	Dibromomethane	ug/L	ND																			
MW-15	Ethylbenzene	ug/L	ND																			
MW-15	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-15	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-15	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND													
MW-15	ortho-Xylene	ug/L	ND																			
MW-15	para-Xylene & meta-Xylene	ug/L	ND																			
MW-15	Styrene	ug/L	ND																			
MW-15	Tetrachloroethene	ug/L	ND																			
MW-15	Toluene	ug/L	ND																			
MW-15	trans-1,2-Dichloroethene	ug/L	ND																			
MW-15	trans-1,3-Dichloropropene	ug/L	ND																			
MW-15	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND	ND								
MW-15	Trichloroethene	ug/L	ND																			
MW-15	Trichlorofluoromethane	ug/L	ND																			
MW-15	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-15	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-16	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-16	1,1,1-Trichloroethane	ug/L	ND																			
MW-16	1,1,2,2-Tetrachloroethane	ug/L	ND	1.78	ND	ND	ND	ND	ND	ND												
MW-16	1,1,2-Trichloroethane	ug/L	ND																			
MW-16	1,1-Dichloroethane	ug/L	ND																			
MW-16	1,1-Dichloroethene	ug/L	ND																			
MW-16	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-16	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-16	1,2-Dibromoethane	ug/L	ND																			
MW-16	1,2-Dichlorobenzene	ug/L	ND	2	NT	ND	NT	ND	ND	ND												
MW-16	1,2-Dichloroethane	ug/L	ND																			
MW-16	1,2-Dichloropropane	ug/L	ND																			
MW-16	1,4-Dichlorobenzene	ug/L	ND	1.99	ND	ND	ND	ND	ND	ND												
MW-16	2-Butanone	ug/L	ND	ND	ND	1.09	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND
MW-16	2-Hexanone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-16	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-16	Acetone	ug/L	ND	NT	NT	NT	NT	NT	4.38	ND	ND	ND	ND	ND								
MW-16	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	NT	NT	ND	ND	ND							
MW-16	Benzene	ug/L	ND																			
MW-16	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-16	Bromodichloromethane	ug/L	ND																			
MW-16	Bromoform	ug/L	ND	1.13	ND	ND	ND	ND	ND	ND												
MW-16	Bromomethane	ug/L	ND																			
MW-16	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-16	Carbon Tetrachloride	ug/L	ND																			
MW-16	Chlorobenzene	ug/L	ND																			
MW-16	Chloroethane	ug/L	ND																			
MW-16	Chloroform	ug/L	ND																			
MW-16	cis-1,2-Dichloroethene	ug/L	ND																			
MW-16	cis-1,3-Dichloropropene	ug/L	ND																			
MW-16	Dibromochloromethane	ug/L	ND																			
MW-16	Dibromomethane	ug/L	ND																			
MW-16	Ethylbenzene	ug/L	ND																			
MW-16	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-16	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-16	Methyl Tertiary Butyl Ether	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-16	ortho-Xylene	ug/L	ND																			
MW-16	para-Xylene & meta-Xylene	ug/L	ND																			
MW-16	Styrene	ug/L	ND																			
MW-16	Tetrachloroethene	ug/L	ND	ND	ND	ND	ND	2.36	ND													
MW-16	Toluene	ug/L	ND																			
MW-16	trans-1,2-Dichloroethene	ug/L	ND																			
MW-16	trans-1,3-Dichloropropene	ug/L	ND																			
MW-16	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-16	Trichloroethene	ug/L	ND	ND	ND	ND	1.02	1.33	1.77	1.18	1.68	ND	ND	ND	1.48	ND	1.44	1.44	ND	ND	ND	1.4
MW-16	Trichlorofluoromethane	ug/L	ND																			
MW-16	Vinyl Acetate	ug/L	ND	NT	ND	ND	ND															
MW-16	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-17	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-17	1,1,1-Trichloroethane	ug/L	ND																			
MW-17	1,1,2,2-Tetrachloroethane	ug/L	ND	1.62	ND	ND	ND	ND	ND	ND												
MW-17	1,1,2-Trichloroethane	ug/L	ND																			
MW-17	1,1-Dichloroethane	ug/L	ND	1.99	ND	1.16	1.1	1.1	ND	ND	ND	ND	ND	0.59	1.21	1.05	1.32	ND	ND	ND	ND	ND
MW-17	1,1-Dichloroethene	ug/L	ND																			
MW-17	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-17	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-17	1,2-Dibromoethane	ug/L	ND																			
MW-17	1,2-Dichlorobenzene	ug/L	ND	1.91	NT	ND	NT	ND	ND	ND												
MW-17	1,2-Dichloroethane	ug/L	ND																			
MW-17	1,2-Dichloropropane	ug/L	ND																			
MW-17	1,4-Dichlorobenzene	ug/L	ND	1.97	ND	ND	ND	ND	ND	ND												
MW-17	2-Butanone	ug/L	2.26	ND	ND	1.01	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND
MW-17	2-Hexanone	ug/L	ND	NT	NT	NT	NT	2.32	ND	ND	NT	ND	ND	ND								
MW-17	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-17	Acetone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND								
MW-17	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-17	Benzene	ug/L	ND																			
MW-17	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-17	Bromodichloromethane	ug/L	ND																			
MW-17	Bromoform	ug/L	ND	1.07	ND	ND	ND	ND	ND	ND												
MW-17	Bromomethane	ug/L	ND	13.75	0.54	ND																
MW-17	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-17	Carbon Tetrachloride	ug/L	ND																			
MW-17	Chlorobenzene	ug/L	ND																			
MW-17	Chloroethane	ug/L	ND																			
MW-17	Chloroform	ug/L	ND																			
MW-17	cis-1,2-Dichloroethene	ug/L	ND	0.57	0.71	0.71	ND	ND	ND	ND	ND	ND										
MW-17	cis-1,3-Dichloropropene	ug/L	ND																			
MW-17	Dibromochloromethane	ug/L	ND																			
MW-17	Dibromomethane	ug/L	ND																			
MW-17	Ethylbenzene	ug/L	ND																			
MW-17	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-17	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-17	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND							
MW-17	ortho-Xylene	ug/L	ND																			
MW-17	para-Xylene & meta-Xylene	ug/L	ND																			
MW-17	Styrene	ug/L	ND																			
MW-17	Tetrachloroethene	ug/L	ND	1.06	ND	2.01	ND	1.39	ND	1.29	2.32	1.02	ND	1.57	2.07	ND	1.25	ND	ND	ND	1.6	ND
MW-17	Toluene	ug/L	ND																			
MW-17	trans-1,2-Dichloroethene	ug/L	ND																			
MW-17	trans-1,3-Dichloropropene	ug/L	ND																			
MW-17	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-17	Trichloroethene	ug/L	ND	1.43	ND	ND	ND	1.16	ND													
MW-17	Trichlorofluoromethane	ug/L	ND																			
MW-17	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-17	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-18A	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-18A	1,1,1-Trichloroethane	ug/L	ND																			
MW-18A	1,1,2,2-Tetrachloroethane	ug/L	ND	1.6	ND	ND	ND	ND	ND	ND												
MW-18A	1,1,2-Trichloroethane	ug/L	ND																			
MW-18A	1,1-Dichloroethane	ug/L	ND																			
MW-18A	1,1-Dichloroethene	ug/L	ND																			
MW-18A	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-18A	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-18A	1,2-Dibromoethane	ug/L	ND																			
MW-18A	1,2-Dichlorobenzene	ug/L	ND	1.92	NT	ND	NT	ND	ND	ND												
MW-18A	1,2-Dichloroethane	ug/L	ND																			
MW-18A	1,2-Dichloropropane	ug/L	ND																			
MW-18A	1,4-Dichlorobenzene	ug/L	ND	2.02	ND	ND	ND	ND	ND	ND												
MW-18A	2-Butanone	ug/L	2.64	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-18A	2-Hexanone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-18A	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-18A	Acetone	ug/L	ND	NT	NT	NT	NT	NT	18.4	ND	ND	ND	ND	ND								
MW-18A	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-18A	Benzene	ug/L	ND																			
MW-18A	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-18A	Bromodichloromethane	ug/L	ND																			
MW-18A	Bromoform	ug/L	ND																			
MW-18A	Bromomethane	ug/L	ND	0.52	ND																	
MW-18A	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-18A	Carbon Tetrachloride	ug/L	ND																			
MW-18A	Chlorobenzene	ug/L	ND																			
MW-18A	Chloroethane	ug/L	ND																			
MW-18A	Chloroform	ug/L	ND																			
MW-18A	cis-1,2-Dichloroethene	ug/L	ND																			
MW-18A	cis-1,3-Dichloropropene	ug/L	ND																			
MW-18A	Dibromochloromethane	ug/L	ND																			
MW-18A	Dibromomethane	ug/L	ND																			
MW-18A	Ethylbenzene	ug/L	ND																			
MW-18A	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-18A	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-18A	Methyl Tertiary Butyl Ether	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-18A	ortho-Xylene	ug/L	ND																			
MW-18A	para-Xylene & meta-Xylene	ug/L	ND																			
MW-18A	Styrene	ug/L	ND																			
MW-18A	Tetrachloroethene	ug/L	ND																			
MW-18A	Toluene	ug/L	ND																			
MW-18A	trans-1,2-Dichloroethene	ug/L	ND																			
MW-18A	trans-1,3-Dichloropropene	ug/L	ND																			
MW-18A	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-18A	Trichloroethene	ug/L	ND																			
MW-18A	Trichlorofluoromethane	ug/L	ND																			
MW-18A	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-18A	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-19	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-19	1,1,1-Trichloroethane	ug/L	ND																			
MW-19	1,1,2,2-Tetrachloroethane	ug/L	ND	1.65	ND	ND	ND	ND	ND	ND												
MW-19	1,1,2-Trichloroethane	ug/L	ND																			
MW-19	1,1-Dichloroethane	ug/L	ND	2.42	ND																	
MW-19	1,1-Dichloroethene	ug/L	ND																			
MW-19	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-19	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-19	1,2-Dibromoethane	ug/L	ND																			
MW-19	1,2-Dichlorobenzene	ug/L	ND	1.8	NT	ND	NT	ND	ND	ND												
MW-19	1,2-Dichloroethane	ug/L	ND																			
MW-19	1,2-Dichloropropane	ug/L	ND																			
MW-19	1,4-Dichlorobenzene	ug/L	ND	1.96	ND	ND	ND	ND	ND	ND												
MW-19	2-Butanone	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-19	2-Hexanone	ug/L	ND	NT	NT	NT	2.21	ND	ND	NT	ND	ND	ND	ND								
MW-19	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-19	Acetone	ug/L	ND	NT	NT	NT	NT	12.7	ND	ND	ND	ND	ND	ND								
MW-19	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-19	Benzene	ug/L	ND																			
MW-19	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-19	Bromodichloromethane	ug/L	ND																			
MW-19	Bromoform	ug/L	ND																			
MW-19	Bromomethane	ug/L	ND	0.53	ND																	
MW-19	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-19	Carbon Tetrachloride	ug/L	ND																			
MW-19	Chlorobenzene	ug/L	ND																			
MW-19	Chloroethane	ug/L	ND																			
MW-19	Chloroform	ug/L	ND																			
MW-19	cis-1,2-Dichloroethene	ug/L	ND	1.39	ND																	
MW-19	cis-1,3-Dichloropropene	ug/L	ND																			
MW-19	Dibromochloromethane	ug/L	ND																			
MW-19	Dibromomethane	ug/L	ND																			
MW-19	Ethylbenzene	ug/L	ND																			
MW-19	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-19	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-19	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND													
MW-19	ortho-Xylene	ug/L	ND																			
MW-19	para-Xylene & meta-Xylene	ug/L	ND																			
MW-19	Styrene	ug/L	ND																			
MW-19	Tetrachloroethene	ug/L	ND	4.26	ND																	
MW-19	Toluene	ug/L	ND																			
MW-19	trans-1,2-Dichloroethene	ug/L	ND																			
MW-19	trans-1,3-Dichloropropene	ug/L	ND																			
MW-19	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-19	Trichloroethene	ug/L	ND	2.21	ND																	
MW-19	Trichlorofluoromethane	ug/L	ND																			
MW-19	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-19	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-20	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-20	1,1,1-Trichloroethane	ug/L	ND																			
MW-20	1,1,2,2-Tetrachloroethane	ug/L	ND	1.63	ND	ND	ND	ND	ND	ND												
MW-20	1,1,2-Trichloroethane	ug/L	ND																			
MW-20	1,1-Dichloroethane	ug/L	ND																			
MW-20	1,1-Dichloroethene	ug/L	ND																			
MW-20	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-20	1,2-Dibromo-3-chloropropane	ug/L	ND	ND	ND	1.35	ND															
MW-20	1,2-Dibromoethane	ug/L	ND																			
MW-20	1,2-Dichlorobenzene	ug/L	ND	2.22	NT	ND	NT	ND	ND	ND												
MW-20	1,2-Dichloroethane	ug/L	ND																			
MW-20	1,2-Dichloropropane	ug/L	ND																			
MW-20	1,4-Dichlorobenzene	ug/L	ND	2.38	ND	ND	ND	ND	ND	ND												
MW-20	2-Butanone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-20	2-Hexanone	ug/L	ND	NT	NT	NT	2.47	ND	ND	NT	ND	ND	ND	ND								
MW-20	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-20	Acetone	ug/L	ND	NT	NT	NT	NT	6.53	ND	ND	ND	ND	ND	ND								
MW-20	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND							
MW-20	Benzene	ug/L	ND																			
MW-20	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-20	Bromodichloromethane	ug/L	ND																			
MW-20	Bromoform	ug/L	ND																			
MW-20	Bromomethane	ug/L	ND																			
MW-20	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-20	Carbon Tetrachloride	ug/L	ND																			
MW-20	Chlorobenzene	ug/L	ND																			
MW-20	Chloroethane	ug/L	ND																			
MW-20	Chloroform	ug/L	ND																			
MW-20	cis-1,2-Dichloroethene	ug/L	ND																			
MW-20	cis-1,3-Dichloropropene	ug/L	ND																			
MW-20	Dibromochloromethane	ug/L	ND																			
MW-20	Dibromomethane	ug/L	ND																			
MW-20	Ethylbenzene	ug/L	ND																			
MW-20	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-20	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND	ND								
MW-20	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND													
MW-20	ortho-Xylene	ug/L	ND																			
MW-20	para-Xylene & meta-Xylene	ug/L	ND																			
MW-20	Styrene	ug/L	ND																			
MW-20	Tetrachloroethene	ug/L	ND																			
MW-20	Toluene	ug/L	ND																			
MW-20	trans-1,2-Dichloroethene	ug/L	ND																			
MW-20	trans-1,3-Dichloropropene	ug/L	ND																			
MW-20	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-20	Trichloroethene	ug/L	ND																			
MW-20	Trichlorofluoromethane	ug/L	ND	0.76	0.76	ND																
MW-20	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-20	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-21	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	NS	ND	ND	ND	ND	ND	NT	ND	ND	ND								
MW-21	1,1,1-Trichloroethane	ug/L	ND	NT	NS	ND																
MW-21	1,1,2,2-Tetrachloroethane	ug/L	ND	NT	NS	ND	ND	1.61	ND	ND	ND	ND	ND	ND								
MW-21	1,1,2-Trichloroethane	ug/L	ND	NT	NS	ND																
MW-21	1,1-Dichloroethane	ug/L	ND	NT	NS	ND																
MW-21	1,1-Dichloroethene	ug/L	ND	NT	NS	ND																
MW-21	1,2,3-Trichloropropane	ug/L	ND	NT	NS	ND	ND	ND	NT	ND	ND	ND	ND	ND								
MW-21	1,2-Dibromo-3-chloropropane	ug/L	ND	NT	NS	ND																
MW-21	1,2-Dibromoethane	ug/L	ND	NT	NS	ND																
MW-21	1,2-Dichlorobenzene	ug/L	ND	NT	NS	ND	ND	1.75	NT	ND	NT	ND	ND	ND								
MW-21	1,2-Dichloroethane	ug/L	ND	NT	NS	ND																
MW-21	1,2-Dichloropropane	ug/L	ND	NT	NS	ND																
MW-21	1,4-Dichlorobenzene	ug/L	ND	NT	NS	ND	ND	1.85	ND	ND	ND	ND	ND	ND								
MW-21	2-Butanone	ug/L	ND	ND	ND	1.2	ND	ND	ND	ND	ND	NT	NS	NT	NT	ND	ND	ND	NT	ND	ND	ND
MW-21	2-Hexanone	ug/L	ND	NT	NS	NT	NT	2.12	ND	ND	NT	ND	ND	ND								
MW-21	4-Methyl-2-pentanone	ug/L	ND	NT	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-21	Acetone	ug/L	ND	NT	NS	NT	NT	NT	ND	ND	ND	ND	ND	ND								
MW-21	Acrylonitrile	ug/L	ND	NT	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-21	Benzene	ug/L	ND	NT	NS	ND																
MW-21	Bromochloromethane	ug/L	ND	NT	NS	ND	ND	ND	NT	ND	ND	ND	ND	ND								
MW-21	Bromodichloromethane	ug/L	ND	NT	NS	ND																
MW-21	Bromoform	ug/L	ND	NT	NS	ND	ND	1.02	ND	ND	ND	ND	ND	ND								
MW-21	Bromomethane	ug/L	ND	NT	NS	0.53	ND															
MW-21	Carbon disulfide	ug/L	ND	NT	NS	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-21	Carbon Tetrachloride	ug/L	ND	NT	NS	ND																
MW-21	Chlorobenzene	ug/L	ND	NT	NS	ND																
MW-21	Chloroethane	ug/L	ND	NT	NS	ND																
MW-21	Chloroform	ug/L	ND	NT	NS	ND																
MW-21	cis-1,2-Dichloroethene	ug/L	ND	NT	NS	ND																
MW-21	cis-1,3-Dichloropropene	ug/L	ND	NT	NS	ND																
MW-21	Dibromochloromethane	ug/L	ND	NT	NS	ND																
MW-21	Dibromomethane	ug/L	ND	NT	NS	ND																
MW-21	Ethylbenzene	ug/L	ND	NT	NS	ND																
MW-21	Methylene Chloride	ug/L	ND	NT	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-21	Methyl Iodide	ug/L	ND	NT	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-21	Methyl Tertiary Butyl Ether	ug/L	ND	NT	NS	ND	ND	NT	ND	ND	ND	ND	ND	ND								
MW-21	ortho-Xylene	ug/L	ND	NT	NS	ND																
MW-21	para-Xylene & meta-Xylene	ug/L	ND	NT	NS	ND																
MW-21	Styrene	ug/L	ND	NT	NS	ND																
MW-21	Tetrachloroethene	ug/L	ND	NT	NS	ND																
MW-21	Toluene	ug/L	ND	NT	NS	ND																
MW-21	trans-1,2-Dichloroethene	ug/L	ND	NT	NS	ND																
MW-21	trans-1,3-Dichloropropene	ug/L	ND	NT	NS	ND																
MW-21	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NS	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-21	Trichloroethene	ug/L	ND	NT	NS	ND																
MW-21	Trichlorofluoromethane	ug/L	ND	NT	NS	ND	0.63	ND														
MW-21	Vinyl Acetate	ug/L	ND	NT	NS	NT	NT	NT	NT	ND	NT	ND	ND	ND								
MW-21	Vinyl Chloride	ug/L	ND	NT	NS	ND																

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-22	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-22	1,1,1-Trichloroethane	ug/L	ND																			
MW-22	1,1,2,2-Tetrachloroethane	ug/L	ND	1.73	ND	ND	ND	ND	ND	ND												
MW-22	1,1,2-Trichloroethane	ug/L	ND																			
MW-22	1,1-Dichloroethane	ug/L	2.35	2.44	ND	2.13	2.43	2.53	2.76	1.08	ND	1.35	8.89	0.76	1.35	1.46	1.02	ND	ND	ND	2.5	ND
MW-22	1,1-Dichloroethene	ug/L	ND																			
MW-22	1,2,3-Trichloropropane	ug/L	ND	ND	ND	ND	ND	ND	3.44	ND	NT	ND	ND	ND	ND	ND						
MW-22	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-22	1,2-Dibromoethane	ug/L	ND																			
MW-22	1,2-Dichlorobenzene	ug/L	ND	1.87	NT	ND	NT	ND	ND	ND												
MW-22	1,2-Dichloroethane	ug/L	ND																			
MW-22	1,2-Dichloropropane	ug/L	ND																			
MW-22	1,4-Dichlorobenzene	ug/L	ND	0.74	ND	ND	2.06	ND	ND	ND	ND	ND	ND									
MW-22	2-Butanone	ug/L	1.19	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-22	2-Hexanone	ug/L	ND	NT	NT	NT	2.35	ND	ND	NT	ND	ND	ND									
MW-22	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-22	Acetone	ug/L	ND	NT	NT	NT	NT	7.72	ND	ND	ND	ND	ND									
MW-22	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	NT	NT	ND	ND	ND							
MW-22	Benzene	ug/L	ND	1.11	ND																	
MW-22	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-22	Bromodichloromethane	ug/L	ND																			
MW-22	Bromoform	ug/L	ND																			
MW-22	Bromomethane	ug/L	ND																			
MW-22	Carbon disulfide	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-22	Carbon Tetrachloride	ug/L	ND																			
MW-22	Chlorobenzene	ug/L	ND																			
MW-22	Chloroethane	ug/L	ND																			
MW-22	Chloroform	ug/L	ND																			
MW-22	cis-1,2-Dichloroethene	ug/L	ND	ND	ND	1.09	1.11	1.26	1.59	1.16	1.86	ND	18.59	1.52	1.76	1.01	1.55	ND	ND	ND	ND	1.9
MW-22	cis-1,3-Dichloropropene	ug/L	ND																			
MW-22	Dibromochloromethane	ug/L	ND																			
MW-22	Dibromomethane	ug/L	ND																			
MW-22	Ethylbenzene	ug/L	ND																			
MW-22	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND									
MW-22	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-22	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND								
MW-22	ortho-Xylene	ug/L	ND	0.85	ND																	
MW-22	para-Xylene & meta-Xylene	ug/L	ND																			
MW-22	Styrene	ug/L	ND																			
MW-22	Tetrachloroethene	ug/L	2.06	2.97	ND	4.73	4.34	3.42	4.76	3.44	5.26	2.9	33.09	3.69	4.53	1.68	3.72	1.57	ND	ND	4.1	ND
MW-22	Toluene	ug/L	ND																			
MW-22	trans-1,2-Dichloroethene	ug/L	ND																			
MW-22	trans-1,3-Dichloropropene	ug/L	ND																			
MW-22	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-22	Trichloroethene	ug/L	ND	1.4	ND	1.62	1.58	ND	2.21	1.38	1.85	ND	11.63	1.33	1.51	ND	1.32	ND	ND	ND	1.2	ND
MW-22	Trichlorofluoromethane	ug/L	ND																			
MW-22	Vinyl Acetate	ug/L	ND	NT	ND	ND	ND															
MW-22	Vinyl Chloride	ug/L	ND	1.71	ND																	

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-23	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-23	1,1,1-Trichloroethane	ug/L	ND																			
MW-23	1,1,2,2-Tetrachloroethane	ug/L	ND	1.49	ND	ND	ND	ND	ND	ND												
MW-23	1,1,2-Trichloroethane	ug/L	ND																			
MW-23	1,1-Dichloroethane	ug/L	ND	3.48	ND	ND	ND	2.75	7.79	ND	1.87	1.02	1.92	ND	8.12	4.35	3.18	ND	ND	2.6	ND	ND
MW-23	1,1-Dichloroethene	ug/L	ND																			
MW-23	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-23	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-23	1,2-Dibromoethane	ug/L	ND																			
MW-23	1,2-Dichlorobenzene	ug/L	ND	1.88	NT	ND	NT	ND	ND	ND												
MW-23	1,2-Dichloroethane	ug/L	ND	34.1	ND	ND	ND															
MW-23	1,2-Dichloropropane	ug/L	ND																			
MW-23	1,4-Dichlorobenzene	ug/L	ND	0.54	2.16	ND																
MW-23	2-Butanone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-23	2-Hexanone	ug/L	ND	NT	NT	NT	NT	2.12	ND	ND	NT	ND	ND	ND								
MW-23	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-23	Acetone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND								
MW-23	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND							
MW-23	Benzene	ug/L	ND																			
MW-23	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-23	Bromodichloromethane	ug/L	ND																			
MW-23	Bromoform	ug/L	ND	1.13	ND	ND	ND	ND	ND	ND												
MW-23	Bromomethane	ug/L	ND	0.56	ND																	
MW-23	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-23	Carbon Tetrachloride	ug/L	ND																			
MW-23	Chlorobenzene	ug/L	ND																			
MW-23	Chloroethane	ug/L	ND																			
MW-23	Chloroform	ug/L	ND																			
MW-23	cis-1,2-Dichloroethene	ug/L	ND	1.85	ND	ND	ND	2.1	7.66	ND	10.41	ND	1.47	1.52	16.28	4.91	11.4	ND	ND	2.8	ND	ND
MW-23	cis-1,3-Dichloropropene	ug/L	ND																			
MW-23	Dibromochloromethane	ug/L	ND																			
MW-23	Dibromomethane	ug/L	ND																			
MW-23	Ethylbenzene	ug/L	ND																			
MW-23	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	3.9	ND								
MW-23	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-23	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND							
MW-23	ortho-Xylene	ug/L	ND	0.56	ND																	
MW-23	para-Xylene & meta-Xylene	ug/L	ND																			
MW-23	Styrene	ug/L	ND																			
MW-23	Tetrachloroethene	ug/L	ND	5.02	ND	2.04	1.12	4.9	16.63	1.73	20.54	2.3	5.32	3.58	30.1	8.01	19.8	3.09	28.8	4.2	19	ND
MW-23	Toluene	ug/L	ND																			
MW-23	trans-1,2-Dichloroethene	ug/L	ND	1.4	ND																	
MW-23	trans-1,3-Dichloropropene	ug/L	ND																			
MW-23	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-23	Trichloroethene	ug/L	ND	2.55	ND	ND	ND	2.39	7.47	ND	7.63	ND	1.72	ND	9.89	3.35	6.67	ND	9.65	1.6	ND	ND
MW-23	Trichlorofluoromethane	ug/L	ND																			
MW-23	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-23	Vinyl Chloride	ug/L	ND	2.68	ND	ND	ND	0.91	1.02	ND	1.71	ND	ND	ND	ND	ND						

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-24	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-24	1,1,1-Trichloroethane	ug/L	ND																			
MW-24	1,1,2,2-Tetrachloroethane	ug/L	ND	1.47	ND	ND	ND	ND	ND	ND												
MW-24	1,1,2-Trichloroethane	ug/L	ND																			
MW-24	1,1-Dichloroethane	ug/L	1.3	1.24	ND	1.35	1.2	1.41	1.5	ND	ND	1.06	ND	ND	1.16	1.16	ND	ND	ND	ND	ND	ND
MW-24	1,1-Dichloroethene	ug/L	ND																			
MW-24	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-24	1,2-Dibromo-3-chloropropane	ug/L	ND																			
MW-24	1,2-Dibromoethane	ug/L	ND																			
MW-24	1,2-Dichlorobenzene	ug/L	ND	1.78	NT	ND	NT	ND	ND	ND												
MW-24	1,2-Dichloroethane	ug/L	ND																			
MW-24	1,2-Dichloropropane	ug/L	ND																			
MW-24	1,4-Dichlorobenzene	ug/L	ND	1.97	ND	ND	ND	ND	ND	ND												
MW-24	2-Butanone	ug/L	ND	ND	ND	1.16	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND
MW-24	2-Hexanone	ug/L	ND	NT	NT	NT	1.77	ND	ND	NT	ND	ND	ND									
MW-24	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	1.91	NT	ND	ND	ND								
MW-24	Acetone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND									
MW-24	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-24	Benzene	ug/L	ND																			
MW-24	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-24	Bromodichloromethane	ug/L	ND																			
MW-24	Bromoform	ug/L	ND	1.04	ND	ND	ND	ND	ND	ND												
MW-24	Bromomethane	ug/L	ND	0.71	ND																	
MW-24	Carbon disulfide	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-24	Carbon Tetrachloride	ug/L	ND																			
MW-24	Chlorobenzene	ug/L	ND																			
MW-24	Chloroethane	ug/L	ND																			
MW-24	Chloroform	ug/L	ND	0.8	ND																	
MW-24	cis-1,2-Dichloroethene	ug/L	ND	1.3	1.25	1.25	ND	ND	ND	ND	ND	ND										
MW-24	cis-1,3-Dichloropropene	ug/L	ND																			
MW-24	Dibromochloromethane	ug/L	ND																			
MW-24	Dibromomethane	ug/L	ND																			
MW-24	Ethylbenzene	ug/L	ND																			
MW-24	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND									
MW-24	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND									
MW-24	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND								
MW-24	ortho-Xylene	ug/L	ND																			
MW-24	para-Xylene & meta-Xylene	ug/L	ND																			
MW-24	Styrene	ug/L	ND																			
MW-24	Tetrachloroethene	ug/L	ND	1.49	ND	3.48	2.4	2.27	2.69	2.23	2.73	2.2	ND	ND	3.15	1.76	1.8	2.59	ND	1.3	2.1	ND
MW-24	Toluene	ug/L	ND																			
MW-24	trans-1,2-Dichloroethene	ug/L	ND																			
MW-24	trans-1,3-Dichloropropene	ug/L	ND																			
MW-24	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND									
MW-24	Trichloroethene	ug/L	ND	ND	ND	1.53	1.01	ND	1.45	ND	1.07	ND	ND	1.21	1.21	1.01	ND	ND	ND	ND	ND	ND
MW-24	Trichlorofluoromethane	ug/L	ND																			
MW-24	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-24	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-25	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND	ND	ND	ND	NT	ND	ND	ND								
MW-25	1,1,1-Trichloroethane	ug/L	ND	NT	ND																	
MW-25	1,1,2,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND	1.54	ND	ND	ND	ND	ND	ND								
MW-25	1,1,2-Trichloroethane	ug/L	ND	NT	ND																	
MW-25	1,1-Dichloroethane	ug/L	ND	ND	ND	ND	ND	ND	1.51	ND	ND	NT	ND									
MW-25	1,1-Dichloroethene	ug/L	ND	NT	ND																	
MW-25	1,2,3-Trichloropropane	ug/L	ND	ND	ND	ND	ND	ND	8.54	ND	ND	NT	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND
MW-25	1,2-Dibromo-3-chloropropane	ug/L	ND	NT	ND																	
MW-25	1,2-Dibromoethane	ug/L	ND	NT	ND																	
MW-25	1,2-Dichlorobenzene	ug/L	ND	NT	ND	ND	ND	1.92	NT	ND	NT	ND	ND	ND								
MW-25	1,2-Dichloroethane	ug/L	ND	NT	ND																	
MW-25	1,2-Dichloropropane	ug/L	ND	NT	ND																	
MW-25	1,4-Dichlorobenzene	ug/L	ND	NT	ND	ND	ND	1.92	ND	ND	ND	ND	ND	ND								
MW-25	2-Butanone	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-25	2-Hexanone	ug/L	ND	NT	NT	NT	NT	1.97	ND	ND	NT	ND	ND	ND								
MW-25	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-25	Acetone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND								
MW-25	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-25	Benzene	ug/L	ND	NT	ND																	
MW-25	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND								
MW-25	Bromodichloromethane	ug/L	ND	NT	ND																	
MW-25	Bromoform	ug/L	ND	NT	ND																	
MW-25	Bromomethane	ug/L	ND	NT	ND																	
MW-25	Carbon disulfide	ug/L	ND	NT	ND	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-25	Carbon Tetrachloride	ug/L	ND	NT	ND																	
MW-25	Chlorobenzene	ug/L	ND	NT	ND																	
MW-25	Chloroethane	ug/L	ND	NT	ND																	
MW-25	Chloroform	ug/L	ND	NT	ND																	
MW-25	cis-1,2-Dichloroethene	ug/L	ND	NT	ND																	
MW-25	cis-1,3-Dichloropropene	ug/L	ND	NT	ND																	
MW-25	Dibromochloromethane	ug/L	ND	NT	ND																	
MW-25	Dibromomethane	ug/L	ND	NT	ND																	
MW-25	Ethylbenzene	ug/L	ND	NT	ND																	
MW-25	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-25	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-25	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND								
MW-25	ortho-Xylene	ug/L	ND	NT	ND																	
MW-25	para-Xylene & meta-Xylene	ug/L	ND	NT	ND																	
MW-25	Styrene	ug/L	ND	NT	ND																	
MW-25	Tetrachloroethene	ug/L	ND	ND	ND	ND	ND	ND	2.01	1.14	ND	NT	ND									
MW-25	Toluene	ug/L	ND	NT	ND																	
MW-25	trans-1,2-Dichloroethene	ug/L	ND	NT	ND																	
MW-25	trans-1,3-Dichloropropene	ug/L	ND	NT	ND																	
MW-25	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-25	Trichloroethene	ug/L	ND	ND	ND	ND	ND	ND	2.54	ND	ND	NT	ND									
MW-25	Trichlorofluoromethane	ug/L	ND	ND	ND	ND	ND	ND	1.13	ND	ND	NT	ND									
MW-25	Vinyl Acetate	ug/L	ND	NT	NT	NT	NT	NT	NT	ND	NT	ND	ND	ND								
MW-25	Vinyl Chloride	ug/L	ND	NT	ND																	

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-26	1,1,1,2-Tetrachloroethane	ug/L	ND	NS	ND	NT	ND	ND	ND													
MW-26	1,1,1-Trichloroethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	1,1,2,2-Tetrachloroethane	ug/L	ND	1.58	NS	ND	ND	ND	ND	ND												
MW-26	1,1,2-Trichloroethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	1,1-Dichloroethane	ug/L	ND	2.58	ND	ND	ND	NS	ND	ND	ND	ND	ND									
MW-26	1,1-Dichloroethene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	1,2,3-Trichloropropane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	1,2-Dibromo-3-chloropropane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	1,2-Dibromoethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	1,2-Dichlorobenzene	ug/L	ND	1.79	NS	ND	NT	ND	ND	ND												
MW-26	1,2-Dichloroethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	1,2-Dichloropropane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	1,4-Dichlorobenzene	ug/L	ND	1.93	NS	ND	ND	ND	ND	ND												
MW-26	2-Butanone	ug/L	ND	NT	NT	NT	ND	NS	ND	NT	ND	ND	ND									
MW-26	2-Hexanone	ug/L	ND	NT	NT	NT	1.85	NS	ND	NT	ND	ND	ND	ND								
MW-26	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	NT	NS	ND	NT	ND	ND	ND							
MW-26	Acetone	ug/L	ND	NT	NT	NT	NT	NT	NS	ND	ND	ND	ND	ND								
MW-26	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	NT	NS	ND	NT	ND	ND	ND							
MW-26	Benzene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Bromochloromethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Bromodichloromethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Bromoform	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Bromomethane	ug/L	ND	0.57	ND	ND	NS	ND	ND	ND	ND	ND										
MW-26	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	NT	NS	ND	NT	ND	ND	ND								
MW-26	Carbon Tetrachloride	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Chlorobenzene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Chloroethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Chloroform	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	cis-1,2-Dichloroethene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	cis-1,3-Dichloropropene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Dibromochloromethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Dibromomethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Ethylbenzene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	NS	ND	NT	ND	ND	ND								
MW-26	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	NS	ND	NT	ND	ND	ND								
MW-26	Methyl Tertiary Butyl Ether	ug/L	ND	NT	NT	NT	NT	NT	NT	NS	ND	NT	ND	ND	ND							
MW-26	ortho-Xylene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	para-Xylene & meta-Xylene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Styrene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Tetrachloroethene	ug/L	ND	8.47	ND	ND	ND	NS	ND	ND	ND	ND	ND									
MW-26	Toluene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	trans-1,2-Dichloroethene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	trans-1,3-Dichloropropene	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	NT	NS	ND	NT	ND	ND	ND								
MW-26	Trichloroethene	ug/L	ND	3.85	ND	ND	ND	NS	ND	ND	ND	ND	ND									
MW-26	Trichlorofluoromethane	ug/L	ND	NS	ND	ND	ND	ND	ND													
MW-26	Vinyl Acetate	ug/L	ND	NT	NS	ND	NT	ND	ND	ND												
MW-26	Vinyl Chloride	ug/L	ND	0.52	ND	ND	ND	NS	ND	ND	ND	ND	ND									

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
			Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
MW-27	1,1,1,2-Tetrachloroethane	ug/L	ND	NT	ND	ND	ND															
MW-27	1,1,1-Trichloroethane	ug/L	ND																			
MW-27	1,1,2,2-Tetrachloroethane	ug/L	ND	1.6	ND	ND	ND	ND	ND	ND												
MW-27	1,1,2-Trichloroethane	ug/L	ND																			
MW-27	1,1-Dichloroethane	ug/L	ND																			
MW-27	1,1-Dichloroethene	ug/L	ND																			
MW-27	1,2,3-Trichloropropane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-27	1,2-Dibromo-3-chloropropane	ug/L	ND	ND	ND	ND	ND	1.22	ND													
MW-27	1,2-Dibromoethane	ug/L	ND																			
MW-27	1,2-Dichlorobenzene	ug/L	ND	1.2	ND	ND	ND	ND	ND	1.78	NT	ND	NT	ND	ND	ND						
MW-27	1,2-Dichloroethane	ug/L	ND																			
MW-27	1,2-Dichloropropane	ug/L	ND																			
MW-27	1,4-Dichlorobenzene	ug/L	ND	ND	ND	ND	ND	1.48	ND	ND	1.24	ND	ND	ND	ND	1.85	ND	ND	ND	ND	ND	ND
MW-27	2-Butanone	ug/L	1.44	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND							
MW-27	2-Hexanone	ug/L	ND	NT	NT	NT	NT	2.12	ND	ND	NT	ND	ND	ND								
MW-27	4-Methyl-2-pentanone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-27	Acetone	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND								
MW-27	Acrylonitrile	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-27	Benzene	ug/L	ND																			
MW-27	Bromochloromethane	ug/L	ND	NT	ND	ND	ND	ND	ND													
MW-27	Bromodichloromethane	ug/L	ND																			
MW-27	Bromoform	ug/L	ND																			
MW-27	Bromomethane	ug/L	ND																			
MW-27	Carbon disulfide	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-27	Carbon Tetrachloride	ug/L	ND																			
MW-27	Chlorobenzene	ug/L	ND																			
MW-27	Chloroethane	ug/L	ND																			
MW-27	Chloroform	ug/L	ND																			
MW-27	cis-1,2-Dichloroethene	ug/L	ND																			
MW-27	cis-1,3-Dichloropropene	ug/L	ND																			
MW-27	Dibromochloromethane	ug/L	ND																			
MW-27	Dibromomethane	ug/L	ND																			
MW-27	Ethylbenzene	ug/L	ND																			
MW-27	Methylene Chloride	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-27	Methyl Iodide	ug/L	ND	NT	NT	NT	NT	NT	ND	ND	NT	ND	ND	ND								
MW-27	Methyl Tertiary Butyl Ether	ug/L	ND	NT	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND								
MW-27	ortho-Xylene	ug/L	ND																			
MW-27	para-Xylene & meta-Xylene	ug/L	ND																			
MW-27	Styrene	ug/L	ND																			
MW-27	Tetrachloroethene	ug/L	ND	ND	ND	ND	ND	1.14	ND													
MW-27	Toluene	ug/L	ND																			
MW-27	trans-1,2-Dichloroethene	ug/L	ND																			
MW-27	trans-1,3-Dichloropropene	ug/L	ND																			
MW-27	trans-1,4-Dichloro-2-buten	ug/L	ND	NT	NT	NT	NT	ND	ND	ND	NT	ND	ND	ND								
MW-27	Trichloroethene	ug/L	ND	2.16	ND																	
MW-27	Trichlorofluoromethane	ug/L	ND																			
MW-27	Vinyl Acetate	ug/L	ND	NT	ND	NT	ND	ND	ND													
MW-27	Vinyl Chloride	ug/L	ND																			

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
SW-20	1,1,1,2-Tetrachloroethane	ug/L	ND	NS	ND	ND	ND	ND	ND	NT	ND	ND	ND									
SW-20	1,1,1-Trichloroethane	ug/L	ND	NS	ND																	
SW-20	1,1,2,2-Tetrachloroethane	ug/L	ND	NS	ND	ND	1.65	ND	ND	ND	ND	ND	ND									
SW-20	1,1,2-Trichloroethane	ug/L	ND	NS	ND																	
SW-20	1,1-Dichloroethane	ug/L	ND	NS	ND																	
SW-20	1,1-Dichloroethene	ug/L	ND	NS	ND																	
SW-20	1,2,3-Trichloropropane	ug/L	ND	NS	ND	ND	ND	NT	ND	ND	ND	ND	ND									
SW-20	1,2-Dibromo-3-chloropropane	ug/L	ND	ND	ND	ND	1.1	ND	ND	ND	ND	ND	NS	ND								
SW-20	1,2-Dibromoethane	ug/L	ND	NS	ND																	
SW-20	1,2-Dichlorobenzene	ug/L	ND	NS	ND	ND	1.94	NT	ND	NT	ND	ND	ND									
SW-20	1,2-Dichloroethane	ug/L	ND	NS	ND																	
SW-20	1,2-Dichloropropane	ug/L	ND	NS	ND																	
SW-20	1,4-Dichlorobenzene	ug/L	ND	NS	ND	ND	1.96	ND	ND	ND	ND	ND	ND									
SW-20	2-Butanone	ug/L	ND	ND	ND	ND	ND	ND	4.22	ND	ND	ND	NS	NT	NT	ND	ND	ND	NT	ND	ND	ND
SW-20	2-Hexanone	ug/L	ND	NS	NT	NT	1.8	ND	ND	NT	ND	ND	ND									
SW-20	4-Methyl-2-pentanone	ug/L	ND	NT	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND								
SW-20	Acetone	ug/L	ND	NS	NT	NT	NT	ND	ND	ND	ND	ND	ND									
SW-20	Acrylonitrile	ug/L	ND	NT	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND								
SW-20	Benzene	ug/L	ND	NS	ND																	
SW-20	Bromochloromethane	ug/L	ND	NS	ND	ND	ND	NT	ND	ND	ND	ND	ND									
SW-20	Bromodichloromethane	ug/L	ND	NS	ND																	
SW-20	Bromoform	ug/L	ND	NS	ND																	
SW-20	Bromomethane	ug/L	ND	NS	ND																	
SW-20	Carbon disulfide	ug/L	ND	NS	NT	NT	ND	ND	ND	NT	ND	ND	ND									
SW-20	Carbon Tetrachloride	ug/L	ND	NS	ND																	
SW-20	Chlorobenzene	ug/L	ND	NS	ND																	
SW-20	Chloroethane	ug/L	ND	NS	ND																	
SW-20	Chloroform	ug/L	ND	NS	ND																	
SW-20	cis-1,2-Dichloroethene	ug/L	ND	NS	ND																	
SW-20	cis-1,3-Dichloropropene	ug/L	ND	NS	ND																	
SW-20	Dibromochloromethane	ug/L	ND	NS	ND																	
SW-20	Dibromomethane	ug/L	ND	NS	ND																	
SW-20	Ethylbenzene	ug/L	ND	NS	ND																	
SW-20	Methylene Chloride	ug/L	ND	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND									
SW-20	Methyl Iodide	ug/L	ND	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND									
SW-20	Methyl Tertiary Butyl Ether	ug/L	ND	NT	NS	ND	ND	NT	ND	ND	ND	ND	ND	ND								
SW-20	ortho-Xylene	ug/L	ND	NS	ND																	
SW-20	para-Xylene & meta-Xylene	ug/L	ND	NS	ND																	
SW-20	Styrene	ug/L	ND	NS	ND																	
SW-20	Tetrachloroethene	ug/L	ND	NS	ND																	
SW-20	Toluene	ug/L	ND	NS	ND																	
SW-20	trans-1,2-Dichloroethene	ug/L	ND	NS	ND																	
SW-20	trans-1,3-Dichloropropene	ug/L	ND	NS	ND																	
SW-20	trans-1,4-Dichloro-2-buten	ug/L	ND	NS	NT	NT	ND	ND	ND	NT	ND	ND	ND									
SW-20	Trichloroethene	ug/L	ND	NS	ND																	
SW-20	Trichlorofluoromethane	ug/L	ND	NS	ND																	
SW-20	Vinyl Acetate	ug/L	ND	NT	NS	NT	NT	NT	NT	NT	ND	NT	ND	ND	ND							
SW-20	Vinyl Chloride	ug/L	ND	NS	ND																	

ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

## TABLE 2: Volatile Organic Compounds - 7 Year Summary

Sample Name	Parameter	Units	Apr-04	Jul-04	Oct-04	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12
SW-30	1,1,1,2-Tetrachloroethane	ug/L	ND	NS	ND	ND	ND	ND	ND	NT	ND	ND	ND									
SW-30	1,1,1-Trichloroethane	ug/L	ND	1.14	ND	ND	NS	ND														
SW-30	1,1,2,2-Tetrachloroethane	ug/L	ND	NS	ND	ND	2.63	ND	ND	ND	ND	ND	ND									
SW-30	1,1,2-Trichloroethane	ug/L	ND	NS	ND																	
SW-30	1,1-Dichloroethane	ug/L	ND	NS	ND																	
SW-30	1,1-Dichloroethene	ug/L	ND	NS	ND																	
SW-30	1,2,3-Trichloropropane	ug/L	ND	NS	ND	ND	ND	NT	ND	ND	ND	ND	ND									
SW-30	1,2-Dibromo-3-chloropropane	ug/L	ND	NS	ND																	
SW-30	1,2-Dibromoethane	ug/L	ND	NS	ND																	
SW-30	1,2-Dichlorobenzene	ug/L	ND	NS	ND	ND	2.27	NT	ND	NT	ND	ND	ND									
SW-30	1,2-Dichloroethane	ug/L	ND	NS	ND																	
SW-30	1,2-Dichloropropane	ug/L	ND	NS	ND																	
SW-30	1,4-Dichlorobenzene	ug/L	ND	NS	ND	ND	2.18	ND	ND	ND	ND	ND	ND									
SW-30	2-Butanone	ug/L	ND	NS	NT	NT	ND	ND	ND	NT	ND	ND	ND									
SW-30	2-Hexanone	ug/L	ND	NS	NT	NT	9.49	ND	ND	NT	ND	ND	ND									
SW-30	4-Methyl-2-pentanone	ug/L	ND	NT	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND								
SW-30	Acetone	ug/L	ND	NS	NT	NT	NT	ND	ND	ND	ND	ND	ND									
SW-30	Acrylonitrile	ug/L	ND	NT	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND								
SW-30	Benzene	ug/L	ND	NS	ND																	
SW-30	Bromochloromethane	ug/L	ND	NS	ND	ND	ND	NT	ND	ND	ND	ND	ND									
SW-30	Bromodichloromethane	ug/L	ND	NS	ND																	
SW-30	Bromoform	ug/L	ND	NS	ND	ND	1.7	ND	ND	ND	ND	ND	ND									
SW-30	Bromomethane	ug/L	ND	NS	ND																	
SW-30	Carbon disulfide	ug/L	ND	NS	NT	NT	ND	ND	ND	NT	ND	ND	ND									
SW-30	Carbon Tetrachloride	ug/L	ND	NS	ND																	
SW-30	Chlorobenzene	ug/L	ND	NS	ND																	
SW-30	Chloroethane	ug/L	ND	NS	ND																	
SW-30	Chloroform	ug/L	ND	NS	ND																	
SW-30	cis-1,2-Dichloroethene	ug/L	ND	NS	ND																	
SW-30	cis-1,3-Dichloropropene	ug/L	ND	NS	ND																	
SW-30	Dibromochloromethane	ug/L	ND	NS	ND																	
SW-30	Dibromomethane	ug/L	ND	NS	ND																	
SW-30	Ethylbenzene	ug/L	ND	NS	ND																	
SW-30	Methylene Chloride	ug/L	ND	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND									
SW-30	Methyl Iodide	ug/L	ND	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND									
SW-30	Methyl Tertiary Butyl Ether	ug/L	ND	NT	NS	ND	ND	NT	ND	ND	ND	ND	ND	ND								
SW-30	ortho-Xylene	ug/L	ND	NS	ND																	
SW-30	para-Xylene & meta-Xylene	ug/L	ND	NS	ND																	
SW-30	Styrene	ug/L	ND	NS	ND																	
SW-30	Tetrachloroethene	ug/L	ND	NS	ND																	
SW-30	Toluene	ug/L	ND	NS	ND																	
SW-30	trans-1,2-Dichloroethene	ug/L	ND	NS	ND																	
SW-30	trans-1,3-Dichloropropene	ug/L	ND	NS	ND																	
SW-30	trans-1,4-Dichloro-2-buten	ug/L	ND	NS	NT	NT	NT	ND	ND	NT	ND	ND	ND									
SW-30	Trichloroethene	ug/L	ND	NS	ND																	
SW-30	Trichlorofluoromethane	ug/L	ND	NS	ND																	
SW-30	Vinyl Acetate	ug/L	ND	NT	NS	NT	ND	ND	ND													
SW-30	Vinyl Chloride	ug/L	ND	NS	ND																	


ND: Not Detected  
 NT: Not Tested  
 NS: Not Sampled

# **Appendix C**


## **Volatile Organic Compounds**

### **Trend Analysis**


**1,1-Dichloroethane Concentration Trends at Oaks Landfill**




**cis-1,2-Dichloroethene Concentration Trends at Oaks Landfill**







**Dichlorodifluoromethane Concentration Trends at Oaks Landfill**




**Tetrachloroethene Concentration Trends at Oaks Landfill**







**Various VOC Concentration Trends at MW-17**




**Various VOC Concentration Trends at MW-22**




**Various VOC Concentration Trends at MW-23**




**Various VOC Concentration Trends at MW-24**




**Tetrachloroethene Concentration Trend at Oaks Landfill**




**1,1-Dichloroethane Concentration Trend at Oaks Landfill**



**Dichloromethane Concentration Trend at Oaks Landfill**  
Monitoring Well MW-06



**Trichloroethene Concentration Trend at Oaks Landfill**



# **Appendix D**

## **Tables of Metals**

**Results in (mg/l)**

**TABLE 3**  
**ELEMENTS and Indicator Parameters**

Parameter	Detection Limit	Units	MCL	MW-01	MW-02	MW-03	MW-04	MW-05	MW-06	MW-07	MW-08	MW-09	MW-10
Alkalinity		mg/L		31	41	15	21	24	57	41	36	49	25
Ammonia		mg/L as N		ND									
Antimony		mg/L		ND									
Arsenic	0.005	mg/L	0.01	ND									
Barium	0.005	mg/L	2	0.0154	0.0119	0.0209	0.0403	0.0223	0.0616	0.0322	0.0351	0.0252	0.0081
Beryllium	0.005	mg/L	0.004	ND									
Cadmium	0.005	mg/L	0.005	ND									
Chloride		mg/L		9.12	4.75	34.5	11.5	4.95	12.9	23	7.51	7.27	4.96
Chromium	0.005	mg/L	0.1	ND									
Cobalt	0.005	mg/L		ND	0.0068	ND							
COD		mg/L		ND	ND	ND	12.4	ND	11.5	ND	ND	ND	ND
Copper	0.005	mg/L	1.3	0.0076	0.0094	0.021	0.0078	0.007	0.0406	ND	0.007	0.0073	ND
Hardness		mg/L		38	42	56	68	38	106	56	38	50	26
Iron	0.5	mg/L		ND	0.445	1.76	0.42	0.386	ND	ND	ND	0.527	ND
Lead	0.005	mg/L	0.015	ND									
Manganese		mg/L		ND	ND	ND	ND	ND	0.0007	ND	ND	ND	ND
Mercury	0.0002	mg/L	0.002	ND	ND	0.0103	0.0078	ND	0.0122	ND	0.0092	0.0068	ND
Nickel	0.005	mg/L		2.95	3.15	4.56	3.98	1.28	4.11	1.49	1.22	0.415	1.06
Nitrate		mg/L as N	10	0.996	1.24	1.83	1.43	1.21	2.23	1.44	0.913	0.844	0.601
Selenium	0.005	mg/L	0.05	ND									
Silver	0.005	mg/L		ND									
TDS		mg/L		84	92	136	124	76	184	152	88	108	80
Thallium	0.005	mg/L	0.002	ND									
Vanadium	0.005	mg/L		ND									
Zinc	0.005	mg/L		0.0097	0.0095	0.0224	0.0258	0.0093	0.0298	0.0132	0.0178	0.0101	0.0057

ND: Not Detected  
NS: Not Sampled  
NT: Not Tested

**TABLE 3**  
**ELEMENTS and Indicator Parameters**

Parameter	Detection Limit	Units	MCL	MW-11	MW-12	MW-13	MW-14	MM-15	MW-16	MW-17	MW-18A	MW-19	MW-20
Alkalinity		mg/L		22	37	23	181	27	54	11	9	12	30
Ammonia		mg/L as N		ND									
Antimony		mg/L		ND									
Arsenic	0.005	mg/L	0.01	ND									
Barium	0.005	mg/L	2	0.039	0.009	0.014	0.0371	0.109	0.0399	0.0383	0.0257	0.053	0.0246
Beryllium	0.005	mg/L	0.004	ND									
Cadmium	0.005	mg/L	0.005	ND									
Chloride		mg/L		7.71	ND	6.37	6.71	20.2	13.6	5.9	3.94	9.29	3.13
Chromium	0.005	mg/L	0.1	ND									
Cobalt	0.005	mg/L		ND									
COD		mg/L		ND									
Copper	0.005	mg/L	1.3	0.0156	0.005	0.0058	0.0065	ND	0.012	0.013	0.0086	0.0087	0.00559
Hardness		mg/L		34	26	24	206	48	94	24	14	22	28
Iron	0.5	mg/L		1.76	ND	0.612	0.547	ND	ND	ND	ND	ND	ND
Lead	0.005	mg/L	0.015	ND									
Manganese		mg/L		ND									
Mercury	0.0002	mg/L	0.002	0.0091	ND	ND	ND	ND	0.0113	0.0069	ND	ND	ND
Nickel	0.005	mg/L		3.7	0.246	1.16	2.68	2.31	3.92	4.91	2.63	3.05	2.08
Nitrate		mg/L as N	10	1.6	0.883	0.295	1.64	0.983	1.2	1.35	1.18	1.53	0.729
Selenium	0.005	mg/L	0.05	ND									
Silver	0.005	mg/L		ND									
TDS		mg/L		84	72	76	232	104	128	80	40	60	68
Thallium	0.005	mg/L	0.002	ND									
Vanadium	0.005	mg/L		ND									
Zinc	0.005	mg/L		0.0304	0.0056	0.01	0.0071	0.0189	0.0305	0.0296	0.0121	0.0214	0.0116

ND: Not Detected  
NS: Not Sampled  
NT: Not Tested

**TABLE 3**  
**ELEMENTS and Indicator Parameters**

Parameter	Detection Limit	Units	MCL	MW-21	MW-22	MW-23	MW-24	MW-25	MW-26	MW-27	SW-20	SW-30
Alkalinity		mg/L		38	34	20	31	12	16	10	69	92
Ammonia		mg/L as N		0.312	ND							
Antimony		mg/L		ND								
Arsenic	0.005	mg/L	0.01	ND								
Barium	0.005	mg/L	2	0.0212	0.046	0.0247	0.0353	0.0903	0.0402	0.0728	NT	0.017
Beryllium	0.005	mg/L	0.004	ND								
Cadmium	0.005	mg/L	0.005	ND								
Chloride		mg/L		15.3	7.52	6	13.5	67.2	38.8	54.5	4.91	ND
Chromium	0.005	mg/L	0.1	0.013	ND							
Cobalt	0.005	mg/L		ND								
COD		mg/L		ND	32.2	32.4						
Copper	0.005	mg/L	1.3	0.01	0.0054	0.0067	0.0065	0.0095	0.008	0.0068	ND	0.0052
Hardness		mg/L		48	54	20	62	84	56	40	68	86
Iron	0.5	mg/L		1.44	ND	ND	ND	0.43	1.04	ND	2.42	1.61
Lead	0.005	mg/L	0.015	ND								
Manganese		mg/L		ND								
Mercury	0.0002	mg/L	0.002	0.006	ND	ND	ND	0.0087	ND	0.0053	ND	ND
Nickel	0.005	mg/L		2.06	2.17	1.55	3.13	3.87	2.5	2.28	ND	ND
Nitrate		mg/L as N	10	1.91	1.79	1.1	1.58	2.4	1.91	2.29	2.44	4.31
Selenium	0.005	mg/L	0.05	ND								
Silver	0.005	mg/L		ND								
TDS		mg/L		156	72	60	92	200	136	136	140	144
Thallium	0.005	mg/L	0.002	ND								
Vanadium	0.005	mg/L		ND								
Zinc	0.005	mg/L		0.0071	0.0116	0.0143	0.0104	0.027	0.0154	0.0178	0.0077	0.0067

ND: Not Detected  
NS: Not Sampled  
NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-01	Alkalinity	mg/L	NS	NS	NS	NS	32	34	32	26	NT	NT	NT	NT	NT	30	32	30	31
MW-01	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-01	Antimony	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND							
MW-01	Arsenic	mg/L	ND	ND	ND														
MW-01	Barium	mg/L	0.0088	0.0081	ND	0.0089	0.0085	ND	0.0107	0.0119	0.0094	0.0148	0.0124	0.0112	0.0128	0.0116	0.0158	0.0145	0.0154
MW-01	Beryllium	mg/L	ND	ND	ND														
MW-01	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-01	Cadmium	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-01	Chloride	mg/L	ND	ND	ND	ND	6.01	7.206	7.1184	7.54	NT	NT	NT	NT	8.53	8.73	9.13	9.83	9.12
MW-01	Chromium	mg/L	ND	ND	ND														
MW-01	Cobalt	mg/L	ND	ND	ND														
MW-01	Copper	mg/L	0.0149	0.0103	ND	0.0107	0.0077	ND	0.0088	0.01	0.0065	0.0083	0.0109	0.0063	0.0065	0.0068	0.0098	ND	0.00759
MW-01	Iron	mg/L	ND	ND	ND	ND	ND	ND	0.3752	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-01	Lead	mg/L	ND	ND	ND														
MW-01	Manganese	mg/L	ND	ND	ND	ND	ND	ND	0.0023	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-01	Mercury	mg/L	ND	ND	ND														
MW-01	Nickel	mg/L	ND	ND	ND														
MW-01	Nitrate	mg/L as N	ND	ND	ND	ND	2.6366	2.572	2.9978	2.85	NT	NT	NT	NT	2.98	2.88	2.83	2.68	2.95
MW-01	Selenium	mg/L	ND	ND	ND														
MW-01	Silver	mg/L	ND	ND	ND														
MW-01	Sulfate	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-01	T.D.S.	mg/L	NS	NS	NS	NS	4	NS		100	NT	NT	NT	NT	36	132		72	84
MW-01	Thallium	mg/L	ND	ND	ND	ND	ND	ND	84	ND	ND	ND							
MW-01	Total Hardness	mg/L	NS	NS	NS	NS	38	38	48	NT	NT	NT	NT	NT	ND	37		40	38
MW-01	Turbidity	NTU	ND	ND	ND	ND	0.21	0.8	0.16	NT	NT	NT	NT	NT	ND	0.468	NT	NT	NT
MW-01	Vanadium	mg/L	ND	ND	ND														
MW-01	Zinc	mg/L	ND	ND	ND	ND	0.0022	ND	0.0043	0.0053	0.0058	0.007	0.0141	ND	0.006	ND	0.0221	0.00664	0.00969
MW-02	Alkalinity	mg/L	NS	NS	NS	NS	38	40	40	44	NT	NT	NT	NT	NT	35	32	34	41
MW-02	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-02	Antimony	mg/L	ND	ND	ND	0.0069	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-02	Arsenic	mg/L	ND	ND	ND														
MW-02	Barium	mg/L	0.011	0.0085	ND	0.0065	0.0081	ND	ND	0.016	0.0157	0.0128	0.0118	0.0097	0.0116	0.0079	0.0147	0.0118	0.0119
MW-02	Beryllium	mg/L	ND	ND	ND														
MW-02	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	6.8	ND	ND	ND							
MW-02	Cadmium	mg/L	ND	0.0002	NT	NT	NT	ND	ND	ND	ND	ND							
MW-02	Chloride	mg/L	ND	ND	ND	ND	5.63	6.7711	4.6979	19	NT	NT	NT	NT	5.25	5.3	5.65	5.18	4.75
MW-02	Chromium	mg/L	ND	ND	ND	0.0043	ND	ND	ND	ND	ND	ND	0.0027	0.0023	ND	ND	ND	ND	ND
MW-02	Cobalt	mg/L	ND	ND	ND														
MW-02	Copper	mg/L	0.0145	ND	ND	0.0133	0.0067	ND	0.006	0.0144	0.0095	0.0087	0.0095	0.0075	0.0087	0.0087	0.009	0.00714	0.00937
MW-02	Iron	mg/L	ND	ND	ND	ND	ND	0.7837	ND	1.06	NT	NT	NT	NT	0.628	ND	ND	ND	0.445
MW-02	Lead	mg/L	ND	ND	ND														
MW-02	Manganese	mg/L	ND	ND	ND	ND	0.007	0.0151	ND	0.0252	NT	NT	NT	NT	0.0135	0.0098	0.00688	0.0107	0.0182
MW-02	Mercury	mg/L	ND	ND	ND														
MW-02	Nickel	mg/L	ND	0.0023	ND	0.0033	0.0022	0.0024	ND	0.0038	0.0026	ND	ND	ND	ND	ND	ND	ND	ND
MW-02	Nitrate	mg/L as N	ND	ND	ND	ND	2.9765	2.8906	3.3482	3.58	NT	NT	NT	NT	3.17	2.81	2.88	3.04	3.15
MW-02	Selenium	mg/L	ND	ND	ND														
MW-02	Silver	mg/L	ND	ND	ND														
MW-02	Sulfate	mg/L	ND	NT	NT	NT	NT	6.87	ND	ND	ND	ND							
MW-02	T.D.S.	mg/L	NS	NS	NS	NS	92	332		116	NT	NT	NT	NT	52	112		92	92
MW-02	Thallium	mg/L	ND	ND	ND	ND	ND	ND	84	ND	ND	ND							
MW-02	Total Hardness	mg/L	NS	NS	NS	NS	44	46	46	NT	NT	NT	NT	NT	ND	38		41	42
MW-02	Turbidity	NTU	ND	ND	ND	ND	3.8	26.1	0.49	NT	NT	NT	NT	NT	ND	21.4	NT	NT	NT
MW-02	Vanadium	mg/L	ND	ND	ND														
MW-02	Zinc	mg/L	0.0067	ND	ND	0.0068	0.0038	ND	0.0105	0.0152	0.011	0.0101	0.0111	ND	0.0059	ND	0.011	0.00708	0.00951

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-03	Alkalinity	mg/L	NS	NS	NS	NS	12	16	16	14	NT	NT	NT	NT	NT	10	18	17	15
MW-03	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-03	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-03	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-03	Barium	mg/L	0.011	0.0085	ND	0.0073	0.007	0.0124	0.0129	ND	0.0091	0.0168	0.0134	0.0114	0.0158	0.0133	0.0245	0.0187	0.0209
MW-03	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-03	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	8.3	ND	ND
MW-03	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	NT	NT	NT	ND	ND	ND	ND	ND
MW-03	Chloride	mg/L	ND	ND	ND	ND	19.5	18.0763	21.9944	3.5	NT	NT	NT	NT	26.9	26.9	28.6	32.7	34.5
MW-03	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0024	ND	ND	ND	ND	ND	ND	ND	ND
MW-03	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-03	Copper	mg/L	0.0217	0.0116	ND	0.0135	0.009	0.0106	0.01	0.0086	0.0074	0.0109	0.0128	0.0087	0.0081	0.0097	0.0299	0.0213	0.021
MW-03	Iron	mg/L	ND	ND	ND	ND	ND	1.3596	0.5755	ND	NT	NT	NT	NT	0.583	ND	4.36	1.83	1.76
MW-03	Lead	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0081	ND	ND
MW-03	Manganese	mg/L	ND	ND	ND	ND	0.0083	0.0331	0.0182	ND	NT	NT	NT	NT	0.0155	0.0119	0.152	0.0605	0.0732
MW-03	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-03	Nickel	mg/L	ND	0.0021	ND	0.0029	0.0021	0.0031	3.532	ND	0.0023	ND	0.003	0.0026	ND	ND	0.008	0.00513	0.0103
MW-03	Nitrate	mg/L as N	ND	ND	ND	ND	3.3585	3.5107	0.0033	3.77	NT	NT	NT	NT	3.96	4.26	4.03	4.44	4.56
MW-03	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-03	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-03	Sulfate	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	2.3	ND	ND	ND	ND
MW-03	T.D.S.	mg/L	NS	NS	NS	NS	56	408	ND	72	NT	NT	NT	NT	88	180	ND	132	136
MW-03	Thallium	mg/L	ND	ND	ND	ND	ND	ND	80	ND	ND	ND	ND						
MW-03	Total Hardness	mg/L	NS	NS	NS	NS	28	34	36	NT	NT	NT	NT	NT	ND	42	ND	50	56
MW-03	Turbidity	NTU	ND	ND	ND	ND	3.52	25.9	1.18	NT	NT	NT	NT	NT	ND	9.34	NT	NT	NT
MW-03	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-03	Zinc	mg/L	0.0113	0.0051	ND	0.0066	0.0045	ND	0.0166	0.006	0.0106	0.012	0.0147	ND	0.0071	0.00678	0.0395	0.0217	0.0224
MW-04	Alkalinity	mg/L	NS	NS	NS	NS	30	24	28	14	NT	NT	NT	NT	NT	19	22	20	21
MW-04	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-04	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-04	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-04	Barium	mg/L	0.0394	0.035	ND	0.0287	0.036	0.033	0.0379	0.027	0.0329	0.0403	0.0492	0.0352	0.0389	0.034	0.0443	0.00862	0.0403
MW-04	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-04	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	12.4
MW-04	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	NT	NT	NT	ND	ND	ND	ND	ND
MW-04	Chloride	mg/L	ND	ND	ND	ND	13.4	14.7132	11.9003	10.86	NT	NT	NT	NT	11.8	12.2	12.4	12.7	11.5
MW-04	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-04	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-04	Copper	mg/L	0.0143	0.0136	ND	0.0124	0.0177	0.0102	0.0109	0.014	0.0189	0.0193	0.015	0.0124	0.0092	0.0097	0.0056	0.00501	0.00775
MW-04	Iron	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	0.42
MW-04	Lead	mg/L	0.0022	ND	ND	ND	0.0028	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-04	Manganese	mg/L	ND	ND	ND	ND	0.0116	ND	0.0128	0.006	NT	NT	NT	NT	0.0114	0.0075	0.0174	ND	0.0245
MW-04	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-04	Nickel	mg/L	0.0052	0.0053	ND	0.0044	0.0063	0.0047	4.2066	0.0042	0.0059	0.0051	0.0076	0.0063	0.0058	0.0054	0.0064	ND	0.00781
MW-04	Nitrate	mg/L as N	ND	ND	ND	ND	3.7963	3.6601	0.0067	4.73	NT	NT	NT	NT	4.1291	3.95	3.35	3.32	3.98
MW-04	Selenium	mg/L	ND	0.0022	ND	ND	ND	ND	0.0024	ND	ND	ND	ND						
MW-04	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-04	Sulfate	mg/L	ND	ND	ND	ND	13.47	27.4	27.97	3.15	NT	NT	NT	NT	32.4	16.6	23.8	25.8	26.2
MW-04	T.D.S.	mg/L	NS	NS	NS	NS	172	88	ND	76	NT	NT	NT	NT	88	140	ND	128	124
MW-04	Thallium	mg/L	ND	ND	ND	ND	ND	ND	60	ND	ND	ND	ND						
MW-04	Total Hardness	mg/L	NS	NS	NS	NS	54	48	68	ND	NT	NT	NT	NT	ND	48	ND	58	68
MW-04	Turbidity	NTU	ND	ND	ND	ND	0.24	0.13	0.14	NT	NT	NT	NT	NT	ND	2.52	NT	NT	NT
MW-04	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND	ND	ND
MW-04	Zinc	mg/L	0.0263	0.0202	ND	0.0147	0.0179	0.019	0.0278	0.018	0.039	0.026	0.031	0.0222	0.02	0.0162	0.0198	0.0241	0.0258

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-05	Alkalinity	mg/L	NS	NS	NS	NS	16	26	16	26	NT	NT	NT	NT	NT	21	20	21	24
MW-05	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-05	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-05	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-05	Barium	mg/L	0.0206	0.0144	ND	0.0185	0.0197	0.0212	0.0198	0.028	0.0182	0.0251	0.0215	0.0196	0.0222	0.019	0.0231	0.0204	0.0223
MW-05	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-05	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	13.8	ND	ND	ND
MW-05	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	NT	NT	NT	ND	ND	ND	ND	ND
MW-05	Chloride	mg/L	ND	ND	ND	ND	8.39	8.2934	6.4851	8.4	NT	NT	NT	NT	6.35	5.65	5.58	4.87	4.95
MW-05	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	0.0021	NT	ND	ND	ND	ND	ND	ND	ND	ND
MW-05	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	ND	ND	ND	ND	ND	ND	ND	ND
MW-05	Copper	mg/L	0.0246	0.0113	ND	0.0195	0.0123	0.0107	0.0207	0.0142	0.0123	0.0119	0.0122	0.0081	0.0069	0.008	0.007	ND	0.007
MW-05	Iron	mg/L	ND	ND	ND	ND	ND	ND	0.3363	ND	NT	NT	NT	NT	ND	ND	0.566	ND	0.386
MW-05	Lead	mg/L	ND	ND	ND	0.0028	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-05	Manganese	mg/L	ND	ND	ND	ND	0.009	0.0106	0.0107	0.0117	NT	NT	NT	NT	0.0061	ND	0.0227	0.00542	0.0182
MW-05	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	0.0003	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-05	Nickel	mg/L	0.0028	ND	ND	0.003	0.0026	0.0022	1.1437	0.003	ND	ND	0.0021	ND	ND	ND	ND	ND	ND
MW-05	Nitrate	mg/L as N	ND	ND	ND	ND	1.2453	1.5006	0.0022	2.49	NT	NT	NT	NT	1.56	1.34	1.25	1.27	1.28
MW-05	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-05	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-05	Sulfate	mg/L	ND	ND	ND	ND	ND	13.68	11.96	14.73	NT	NT	NT	NT	16.5	14.2	10.9	12.6	13.7
MW-05	T.D.S.	mg/L	NS	NS	NS	NS	24	260	ND	96	NT	NT	NT	NT	40	104	72	76	
MW-05	Thallium	mg/L	ND	ND	ND	ND	ND	ND	64	ND	ND	ND	ND						
MW-05	Total Hardness	mg/L	NS	NS	NS	NS	38	38	34	NT	NT	NT	NT	NT	ND	36	ND	37	38
MW-05	Turbidity	NTU	ND	ND	ND	ND	12.9	8.1	1.94	NT	NT	NT	NT	NT	ND	2.46	NT	NT	NT
MW-05	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-05	Zinc	mg/L	0.0358	0.0067	ND	0.0096	0.0077	ND	0.0101	0.0167	0.0157	0.0101	0.0152	ND	0.0063	0.00652	0.0104	0.00783	0.00929
MW-06	Alkalinity	mg/L	NS	NS	NS	NS	32	36	32	26	NT	NT	NT	NT	NT	45	42	57	57
MW-06	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	0.007	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-06	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-06	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-06	Barium	mg/L	0.0611	0.0549	ND	0.0437	0.0589	0.0482	0.0621	0.0458	0.0449	0.0551	0.0544	0.0564	0.0789	0.057	0.0735	0.0593	0.0616
MW-06	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-06	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	11.5
MW-06	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	NT	NT	NT	ND	ND	ND	ND	ND
MW-06	Chloride	mg/L	ND	ND	ND	ND	17.5	14.9493	13.6732	14.6	NT	NT	NT	NT	15.6	13.6	11	12.7	12.9
MW-06	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-06	Cobalt	mg/L	0.0053	0.0042	ND	0.0034	0.0026	ND	0.0031	ND	ND	ND	ND	ND	0.0287	0.0052	ND	ND	ND
MW-06	Copper	mg/L	0.0171	0.0186	ND	0.0251	0.0135	0.0136	0.0145	0.016	0.0171	0.0172	0.0127	0.0099	0.0166	0.0108	0.0076	0.00706	0.0406
MW-06	Iron	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-06	Lead	mg/L	ND	0.0022	ND	0.0025	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-06	Manganese	mg/L	ND	ND	ND	ND	0.3289	0.2445	0.3639	0.2	NT	NT	NT	NT	2.11	0.573	0.567	0.302	0.268
MW-06	Mercury	mg/L	0.0004	0.0006	ND	0.0009	0.0005	0.0007	0.0004	0.0009	0.0004	0.0004	ND	0.0004	0.0005	0.00057	0.00032	0.0004	0.00065
MW-06	Nickel	mg/L	0.0114	0.0111	ND	0.0086	0.0099	0.0071	0.0138	0.007	0.0072	0.0055	0.0056	0.0072	0.0323	0.0117	0.0153	0.0103	0.0122
MW-06	Nitrate	mg/L as N	ND	ND	ND	ND	3.4769	3.2093	3.7648	3.37	NT	NT	NT	NT	3.7844	3.95	4.01	4.05	4.11
MW-06	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-06	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-06	Sulfate	mg/L	ND	ND	ND	ND	ND	31.54	38.37	17.52	NT	NT	NT	NT	50.5	30.6	47.3	32.5	36.8
MW-06	T.D.S.	mg/L	NS	NS	NS	NS	76	88	ND	96	NT	NT	NT	NT	176	208	184	184	
MW-06	Thallium	mg/L	ND	ND	ND	ND	ND	ND	72	ND	ND	ND	ND						
MW-06	Total Hardness	mg/L	NS	NS	NS	NS	82	58	78	NT	NT	NT	NT	NT	ND	86	116	106	
MW-06	Turbidity	NTU	ND	ND	ND	ND	0.1	0.11	0.17	NT	NT	NT	NT	NT	ND	0.591	NT	NT	NT
MW-06	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-06	Zinc	mg/L	0.0349	0.0387	ND	0.0212	0.0245	0.0255	0.0416	0.0263	0.0385	0.0265	0.0258	0.0214	0.0489	0.0238	0.0293	0.0222	0.0298

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-07	Alkalinity	mg/L	NS	NS	NS	NS	38	44	40	46	NT	NT	NT	NT	NT	46	40	39	41
MW-07	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-07	Antimony	mg/L	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND						
MW-07	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-07	Barium	mg/L	0.0111	0.0284	ND	0.0114	0.0112	ND	0.0372	0.0144	0.0261	0.0111	0.0189	0.0092	0.0338	0.0147	0.0289	0.0221	0.0322
MW-07	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-07	C. O. D.	mg/L	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND						
MW-07	Cadmium	mg/L	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND						
MW-07	Chloride	mg/L	ND	ND	ND	ND	14.1	8.1081	22.0888	10.1	NT	NT	NT	NT	23.4	11.1	21.1	14.7	23
MW-07	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-07	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-07	Copper	mg/L	0.0104	0.0104	ND	0.0163	0.0078	ND	0.0101	0.0095	0.0093	0.0107	0.009	0.0055	0.0069	0.0074	ND	ND	ND
MW-07	Iron	mg/L	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND						
MW-07	Lead	mg/L	ND	ND	ND	0.0027	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-07	Manganese	mg/L	ND	ND	ND	ND	0.0053	ND	0.0162	0.0037	NT	NT	NT	NT	0.0151	ND	0.0105	0.00845	0.0154
MW-07	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-07	Nickel	mg/L	ND	0.0065	ND	0.0029	0.0021	ND	0.0059	0.0023	0.0034	ND	0.0027	0.0025	ND	ND	ND	ND	ND
MW-07	Nitrate	mg/L as N	ND	ND	ND	ND	1.2191	1.3399	3.9286	3	NT	NT	NT	NT	1.3263	1.86	1.52	1.22	1.49
MW-07	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-07	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-07	Sulfate	mg/L	ND	ND	ND	ND	ND	16.14	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-07	T.D.S.	mg/L	NS	NS	NS	NS	64	76	ND	96	NT	NT	NT	NT	88	116	NT	84	152
MW-07	Thallium	mg/L	ND	ND	ND	ND	ND	ND	88	ND	ND	ND	ND						
MW-07	Total Hardness	mg/L	NS	NS	NS	NS	46	48	54	NT	NT	NT	NT	NT	ND	44	NT	46	56
MW-07	Turbidity	NTU	ND	ND	ND	ND	0.06	0.11	0.11	NT	NT	NT	NT	NT	ND	0.411	NT	NT	NT
MW-07	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-07	Zinc	mg/L	0.0065	0.0168	ND	0.0055	0.0063	0.0114	0.0276	0.0085	0.0389	0.0073	0.0147	ND	0.016	0.00886	0.012	0.011	0.0132
MW-08	Alkalinity	mg/L	NS	NS	NS	NS	38	40	30	38	NT	NT	NT	NT	NT	34	35	34	36
MW-08	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	0.007	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-08	Antimony	mg/L	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND						
MW-08	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-08	Barium	mg/L	0.0324	0.0305	ND	0.0379	0.031	0.0376	0.0381	0.02	0.0256	0.0377	0.034	0.0393	0.0356	0.0331	0.0356	0.0403	0.0351
MW-08	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-08	C. O. D.	mg/L	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND						
MW-08	Cadmium	mg/L	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND						
MW-08	Chloride	mg/L	ND	ND	ND	ND	9.13	7.951	6.9971	3.4	NT	NT	NT	NT	8.26	5.95	7.28	6.95	7.51
MW-08	Chromium	mg/L	ND	ND	ND	ND	ND	ND	0.0026	0.0021	ND	ND	0.0021	ND	ND	ND	ND	ND	ND
MW-08	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-08	Copper	mg/L	0.0132	0.0114	ND	0.013	0.0139	0.0105	0.0132	0.0091	0.0408	0.0102	0.0109	0.0087	0.0068	0.0089	0.0058	0.00639	0.00697
MW-08	Iron	mg/L	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND						
MW-08	Lead	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-08	Manganese	mg/L	ND	ND	ND	ND	0.0124	0.0181	0.0195	0.0025	NT	NT	NT	NT	0.0136	0.0127	0.0137	0.018	0.0136
MW-08	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-08	Nickel	mg/L	0.0082	0.0075	ND	0.0101	0.0079	0.0101	0.0111	0.0033	0.0069	0.0079	0.0079	0.0112	0.0083	0.008	0.0077	0.0109	0.00922
MW-08	Nitrate	mg/L as N	ND	ND	ND	ND	0.938	1.27	1.1657	1.28	NT	NT	NT	NT	1.1046	1.21	1.12	1.36	1.22
MW-08	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-08	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-08	Sulfate	mg/L	ND	ND	ND	ND	ND	17.18	ND	1.17	NT	NT	NT	NT	3.48	ND	ND	ND	ND
MW-08	T.D.S.	mg/L	NS	NS	NS	NS	64	80	ND	88	NT	NT	NT	NT	40	100	NT	80	88
MW-08	Thallium	mg/L	ND	ND	ND	ND	ND	ND	56	ND	ND	ND	ND						
MW-08	Total Hardness	mg/L	NS	NS	NS	NS	40	46	38	NT	NT	NT	NT	NT	ND	30	NT	37	38
MW-08	Turbidity	NTU	ND	ND	ND	ND	0.54	0.52	0.98	NT	NT	NT	NT	NT	ND	1.36	NT	NT	NT
MW-08	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-08	Zinc	mg/L	0.0172	0.0172	ND	0.017	0.0144	0.0201	0.0315	0.0092	0.0231	0.0196	0.0218	0.021	0.0162	0.0164	0.0161	0.0221	0.0178

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-09	Alkalinity	mg/L	NS	NS	NS	NS	46	40	54	40	NT	NT	NT	NT	NT	44	55	49	49
MW-09	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-09	Antimony	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND							
MW-09	Arsenic	mg/L	ND	ND	ND	ND													
MW-09	Barium	mg/L	0.0247	0.0252	ND	0.0134	0.0178	0.0148	0.0299	0.0161	0.017	0.0293	0.0219	0.0193	0.0245	0.0129	0.0212	0.0205	0.0252
MW-09	Beryllium	mg/L	ND	ND	ND	ND													
MW-09	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	ND	9.2	ND	ND							
MW-09	Cadmium	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-09	Chloride	mg/L	ND	ND	ND	ND	4.53	3.6712	6.4955	7.08	NT	NT	NT	NT	7.69	3.93	4.97	3.88	7.27
MW-09	Chromium	mg/L	ND	ND	ND	ND													
MW-09	Cobalt	mg/L	ND	ND	ND	ND	ND	0.0026	ND	0.0058	ND	ND	ND	0.0058	ND	ND	ND	ND	0.00683
MW-09	Copper	mg/L	0.0147	ND	ND	ND	0.0073	ND	0.0268	0.0095	0.0072	0.0083	0.0091	0.0108	0.0061	0.0089	0.0104	0.00727	0.00732
MW-09	Iron	mg/L	ND	ND	ND	ND	ND	0.219	0.4527	0.36	NT	NT	NT	NT	ND	ND	0.64	ND	0.527
MW-09	Lead	mg/L	ND	0.0028	ND	ND	ND	ND	ND										
MW-09	Manganese	mg/L	ND	ND	ND	ND	0.0066	0.0231	0.0108	0.0383	NT	NT	NT	NT	0.0784	0.0892	0.154	0.0369	0.155
MW-09	Mercury	mg/L	ND	ND	ND	ND													
MW-09	Nickel	mg/L	0.0048	0.0055	ND	0.0032	0.0028	0.0027	0.0053	0.0051	0.0021	0.0027	0.0026	0.0068	ND	ND	0.0054	ND	0.00675
MW-09	Nitrate	mg/L as N	ND	ND	ND	ND	0.2906	0.9537	0.247	0.53	NT	NT	NT	NT	0.345	1.16	0.351	1.03	0.415
MW-09	Selenium	mg/L	ND	ND	ND	ND													
MW-09	Silver	mg/L	ND	ND	ND	ND													
MW-09	Sulfate	mg/L	ND	ND	ND	ND	21	21.92	13.84	5.07	NT	NT	NT	NT	8.27	ND	7.7	4.85	5.58
MW-09	T.D.S.	mg/L	NS	NS	NS	NS	24	NS	ND	112	NT	NT	NT	NT	64	96	92	108	
MW-09	Thallium	mg/L	ND	ND	ND	ND	ND	ND	80	ND	ND	ND	ND						
MW-09	Total Hardness	mg/L	NS	NS	NS	NS	56	46	62	NT	NT	NT	NT	NT	ND	38	ND	52	50
MW-09	Turbidity	NTU	ND	ND	ND	ND	1.57	2.81	1.3	NT	NT	NT	NT	NT	ND	10.7	NT	NT	NT
MW-09	Vanadium	mg/L	ND	ND	ND	ND													
MW-09	Zinc	mg/L	0.0081	0.0065	ND	ND	0.0145	ND	0.0139	0.0088	0.0094	0.0076	0.0103	0.0132	0.0056	0.00614	0.0106	0.00751	0.0101
MW-10	Alkalinity	mg/L	NS	NS	NS	NS	28	38	22	24	NT	NT	NT	NT	NT	26	23	31	25
MW-10	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-10	Antimony	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND							
MW-10	Arsenic	mg/L	ND	ND	ND	ND													
MW-10	Barium	mg/L	0.003	0.0025	ND	0.0044	0.0029	ND	ND	ND	0.0034	0.0034	0.0055	0.0061	ND	0.0054	0.0083	0.00901	0.00808
MW-10	Beryllium	mg/L	ND	ND	ND	ND													
MW-10	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-10	Cadmium	mg/L	ND	0.0002	NT	NT	NT	ND	ND	ND	ND	ND							
MW-10	Chloride	mg/L	ND	ND	ND	ND	4.46	3.7726	4.7916	3.9	NT	NT	NT	NT	4.95	3.98	4.83	3.99	4.96
MW-10	Chromium	mg/L	ND	ND	ND	ND													
MW-10	Cobalt	mg/L	ND	ND	ND	ND													
MW-10	Copper	mg/L	0.0151	0.0105	ND	0.0103	0.0081	ND	0.0072	0.0133	0.0074	0.0092	0.0136	0.008	0.0066	0.0074	0.0053	0.00515	ND
MW-10	Iron	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-10	Lead	mg/L	ND	ND	ND	ND													
MW-10	Manganese	mg/L	ND	ND	ND	ND	0.0031	ND	ND	0.0029	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-10	Mercury	mg/L	ND	ND	ND	ND													
MW-10	Nickel	mg/L	ND	0.0021	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-10	Nitrate	mg/L as N	ND	ND	ND	ND	0.7105	0.7319	0.9843	1.18	NT	NT	NT	NT	1.0968	1	1.02	0.911	1.06
MW-10	Selenium	mg/L	ND	ND	ND	ND													
MW-10	Silver	mg/L	ND	ND	ND	ND													
MW-10	Sulfate	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-10	T.D.S.	mg/L	NS	NS	NS	NS	40	NS	ND	100	NT	NT	NT	NT	24	48	68	80	
MW-10	Thallium	mg/L	ND	ND	ND	ND	ND	ND	52	ND	ND	ND	ND						
MW-10	Total Hardness	mg/L	NS	NS	NS	NS	28	38	22	NT	NT	NT	NT	NT	ND	20	29	26	
MW-10	Turbidity	NTU	ND	ND	ND	ND	0.6	3	0.42	NT	NT	NT	NT	NT	ND	2.06	NT	NT	NT
MW-10	Vanadium	mg/L	ND	ND	ND	ND													
MW-10	Zinc	mg/L	0.0052	ND	ND	ND	0.0028	0.0108	0.0047	0.0105	0.0074	0.0074	0.0092	ND	ND	0.00629	0.00725	0.0241	0.00568

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-11	Alkalinity	mg/L	NS	NS	NS	NS	24	16	36	24	NT	NT	NT	NT	NT	14	21	19	22
MW-11	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-11	Antimony	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND							
MW-11	Arsenic	mg/L	ND	ND	ND	ND													
MW-11	Barium	mg/L	0.0194	0.0168	ND	0.0265	0.0141	0.0307	0.0207	0.0251	0.0252	0.0223	0.0201	0.0491	0.0279	0.0456	0.0448	0.0371	0.039
MW-11	Beryllium	mg/L	ND	ND	ND	ND													
MW-11	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-11	Cadmium	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-11	Chloride	mg/L	ND	ND	ND	ND	4.16	7.5826	5.1155	3.37	NT	NT	NT	NT	5.5	8.53	9.02	5.46	7.71
MW-11	Chromium	mg/L	ND	0.0027	ND	ND	ND	ND	ND	ND	ND	ND	ND						
MW-11	Cobalt	mg/L	ND	ND	ND	ND													
MW-11	Copper	mg/L	0.0108	0.0111	ND	0.0145	0.0152	0.0129	0.0094	0.0156	0.0072	0.0099	0.0113	0.018	0.0101	0.0163	0.0328	0.0227	0.0156
MW-11	Iron	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	1.1	4.01	1.76						
MW-11	Lead	mg/L	ND	ND	ND	ND													
MW-11	Manganese	mg/L	ND	ND	ND	ND	0.0066	0.0183	0.0067	0.005	NT	NT	NT	NT	0.0121	0.0315	0.0608	0.142	0.0888
MW-11	Mercury	mg/L	ND	ND	ND	ND													
MW-11	Nickel	mg/L	0.0039	0.0035	ND	0.0075	0.0036	0.0086	0.0036	0.0037	0.0047	0.0047	0.0038	0.0111	ND	0.0102	0.0096	0.00994	0.00913
MW-11	Nitrate	mg/L as N	ND	ND	ND	ND	2.7886	4.8311	3.3365	2	NT	NT	NT	NT	3.2575	5.05	4.68	3.5	3.7
MW-11	Selenium	mg/L	ND	ND	ND	ND													
MW-11	Silver	mg/L	ND	ND	ND	ND													
MW-11	Sulfate	mg/L	ND	NT	NT	NT	NT	5.76	ND	ND	ND	ND							
MW-11	T.D.S.	mg/L	NS	NS	NS	NS	64	52	ND	72	NT	NT	NT	NT	36	116	68	84	
MW-11	Thallium	mg/L	ND	ND	ND	ND	ND	35	80	ND	ND	ND	ND						
MW-11	Total Hardness	mg/L	NS	NS	NS	NS	34	ND	48	NT	NT	NT	NT	NT	ND	29	27	34	
MW-11	Turbidity	NTU	ND	ND	ND	ND	1.72	ND	0.84	NT	NT	NT	NT	NT	ND	4.09	NT	NT	NT
MW-11	Vanadium	mg/L	ND	ND	ND	ND													
MW-11	Zinc	mg/L	0.0162	0.0128	ND	0.0279	0.0112	ND	0.0143	0.0175	0.0166	0.0188	0.0218	0.0379	0.0156	0.0404	0.0488	0.0364	0.0304
MW-12	Alkalinity	mg/L	NS	NS	NS	NS	32	ND	36	36	NT	NT	NT	NT	NT	34	39	39	37
MW-12	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-12	Antimony	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND							
MW-12	Arsenic	mg/L	ND	ND	ND	ND	ND	8.206	ND	ND	ND	ND							
MW-12	Barium	mg/L	0.0045	0.0035	ND	0.0034	0.0036	ND	ND	ND	0.007	0.0134	ND	0.0056	0.0063	0.0054	0.01	0.0102	0.00901
MW-12	Beryllium	mg/L	ND	ND	ND	ND													
MW-12	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	6.3	ND	ND	ND							
MW-12	Cadmium	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-12	Chloride	mg/L	ND	ND	ND	ND	1.47	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-12	Chromium	mg/L	ND	ND	ND	ND													
MW-12	Cobalt	mg/L	ND	ND	ND	ND													
MW-12	Copper	mg/L	0.014	ND	ND	0.016	0.0089	ND	0.0089	0.01	0.0056	0.0076	0.0092	0.0067	0.0054	0.0072	ND	ND	0.00503
MW-12	Iron	mg/L	ND	ND	ND	ND	ND	3.572	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-12	Lead	mg/L	ND	ND	ND	0.0024	ND	ND	ND	ND									
MW-12	Manganese	mg/L	ND	ND	ND	ND	ND	ND	0.0031	0.0031	NT	NT	NT	NT	ND	ND	ND	0.00612	0.0053
MW-12	Mercury	mg/L	ND	ND	ND	ND													
MW-12	Nickel	mg/L	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	0.0022	ND	ND	ND	ND	ND
MW-12	Nitrate	mg/L as N	ND	ND	ND	ND	0.5654	ND	0.2666	0.3	NT	NT	NT	NT	0.226	0.234	0.246	0.202	0.246
MW-12	Selenium	mg/L	ND	ND	ND	ND	ND	-36.4	ND	ND	ND	ND							
MW-12	Silver	mg/L	ND	ND	ND	ND	ND	-73.6	ND	ND	ND	ND							
MW-12	Sulfate	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	6.14	4.91							
MW-12	T.D.S.	mg/L	NS	NS	NS	NS	64	ND	ND	68	NT	NT	NT	NT	28	64	80	72	
MW-12	Thallium	mg/L	ND	ND	ND	ND	ND	41	56	ND	ND	ND	ND						
MW-12	Total Hardness	mg/L	NS	NS	NS	NS	38	ND	36	NT	NT	NT	NT	NT	ND	16	31	26	
MW-12	Turbidity	NTU	ND	ND	ND	ND	0.26	ND	0.3	NT	NT	NT	NT	NT	ND	1.46	NT	NT	NT
MW-12	Vanadium	mg/L	ND	ND	ND	ND													
MW-12	Zinc	mg/L	0.0054	ND	ND	ND	0.006	ND	0.0046	0.0082	0.0104	0.0067	ND	ND	ND	0.00795	0.00596	0.0147	0.00562

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-13	Alkalinity	mg/L	NS	NS	NS	NS	24	ND	26	24	NT	NT	NS	NS	NT	36	27	29	23
MW-13	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	0.02	NT	NT	NS	NS	ND	ND	ND	ND	ND
MW-13	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NS	NS	ND	ND	ND	ND	ND
MW-13	Arsenic	mg/L	ND	ND	ND	ND	ND	7.7711	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND
MW-13	Barium	mg/L	0.0069	0.0059	ND	0.0077	0.0077	ND	0.013	0.0128	0.0125	0.0339	NS	NS	0.0158	0.0213	0.0181	0.0196	0.014
MW-13	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND
MW-13	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NS	NS	ND	ND	ND	ND	ND
MW-13	Cadmium	mg/L	ND	ND	ND	ND	ND	1.7837	ND	ND	ND	NT	NS	NS	ND	ND	ND	ND	ND
MW-13	Chloride	mg/L	ND	ND	ND	ND	5.69	ND	11.5809	11.28	NT	NT	NS	NS	12.6	22.9	12	13.8	6.37
MW-13	Chromium	mg/L	ND	ND	ND	ND	ND	1.0151	0.0025	ND	ND	<b>0.2412</b>	NS	NS	ND	ND	ND	ND	ND
MW-13	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	0.0055	ND	ND	ND	ND
MW-13	Copper	mg/L	0.0131	ND	ND	0.0101	0.0131	5.7788	0.0115	0.01	0.0067	0.1127	NS	NS	0.0097	0.0103	0.0053	ND	0.00584
MW-13	Iron	mg/L	ND	ND	ND	ND	ND	8.667	ND	ND	NT	NT	NS	NS	2.61	0.976	ND	ND	0.612
MW-13	Lead	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0041	NS	NS	ND	ND	ND	ND	ND
MW-13	Manganese	mg/L	ND	ND	ND	ND	0.0102	ND	0.0204	0.013	NT	NT	NS	NS	0.371	0.113	0.0172	0.0273	0.0167
MW-13	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND
MW-13	Nickel	mg/L	0.0035	0.0032	ND	0.0042	0.0049	333	0.0073	0.005	0.0068	0.0095	NS	NS	0.006	0.0096	0.0064	0.00766	ND
MW-13	Nitrate	mg/L as N	ND	ND	ND	ND	1.106	ND	1.2269	1.38	NT	NT	NS	NS	0.6235	0.873	1.11	1.07	1.16
MW-13	Selenium	mg/L	ND	ND	ND	ND	ND	6.2	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND
MW-13	Silver	mg/L	ND	ND	ND	ND	ND	-13.7	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND
MW-13	Sulfate	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NS	NS	ND	ND	ND	ND	ND
MW-13	T.D.S.	mg/L	NS	NS	NS	NS	16	ND	ND	76	NT	NT	NS	NS	68	160		88	76
MW-13	Thallium	mg/L	ND	ND	ND	ND	ND	17	60	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND
MW-13	Total Hardness	mg/L	NS	NS	NS	NS	32	ND	36	NT	NT	NT	NS	NS	ND	52		37	24
MW-13	Turbidity	NTU	ND	ND	ND	ND	0.13	ND	0.15	NT	NT	NT	NS	NS	ND	1.45	NT	NT	NT
MW-13	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND
MW-13	Zinc	mg/L	0.0067	ND	ND	0.009	0.0047	1.0124	0.0201	0.0081	0.0091	0.0897	NS	NS	0.0134	0.018	0.00959	0.00894	0.00995
MW-14	Alkalinity	mg/L	NS	NS	NS	NS	174	ND	184	96	NT	NT	NT	NT	NT	172	195	191	181
MW-14	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	0.01	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-14	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-14	Arsenic	mg/L	ND	ND	ND	ND	ND	19.0763	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	Barium	mg/L	0.0353	0.0306	ND	0.0308	0.0288	ND	0.0372	0.0295	0.0349	0.0377	0.0388	0.0346	0.041	0.0373	0.0448	0.0421	0.0371
MW-14	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	C. O. D.	mg/L	ND	ND	ND	ND	ND	2.7086	ND	ND	NT	NT	NT	NT	ND	8	ND	ND	ND
MW-14	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND
MW-14	Chloride	mg/L	ND	ND	ND	ND	10.7	9.7644	10.1946	7.95	NT	NT	NT	NT	8.95	7.5	7.64	6.57	6.71
MW-14	Chromium	mg/L	ND	ND	ND	ND	ND	ND	0.0022	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	Copper	mg/L	0.013	ND	ND	0.0105	0.0072	ND	0.0074	0.0088	0.0047	0.0055	0.0067	0.0069	0.0062	0.0081	0.0119	0.00581	0.00646
MW-14	Iron	mg/L	ND	ND	ND	ND	ND	0.6102	0.7712	0.3487	NT	NT	NT	NT	0.914	1.09	2.18	0.753	0.547
MW-14	Lead	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	Manganese	mg/L	ND	ND	ND	ND	0.0065	0.0112	0.0144	0.0068	NT	NT	NT	NT	0.0154	0.0232	0.0532	0.0152	0.013
MW-14	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	Nickel	mg/L	ND	ND	ND	0.0023	ND	0.0022	0.0028	0.0027	0.0023	ND	0.0023	0.0033	ND	ND	ND	ND	ND
MW-14	Nitrate	mg/L as N	ND	ND	ND	ND	2.8383	2.28	2.5713	3.04	NT	NT	NT	NT	2.4468	2.67	2.97	2.51	2.68
MW-14	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	Sulfate	mg/L	ND	ND	ND	ND	18.54	35.13	33	15.5	NT	NT	NT	NT	31.2	23.1	27.8	25.1	20.9
MW-14	T.D.S.	mg/L	NS	NS	NS	NS	144	200	ND	172	NT	NT	NT	NT	240	284		276	232
MW-14	Thallium	mg/L	ND	ND	ND	ND	ND	ND	272	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-14	Total Hardness	mg/L	NS	NS	NS	NS	206	158	218	NT	NT	NT	NT	NT	ND	188		215	206
MW-14	Turbidity	NTU	ND	ND	ND	ND	6.85	8.03	4.49	NT	NT	NT	NT	NT	ND	25.1	NT	NT	NT
MW-14	Vanadium	mg/L	ND	ND	ND	ND	ND	0.0022	ND	ND	ND	ND	ND	0.0021	ND	ND	ND	ND	ND
MW-14	Zinc	mg/L	ND	ND	ND	ND	0.0026	ND	0.007	0.006	0.0057	0.0043	ND	ND	ND	0.00807	0.00994	0.00644	0.00712

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-15	Alkalinity	mg/L	NS	NS	NS	NS	28	30	28	29	NT	NT	NT	NT	NT	25	24	24	27
MW-15	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-15	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-15	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Barium	mg/L	0.0685	0.062	ND	0.0572	0.0686	0.071	0.0806	0.0501	0.105	0.1222	0.1108	0.105	0.118	0.097	0.118	0.123	0.109
MW-15	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-15	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-15	Chloride	mg/L	ND	ND	ND	ND	14.4	14.2837	15.5636	7.84	NT	NT	NT	NT	20	17.7	21.3	22	20.2
MW-15	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Copper	mg/L	0.0443	0.011	ND	0.0111	0.0091	ND	0.0134	0.0176	0.0104	0.0122	0.0187	0.0069	0.0089	0.0091	ND	0.00598	ND
MW-15	Iron	mg/L	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-15	Lead	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Manganese	mg/L	ND	ND	ND	ND	0.0114	ND	0.0143	0.0023	NT	NT	NT	NT	0.0202	0.0072	0.0177	0.0174	0.0186
MW-15	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Nickel	mg/L	0.0024	0.0021	ND	0.0049	0.0026	0.0026	0.0034	0.0024	0.0028	0.003	0.0033	0.0044	ND	ND	ND	ND	ND
MW-15	Nitrate	mg/L as N	ND	ND	ND	ND	1.2807	1.9103	1.4799	5.03	NT	NT	NT	NT	2.5191	2.9	2.57	2.54	2.31
MW-15	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Sulfate	mg/L	ND	ND	ND	ND	ND	15.66	ND	2.11	NT	NT	NT	NT	6.37	4.4	6.29	6.92	8.57
MW-15	T.D.S.	mg/L	NS	NS	NS	NS	64	56	ND	80	NT	NT	NT	NT	80	148		112	104
MW-15	Thallium	mg/L	ND	ND	ND	ND	ND	ND	80	ND	ND								
MW-15	Total Hardness	mg/L	NS	NS	NS	NS	36	46	36	NT	NT	NT	NT	NT	NT	42		47	48
MW-15	Turbidity	NTU	ND	ND	ND	ND	0.61	0.39	0.15	NT	NT	NT	NT	NT	ND	1.26	NT	NT	NT
MW-15	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-15	Zinc	mg/L	0.0262	0.0114	ND	0.0297	0.0132	0.014	0.0227	0.011	0.02	0.0216	0.0296	0.0168	0.0212	0.0158	0.0187	0.0224	0.0189
MW-16	Alkalinity	mg/L	NS	NS	NS	NS	38	26	46	18	NT	NT	NT	NT	NT	29	60	44	54
MW-16	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-16	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-16	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	Barium	mg/L	0.0339	0.0273	ND	0.0301	0.0296	0.0284	0.0415	0.0237	0.0388	0.0363	0.048	0.034	0.0379	0.0309	0.0412	0.0385	0.0399
MW-16	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	6.2	ND	ND	ND
MW-16	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	NT	NT	NT	ND	ND	ND	ND	ND
MW-16	Chloride	mg/L	ND	ND	ND	ND	10.5	11.5426	9.3208	11.7	NT	NT	NT	NT	11.1	15.2	9.31	12.6	13.6
MW-16	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	Copper	mg/L	0.0226	0.0108	ND	0.0173	0.0139	ND	0.0226	0.0131	0.0121	0.0119	0.0294	0.0061	0.0071	0.008	ND	0.00777	0.012
MW-16	Iron	mg/L	ND	ND	ND	ND	ND	ND	0.4482	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-16	Lead	mg/L	ND	ND	ND	0.0024	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	Manganese	mg/L	ND	ND	ND	ND	0.1047	0.0587	0.1851	0.0285	NT	NT	NT	NT	0.0914	0.0391	0.0828	0.0547	0.0946
MW-16	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	Nickel	mg/L	0.0123	0.0093	ND	0.0097	0.0107	0.0077	0.0171	0.0052	0.0118	0.0066	0.0153	0.0094	0.0111	0.0068	0.0107	0.00868	0.0113
MW-16	Nitrate	mg/L as N	ND	ND	ND	ND	4.1879	4.9702	3.2434	6.09	NT	NT	NT	NT	3.422	4.76	2.75	3.84	3.92
MW-16	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	Sulfate	mg/L	ND	ND	ND	ND	16.48	31.91	44.33	6.6	NT	NT	NT	NT	34.8	16.8	36.8	28.2	28.2
MW-16	T.D.S.	mg/L	NS	NS	NS	NS	64	144	ND	84	NT	NT	NT	NT	140	172		160	128
MW-16	Thallium	mg/L	ND	ND	ND	ND	ND	ND	152	ND	ND								
MW-16	Total Hardness	mg/L	NS	NS	NS	NS	78	54	98	NT	NT	NT	NT	NT	ND	66		90	94
MW-16	Turbidity	NTU	ND	ND	ND	ND	0.09	0.11	0.11	NT	NT	NT	NT	NT	ND	0.188	NT	NT	NT
MW-16	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-16	Zinc	mg/L	0.0453	0.0236	ND	0.0239	0.0242	0.0237	0.0445	0.0268	0.0424	0.0257	0.0697	0.0232	0.0222	0.0179	0.0258	0.0254	0.0305

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-17	Alkalinity	mg/L	NS	NS	NS	NS	16	16	12	16	NT	NT	NT	NT	NT	12	11	11	11
MW-17	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	0.004	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-17	Antimony	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND							
MW-17	Arsenic	mg/L	ND	ND	ND	ND													
MW-17	Barium	mg/L	0.0335	0.0309	ND	0.0339	0.0307	0.0352	0.0343	0.0362	0.0265	0.0408	0.0358	0.0362	0.0349	0.036	0.0364	0.0375	0.0383
MW-17	Beryllium	mg/L	ND	ND	ND	ND													
MW-17	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-17	Cadmium	mg/L	ND	0.0002	NT	NT	NT	NT	ND	ND	ND	ND	ND						
MW-17	Chloride	mg/L	ND	ND	ND	ND	4.55	5.0068	5.9706	4.9	NT	NT	NT	NT	5.85	5.47	5.74	5.57	5.9
MW-17	Chromium	mg/L	ND	ND	ND	ND													
MW-17	Cobalt	mg/L	ND	ND	ND	ND													
MW-17	Copper	mg/L	0.019	0.0149	ND	0.0137	0.0191	0.0143	0.0208	0.0199	0.0189	0.0179	0.0187	0.0104	0.0121	0.0122	0.0082	0.00823	0.013
MW-17	Iron	mg/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND						
MW-17	Lead	mg/L	ND	ND	ND	ND													
MW-17	Manganese	mg/L	ND	ND	ND	ND	0.0132	0.0256	0.0197	0.0155	NT	NT	NT	NT	0.0141	0.0137	0.0145	0.0134	0.0154
MW-17	Mercury	mg/L	ND	ND	ND	ND													
MW-17	Nickel	mg/L	0.0069	0.006	ND	0.0031	0.0063	0.0061	0.0084	0.0055	0.0071	0.0057	0.0075	0.0069	0.0063	0.0058	0.0063	0.00568	0.00689
MW-17	Nitrate	mg/L as N	ND	ND	ND	ND	4.7587	5.0194	4.2763	5	NT	NT	NT	NT	4.3125	5.02	4.43	4.73	4.91
MW-17	Selenium	mg/L	ND	ND	ND	ND													
MW-17	Silver	mg/L	ND	ND	ND	ND													
MW-17	Sulfate	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-17	T.D.S.	mg/L	NS	NS	NS	NS	12	356	ND	84	NT	NT	NT	NT	28	96		56	80
MW-17	Thallium	mg/L	ND	ND	ND	ND	ND	ND	44	ND	ND	ND	ND						
MW-17	Total Hardness	mg/L	NS	NS	NS	NS	28	28	32	NT	NT	NT	NT	NT	ND	21		23	24
MW-17	Turbidity	NTU	ND	ND	ND	ND	0.05	0.12	0.07	NT	NT	NT	NT	NT	ND	0.193	NT	NT	NT
MW-17	Vanadium	mg/L	ND	ND	ND	ND													
MW-17	Zinc	mg/L	0.0301	0.024	ND	0.0232	0.0227	0.0263	0.0423	0.0346	0.0399	0.0278	0.0428	0.0222	0.0265	0.024	0.0299	0.0276	0.0296
MW-18A	Alkalinity	mg/L	NS	NS	NS	NS	12	14	14	14	NT	NT	NT	NT	NT	10	12	9	9
MW-18A	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	0.002	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-18A	Antimony	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND							
MW-18A	Arsenic	mg/L	ND	ND	ND	ND													
MW-18A	Barium	mg/L	0.0153	0.0134	ND	0.0166	0.0179	0.0175	0.0156	0.0219	0.0161	0.0224	0.0222	0.0184	0.0226	0.0194	0.0251	0.0229	0.0257
MW-18A	Beryllium	mg/L	ND	ND	ND	ND													
MW-18A	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-18A	Cadmium	mg/L	ND	0.0002	NT	NT	NT	NT	ND	ND	ND	ND	ND						
MW-18A	Chloride	mg/L	ND	ND	ND	ND	2.69	2.2496	ND	3.9	NT	NT	NT	NT	3.87	2.73	3.56	3.06	3.94
MW-18A	Chromium	mg/L	ND	ND	ND	ND													
MW-18A	Cobalt	mg/L	ND	ND	ND	ND													
MW-18A	Copper	mg/L	0.0233	0.0101	ND	0.0104	0.0081	ND	0.0153	0.0147	0.0163	0.0123	0.0106	0.0072	0.0072	0.0088	0.0065	ND	0.0086
MW-18A	Iron	mg/L	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND						
MW-18A	Lead	mg/L	ND	ND	ND	ND													
MW-18A	Manganese	mg/L	ND	ND	ND	ND	0.01	ND	0.0068	0.0109	NT	NT	NT	NT	0.0113	0.0091	0.0122	0.00944	0.013
MW-18A	Mercury	mg/L	ND	ND	ND	ND													
MW-18A	Nickel	mg/L	0.0032	0.0028	ND	0.0034	0.0036	0.0034	0.0035	0.0043	0.0038	0.0032	0.0041	0.0043	ND	ND	ND	ND	ND
MW-18A	Nitrate	mg/L as N	ND	ND	ND	ND	2.6794	2.5519	2.4345	3.26	NT	NT	NT	NT	2.5203	2.61	2.7	2.57	2.63
MW-18A	Selenium	mg/L	ND	ND	ND	ND													
MW-18A	Silver	mg/L	ND	ND	ND	ND													
MW-18A	Sulfate	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-18A	T.D.S.	mg/L	NS	NS	NS	NS	4	132	ND	96	NT	NT	NT	NT	4	60		44	40
MW-18A	Thallium	mg/L	ND	ND	ND	ND	ND	ND	36	ND	ND	ND	ND						
MW-18A	Total Hardness	mg/L	NS	NS	NS	NS	28	22	36	NT	NT	NT	NT	NT	ND	10		12	14
MW-18A	Turbidity	NTU	ND	ND	ND	ND	0.05	0.06	0.15	NT	NT	NT	NT	NT	ND	0.464	NT	NT	NT
MW-18A	Vanadium	mg/L	ND	ND	ND	ND													
MW-18A	Zinc	mg/L	0.0061	ND	ND	0.0058	0.0053	ND	0.0142	0.0144	0.0143	0.0086	0.0129	ND	0.0071	0.00741	0.0118	0.00833	0.0121

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-19	Alkalinity	mg/L	NS	NS	NS	NS	32	14	10	14	NT	NT	NT	NT	NT	7	12	10	12
MW-19	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-19	Antimony	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND							
MW-19	Arsenic	mg/L	ND	ND	ND														
MW-19	Barium	mg/L	0.0499	0.051	ND	0.0384	0.0451	0.0524	0.0609	0.0339	0.0358	0.0443	0.0528	0.0481	0.0553	0.0444	0.0519	0.0481	0.053
MW-19	Beryllium	mg/L	ND	ND	ND														
MW-19	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	5.2	ND	ND	ND							
MW-19	Cadmium	mg/L	ND	0.0001	NT	NT	NT	ND	ND	ND	ND	ND							
MW-19	Chloride	mg/L	ND	ND	ND	ND	6.16	6.7995	6.2098	7.5	NT	NT	NT	NT	8.11	9.04	8.66	9.34	9.29
MW-19	Chromium	mg/L	ND	ND	ND														
MW-19	Cobalt	mg/L	0.0042	0.0051	ND	0.0024	0.0039	0.0041	0.0064	ND	0.0026	ND	0.0042	0.0027	ND	ND	ND	ND	ND
MW-19	Copper	mg/L	0.0157	0.0109	ND	0.0189	0.0085	0.0109	0.0112	0.0166	0.0119	0.0143	0.0156	0.0081	0.0119	0.0303	0.00513	0.0056	0.00867
MW-19	Iron	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-19	Lead	mg/L	ND	ND	ND	0.0021	ND	ND	ND										
MW-19	Manganese	mg/L	ND	ND	ND	ND	0.0314	0.03	0.049	0.0073	NT	NT	NT	NT	0.0336	0.021	0.0266	0.0197	0.0262
MW-19	Mercury	mg/L	ND	ND	ND														
MW-19	Nickel	mg/L	0.0037	0.0037	ND	0.0041	0.0043	0.0038	0.0046	0.0035	0.0038	0.0032	0.0041	0.0034	ND	ND	ND	ND	ND
MW-19	Nitrate	mg/L as N	ND	ND	ND	ND	3.1766	2.9219	3.4831	2.8	NT	NT	NT	NT	3.2	3.11	2.83	3.16	3.05
MW-19	Selenium	mg/L	ND	ND	ND														
MW-19	Silver	mg/L	ND	ND	ND														
MW-19	Sulfate	mg/L	ND	NT	NT	NT	NT	2.1	ND	ND	ND	ND							
MW-19	T.D.S.	mg/L	NS	NS	NS	NS	8	332	ND	156	NT	NT	NT	NT	32	80	ND	68	60
MW-19	Thallium	mg/L	ND	ND	ND	ND	ND	ND	44	ND	ND	ND							
MW-19	Total Hardness	mg/L	NS	NS	NS	NS	38	28	30	NT	NT	NT	NT	NT	ND	19	ND	26	22
MW-19	Turbidity	NTU	ND	ND	ND	ND	0.25	1.6	0.09	NT	NT	NT	NT	NT	ND	0.339	NT	NT	NT
MW-19	Vanadium	mg/L	ND	ND	ND														
MW-19	Zinc	mg/L	0.0142	0.0114	ND	0.0119	0.011	0.0193	0.0195	0.0196	0.0164	0.0156	0.0223	0.012	0.0168	0.046	0.0231	0.0156	0.0214
MW-20	Alkalinity	mg/L	NS	NS	NS	NS	24	26	20	26	NT	NT	NT	NT	NT	28	28	27	30
MW-20	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-20	Antimony	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND							
MW-20	Arsenic	mg/L	ND	ND	ND														
MW-20	Barium	mg/L	0.018	0.017	ND	0.0172	0.0171	0.0192	0.0241	0.0125	0.0205	0.0244	0.0216	0.0225	0.0238	0.0221	0.0246	0.023	0.0246
MW-20	Beryllium	mg/L	ND	ND	ND														
MW-20	C. O. D.	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-20	Cadmium	mg/L	ND	NT	NT	NT	ND	ND	ND	ND	ND								
MW-20	Chloride	mg/L	ND	ND	ND	ND	2.19	2.4203	2.6066	4.5	NT	NT	NT	NT	3.16	3	3.17	ND	3.13
MW-20	Chromium	mg/L	0.0025	ND	ND	ND	ND	ND	0.0027	ND	0.0022	ND	0.0022	0.0023	ND	ND	ND	ND	ND
MW-20	Cobalt	mg/L	ND	ND	ND														
MW-20	Copper	mg/L	0.0174	ND	ND	0.0199	0.0075	ND	0.0127	0.0108	0.014	0.0097	0.0108	0.0095	0.0068	0.0102	0.0057	0.00604	0.00559
MW-20	Iron	mg/L	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND							
MW-20	Lead	mg/L	ND	ND	ND	0.0025	ND	ND	ND										
MW-20	Manganese	mg/L	ND	ND	ND	ND	0.0047	ND	0.0046	0.0045	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-20	Mercury	mg/L	ND	ND	ND														
MW-20	Nickel	mg/L	0.0026	0.0026	ND	0.0035	0.0026	0.0033	0.0038	0.003	0.0035	0.0028	0.0028	0.0045	ND	ND	ND	ND	ND
MW-20	Nitrate	mg/L as N	ND	ND	ND	ND	1.9591	2.0002	2.2341	3.4	NT	NT	NT	NT	1.905	2.01	1.84	1.98	2.08
MW-20	Selenium	mg/L	ND	ND	ND														
MW-20	Silver	mg/L	ND	ND	ND														
MW-20	Sulfate	mg/L	ND	ND	ND	ND	33.57	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-20	T.D.S.	mg/L	NS	NS	NS	NS	20	28	ND	80	NT	NT	NT	NT	52	76	ND	60	68
MW-20	Thallium	mg/L	ND	ND	ND	ND	ND	ND	36	ND	ND	ND							
MW-20	Total Hardness	mg/L	NS	NS	NS	NS	34	36	26	NT	NT	NT	NT	NT	ND	26	ND	31	28
MW-20	Turbidity	NTU	ND	ND	ND	ND	0.46	0.28	0.12	NT	NT	NT	NT	NT	ND	6.08	NT	NT	NT
MW-20	Vanadium	mg/L	ND	ND	ND														
MW-20	Zinc	mg/L	0.01	0.0092	ND	0.0081	0.0084	0.0107	0.0349	0.0131	0.0223	0.0125	0.0155	0.0113	0.0106	0.012	0.0133	0.0125	0.0116

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-21	Alkalinity	mg/L	NS	NS	NS	NS	28	46	NS	NS	NT	NT	NT	NT	NT	43	52	84	38
MW-21	Ammonia	mg/L as N	NS	NS	NS	NS	0.101	ND	NS	NS	NT	NT	NT	NT	ND	ND	ND	ND	0.312
MW-21	Antimony	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-21	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	ND	NS	NS	ND	ND	ND	ND	ND	ND
MW-21	Barium	mg/L	0.0385	0.0052	ND	0.0243	0.0059	0.0484	NS	NS	0.097	0.0783	0.0951	0.0152	0.0104	0.0248	0.0281	0.0567	0.0212
MW-21	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	NT	NT	NT	NT	ND	10.7	ND	ND	ND
MW-21	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	ND	NT	NT	NT	ND	ND	ND	ND	ND
MW-21	Chloride	mg/L	ND	ND	ND	ND	3.75	59.024	NS	NS	NT	NT	NT	NT	8.65	19.6	32	35	15.3
MW-21	Chromium	mg/L	0.0877	ND	ND	0.0022	0.0052	0.0139	NS	NS	0.2466	<b>0.1024</b>	0.0074	0.0063	0.0597	0.0295	ND	0.025	0.013
MW-21	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	Copper	mg/L	0.0152	ND	ND	0.0117	0.0084	0.0145	NS	NS	0.0433	0.0323	0.0147	0.0106	0.0204	0.0164	ND	0.0125	0.01
MW-21	Iron	mg/L	ND	ND	ND	ND	0.5452	1.4864	NS	NS	NT	NT	NT	NT	3.43	2.84	ND	1.22	1.44
MW-21	Lead	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	Manganese	mg/L	ND	ND	ND	ND	0.0105	0.0371	NS	NS	NT	NT	NT	NT	0.0381	0.0595	0.0372	0.268	0.284
MW-21	Mercury	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	Nickel	mg/L	0.0039	ND	ND	0.0026	0.0028	0.0101	NS	NS	0.0264	0.0097	0.0086	0.0051	0.0135	0.0106	ND	0.00913	0.00595
MW-21	Nitrate	mg/L as N	ND	ND	ND	ND	1.9757	2.2798	NS	NS	NT	NT	NT	NT	2.17	2.13	2.04	1.75	2.06
MW-21	Selenium	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	Silver	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	Sulfate	mg/L	ND	ND	ND	ND	ND	7.75	NS	NS	NT	NT	NT	NT	ND	8.23	15.4	29	5.55
MW-21	T. D. S.	mg/L	NS	NS	NS	NS	88	208	NS	NS	NT	NT	NT	NT	48	160	236	156	
MW-21	Thallium	mg/L	ND	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	Total Hardness	mg/L	NS	NS	NS	NS	34	98	NS	NS	NT	NT	NT	NT	ND	54	127	48	
MW-21	Turbidity	NTU	ND	ND	ND	ND	1.35	3.92	NS	NS	NT	NT	NT	NT	ND	22.3	NT	NT	NT
MW-21	Vanadium	mg/L	0.0043	ND	ND	ND	ND	ND	NS	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-21	Zinc	mg/L	0.0178	0.0053	ND	0.0056	0.0048	0.0127	NS	NS	0.0235	0.028	0.023	ND	0.0148	0.0141	ND	0.0117	0.00706
MW-22	Alkalinity	mg/L	NS	NS	NS	NS	22	28	24	24	NT	NT	NT	NT	NT	34	32	34	34
MW-22	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-22	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-22	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Barium	mg/L	0.0378	0.0324	ND	0.0415	0.0335	0.0371	0.0317	0.0359	0.0279	0.0424	0.0315	0.0362	0.0372	0.0413	0.0413	0.044	0.046
MW-22	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	7.1	ND	ND	ND
MW-22	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0002	NT	NT	NT	ND	ND	ND	ND	ND
MW-22	Chloride	mg/L	ND	ND	ND	ND	10.8	10.9761	8.6316	11	NT	NT	NT	NT	7.92	8.8	7.8	8	7.52
MW-22	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	0.0021	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Copper	mg/L	0.0245	0.0116	ND	0.012	0.014	0.0106	0.01	0.0243	0.0148	0.0146	0.0281	0.0078	0.0068	0.0081	ND	0.00565	0.00538
MW-22	Iron	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-22	Lead	mg/L	ND	ND	ND	ND	0.0026	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Manganese	mg/L	ND	ND	ND	ND	0.0182	0.0194	0.0165	0.0126	NT	NT	NT	NT	0.011	0.0175	0.0154	0.0109	0.0117
MW-22	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00029	0.00022	ND	ND
MW-22	Nickel	mg/L	0.0092	0.0035	ND	0.0049	0.0044	0.0037	0.0038	0.0046	0.0039	0.0034	0.0036	0.0034	ND	ND	ND	ND	ND
MW-22	Nitrate	mg/L as N	ND	ND	ND	ND	2.1842	2.4518	2.0124	2.49	NT	NT	NT	NT	1.84	2.31	1.9	2.29	2.17
MW-22	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Sulfate	mg/L	ND	ND	ND	ND	ND	10.44	9.5	3.41	NT	NT	NT	NT	12.7	16.9	11.1	17.9	17.5
MW-22	T. D. S.	mg/L	NS	NS	NS	NS	72	380	ND	128	NT	NT	NT	NT	48	144	92	72	
MW-22	Thallium	mg/L	ND	ND	ND	ND	ND	ND	64	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Total Hardness	mg/L	NS	NS	NS	NS	48	50	38	NT	NT	NT	NT	NT	ND	57	57	54	
MW-22	Turbidity	NTU	ND	ND	ND	ND	0.24	0.61	0.12	NT	NT	NT	NT	NT	ND	0.392	NT	NT	NT
MW-22	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-22	Zinc	mg/L	0.0413	0.0106	ND	0.0128	0.0104	0.0233	0.0148	0.0301	0.0205	0.0158	0.0328	0.0122	0.0103	0.0115	0.0128	0.0139	0.0116

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-23	Alkalinity	mg/L	NS	NS	NS	NS	22	28	14	26	NT	NT	NT	NT	NT	24	12	25	20
MW-23	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-23	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-23	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	Barium	mg/L	0.0357	0.0125	ND	0.0287	0.0135	0.0299	0.0719	0.0341	0.0204	0.0415	0.0261	0.0341	0.0186	0.0339	0.0515	0.03	0.0247
MW-23	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-23	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	NT	NT	NT	ND	ND	ND	ND	ND
MW-23	Chloride	mg/L	ND	ND	ND	ND	3.57	7.5188	46.6018	6.4	NT	NT	NT	NT	5.56	8.2	39.5	6.17	6
MW-23	Chromium	mg/L	ND	ND	ND	ND	ND	ND	0.0022	ND	ND	ND	ND						
MW-23	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	Copper	mg/L	0.0154	ND	ND	0.0217	0.0077	0.0115	0.019	0.0157	0.0088	0.0114	0.0194	0.0114	0.0075	0.0095	0.0067	0.00507	0.00669
MW-23	Iron	mg/L	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-23	Lead	mg/L	ND	ND	ND	0.0024	ND	ND	0.0025	ND	ND	ND	ND						
MW-23	Manganese	mg/L	ND	ND	ND	ND	0.0116	0.0541	0.0669	0.0824	NT	NT	NT	NT	0.0249	0.103	0.0246	0.0562	0.0324
MW-23	Mercury	mg/L	ND	ND	ND	0.0006	ND	0.0004	ND	0.0009	ND	0.0007	ND	0.0006	ND	0.00045	ND	ND	ND
MW-23	Nickel	mg/L	0.0037	0.0023	ND	0.0072	0.0025	0.0061	0.0083	0.0069	0.0038	0.0061	0.0047	0.0065	ND	0.0075	ND	ND	ND
MW-23	Nitrate	mg/L as N	ND	ND	ND	ND	0.912	3.0221	4.8064	3.41	NT	NT	NT	NT	1.2611	3.6	2.15	2.44	1.55
MW-23	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	Sulfate	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-23	T. D. S.	mg/L	NS	NS	NS	NS	36	NS	ND	100	NT	NT	NT	NT	20	64		64	60
MW-23	Thallium	mg/L	ND	ND	ND	ND	ND	ND	196	ND	ND	ND	ND						
MW-23	Total Hardness	mg/L	NS	NS	NS	NS	24	34	72	NT	NT	NT	NT	NT	ND	30		27	20
MW-23	Turbidity	NTU	ND	ND	ND	ND	0.12	0.6	1.97	NT	NT	NT	NT	NT	ND	0.418	NT	NT	NT
MW-23	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-23	Zinc	mg/L	0.013	0.0076	ND	0.0168	0.0086	0.021	0.0316	0.0258	0.0153	0.0203	0.0218	0.0188	0.0108	0.0198	0.0111	0.0173	0.0143
MW-24	Alkalinity	mg/L	NS	NS	NS	NS	32	32	24	34	NT	NT	NT	NT	NT	44	28	27	31
MW-24	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-24	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-24	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	Barium	mg/L	0.014	0.0335	ND	0.0347	0.0335	0.0359	0.0346	0.0363	0.0307	0.0402	0.0385	0.0342	0.0343	0.0278	0.0357	0.0358	0.0353
MW-24	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	7.6	ND	ND	ND
MW-24	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0004	NT	NT	NT	ND	ND	ND	ND	ND
MW-24	Chloride	mg/L	ND	ND	ND	ND	18.1	18.7053	17.6738	15.8	NT	NT	NT	NT	14.1	12.1	14.7	15.2	13.5
MW-24	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	Copper	mg/L	0.0169	0.0102	ND	0.0145	0.0161	0.012	0.0104	0.0191	0.0098	0.0137	0.0252	0.0078	0.0071	0.0233	ND	0.00588	0.00652
MW-24	Iron	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-24	Lead	mg/L	ND	ND	ND	ND	0.003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	Manganese	mg/L	ND	ND	ND	ND	0.0797	0.0568	0.1024	0.1077	NT	NT	NT	NT	0.0656	0.0901	0.0545	0.0465	0.0532
MW-24	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00028	ND	ND	ND
MW-24	Nickel	mg/L	0.0025	0.0025	ND	0.0027	0.0031	0.0023	0.0024	0.0038	ND	ND	0.0024	ND	ND	ND	ND	ND	ND
MW-24	Nitrate	mg/L as N	ND	ND	ND	ND	3.5557	3.7925	3.9286	4.14	NT	NT	NT	NT	3.1275	3.14	3.35	3.57	3.13
MW-24	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	Sulfate	mg/L	ND	ND	ND	ND	ND	15.24	17.27	14	NT	NT	NT	NT	18.3	29.6	18.2	19.8	20.8
MW-24	T. D. S.	mg/L	NS	NS	NS	NS	56	NS	ND	81296	NT	NT	NT	NT	80	160		128	92
MW-24	Thallium	mg/L	ND	ND	ND	ND	ND	ND	92	ND	ND	ND	ND						
MW-24	Total Hardness	mg/L	NS	NS	NS	NS	68	64	58	NT	NT	NT	NT	NT	ND	80		62	62
MW-24	Turbidity	NTU	ND	ND	ND	ND	0.13	0.6	0.09	NT	NT	NT	NT	NT	ND	0.673	NT	NT	NT
MW-24	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-24	Zinc	mg/L	0.0098	0.008	ND	0.0087	0.0073	0.0135	0.0172	0.0234	0.0125	0.0124	0.0217	ND	0.0078	0.0334	0.00867	0.0106	0.0104

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-25	Alkalinity	mg/L	NS	NS	NS	NS	16	14	NT	14	NT	NT	NT	NT	NT	13	13	12	12
MW-25	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	NT	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-25	Antimony	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-25	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	ND								
MW-25	Barium	mg/L	0.038	0.0498	ND	0.0497	0.0535	0.0617	NT	0.0602	0.0797	0.0779	0.0732	0.0708	0.0798	0.0746	0.0832	0.0834	0.0903
MW-25	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	ND								
MW-25	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-25	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	0.0002	NT	NT	NT	ND	ND	ND	ND	ND
MW-25	Chloride	mg/L	ND	ND	ND	ND	41.3	42.7218	NT	45.2	NT	NT	NT	NT	57	59.4	61.1	65.3	67.2
MW-25	Chromium	mg/L	0.0026	ND	ND	ND	ND	ND	NT	ND	0.0037	ND	ND						
MW-25	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	ND								
MW-25	Copper	mg/L	0.017	0.0157	ND	0.012	0.0099	0.0154	NT	0.0189	0.0149	0.015	0.0234	0.011	0.0152	0.015	0.0081	0.00696	0.00945
MW-25	Iron	mg/L	ND	ND	ND	ND	ND	0.7076	NT	ND	NT	NT	NT	NT	ND	ND	ND	0.705	0.43
MW-25	Lead	mg/L	ND	ND	ND	ND	ND	0.0026	NT	ND	ND								
MW-25	Manganese	mg/L	ND	ND	ND	ND	0.01	0.0211	NT	0.009	NT	NT	NT	NT	0.0123	0.0125	0.0123	0.0241	0.0172
MW-25	Mercury	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	ND								
MW-25	Nickel	mg/L	0.0027	0.0052	ND	0.0053	0.005	0.006	NT	0.0059	0.008	0.0055	0.0072	0.0058	0.0068	0.0079	0.0072	0.00741	0.00871
MW-25	Nitrate	mg/L as N	ND	ND	ND	ND	4.6763	4.5707	NT	4.45	NT	NT	NT	NT	4.12	4.34	4.09	3.72	3.87
MW-25	Selenium	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	ND								
MW-25	Silver	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	ND								
MW-25	Sulfate	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-25	T.D.S.	mg/L	NS	NS	NS	NS	128	NS	NT	178424	NT	NT	NT	NT	160	244		228	200
MW-25	Thallium	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	ND								
MW-25	Total Hardness	mg/L	NS	NS	NS	NS	60	60	NT	NT	NT	NT	NT	NT	NT	76		84	84
MW-25	Turbidity	NTU	ND	ND	ND	ND	1.89	6	NT	NT	NT	NT	NT	NT	ND	2.98	NT	NT	NT
MW-25	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	NT	ND	0.0032	ND	ND						
MW-25	Zinc	mg/L	0.0101	0.0153	ND	0.0148	0.0148	0.0248	NT	0.0256	0.0273	0.0218	0.0462	0.0179	0.0228	0.0226	0.0252	0.0238	0.027
MW-26	Alkalinity	mg/L	NS	NS	NS	NS	16	26	24	26	NT	NT	NT	NS	NT	16	17	17	16
MW-26	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NS	ND	ND	ND	ND	ND
MW-26	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NS	ND	ND	ND	ND	ND
MW-26	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND
MW-26	Barium	mg/L	0.0553	0.0183	ND	0.0227	0.0198	0.023	0.0246	0.0282	0.0203	0.0315	0.0286	NS	0.03	0.0304	0.0342	0.0423	0.0402
MW-26	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND
MW-26	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NS	ND	ND	ND	ND	ND
MW-26	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	0.0001	NT	NT	NS	ND	ND	ND	ND	ND
MW-26	Chloride	mg/L	ND	ND	ND	ND	22.7	23.6273	27.7183	29.4	NT	NT	NT	NS	32.6	35.6	35.2	38.9	38.8
MW-26	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	0.0173	ND	ND	ND	NS	ND	ND	ND	0.00546	ND
MW-26	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND
MW-26	Copper	mg/L	0.0203	0.0105	ND	0.0135	0.0122	0.011	0.0093	ND	0.0102	0.0157	0.0141	NS	0.0102	0.0111	0.0101	0.012	0.00804
MW-26	Iron	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NS	ND	ND	1.25	3.29	1.04
MW-26	Lead	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND
MW-26	Manganese	mg/L	ND	ND	ND	ND	0.0032	ND	0.0031	0.003	NT	NT	NT	NS	ND	ND	0.0096	0.0244	0.0121
MW-26	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND
MW-26	Nickel	mg/L	0.0059	0.0022	ND	0.0032	0.0029	0.0026	0.0032	0.0028	0.0023	ND	0.0034	NS	ND	ND	ND	0.00594	ND
MW-26	Nitrate	mg/L as N	ND	ND	ND	ND	2.9549	2.7805	3.7648	3.01	NT	NT	NT	NS	2.64	2.81	2.64	2.67	2.5
MW-26	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND
MW-26	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND
MW-26	Sulfate	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NS	ND	ND	ND	ND	ND
MW-26	T.D.S.	mg/L	NS	NS	NS	NS	76	NS	ND	144	NT	NT	NT	NS	88	156		176	136
MW-26	Thallium	mg/L	ND	ND	ND	ND	ND	ND	120	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND
MW-26	Total Hardness	mg/L	NS	NS	NS	NS	40	38	48	NT	NT	NT	NT	NS	ND	53		57	56
MW-26	Turbidity	NTU	ND	ND	ND	ND	3.75	3	0.32	NT	NT	NT	NT	NS	ND	9.41	NT	NT	NT
MW-26	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	0.00644	ND
MW-26	Zinc	mg/L	0.0192	0.0092	ND	0.0128	0.0087	0.0141	0.0159	0.0173	0.0165	0.0157	0.0168	NS	0.0132	0.0126	0.0145	0.0239	0.0154

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
MW-27	Alkalinity	mg/L	NS	NS	NS	NS	12	16	14	1	NT	NT	NT	NT	NT	13	17	12	10
MW-27	Ammonia	mg/L as N	NS	NS	NS	NS	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-27	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	ND	ND	ND	ND	ND	ND
MW-27	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	Barium	mg/L	0.0208	0.0575	ND	0.0324	0.044	0.0329	0.0933	0.041	0.0195	0.0218	0.0388	0.0203	0.0704	0.0195	0.0229	0.0393	0.0728
MW-27	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	C. O. D.	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-27	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	ND	0.0001	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-27	Chloride	mg/L	ND	ND	ND	ND	31.9	24.3808	75.869	21.8	NT	NT	NT	NT	49.4	36.3	5.28	28.8	54.5
MW-27	Chromium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	Copper	mg/L	0.0152	0.0135	ND	0.0104	0.0097	0.0114	0.0148	0.02	0.0066	0.0096	0.0164	0.0074	0.0116	0.0108	0.0051	ND	0.00684
MW-27	Iron	mg/L	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	NT	ND	ND	ND	ND	ND
MW-27	Lead	mg/L	ND	ND	ND	ND	ND	0.0028	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	Manganese	mg/L	ND	ND	ND	ND	0.023	0.0171	0.0571	0.024	NT	NT	NT	NT	0.0365	0.0102	0.0294	0.0185	0.0331
MW-27	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	Nickel	mg/L	0.0025	0.0042	ND	0.0032	0.0041	0.0035	0.0049	0.005	ND	0.0021	0.0031	0.0022	ND	ND	ND	ND	0.00534
MW-27	Nitrate	mg/L as N	ND	ND	ND	ND	3.1729	2.8423	2.5758	4.75	NT	NT	NT	NT	2.7952	2.68	1.19	2.21	2.28
MW-27	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	Sulfate	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	NT	NT	NT	NT	2.54	ND	ND	ND	ND
MW-27	T.D.S.	mg/L	NS	NS	NS	NS	144	364	ND	152	NT	NT	NT	NT	100	92	100	136	
MW-27	Thallium	mg/L	ND	ND	ND	ND	ND	ND	168	ND	ND	ND	ND						
MW-27	Total Hardness	mg/L	NS	NS	NS	NS	36	36	48	NT	NT	NT	NT	NT	ND	20	27	40	
MW-27	Turbidity	NTU	ND	ND	ND	ND	0.25	0.7	0.72	NT	NT	NT	NT	NT	ND	0.948	NT	NT	NT
MW-27	Vanadium	mg/L	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
MW-27	Zinc	mg/L	0.0103	0.0078	ND	0.0055	0.0067	0.0122	0.016	0.02	0.0066	0.0074	0.0157	ND	0.0121	0.019	0.0128	0.00819	0.0178
SW-20	Alkalinity	mg/L	NS	NS	NS	NS	136	98	116	NS	NT	NT	NT	NT	NT	52	68	59	69
SW-20	Ammonia	mg/L as N	NS	NS	NS	NS	0.207	ND	1.661	NS	NT	NT	NT	NT	ND	ND	ND	ND	ND
SW-20	Antimony	mg/L	ND	ND	ND	ND	ND	ND	ND	NS	NT	NT	NT	ND	ND	ND	ND	ND	ND
SW-20	Arsenic	mg/L	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	Barium	mg/L	0.0444	0.0114	ND	0.0241	0.0254	0.0246	0.2713	NS	0.0122	0.0223	0.0128	0.0129	0.0131	0.0127	0.0359	0.0206	NT
SW-20	Beryllium	mg/L	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	C. O. D.	mg/L	ND	ND	ND	ND	ND	12.4	ND	NS	NT	NT	NT	NT	ND	27.2	17.1	24.5	32.2
SW-20	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	204	NS	ND	NT	NT	NT	24.7	ND	ND	ND	ND
SW-20	Chloride	mg/L	ND	ND	ND	ND	16.6	4.9094	55204	NS	NT	NT	NT	NT	3.72	4.39	4.57	2.9	4.91
SW-20	Chromium	mg/L	ND	ND	ND	ND	ND	ND	0.0145	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	Cobalt	mg/L	ND	ND	ND	ND	ND	ND	0.0112	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	Copper	mg/L	0.0165	0.0106	ND	ND	0.007	ND	0.0153	NS	0.0058	0.0077	0.0052	0.0061	ND	0.0059	ND	0.00548	ND
SW-20	Iron	mg/L	ND	ND	ND	ND	0.7513	ND	11.2512	NS	NT	NT	NT	NT	1.74	0.983	2.01	2.27	2.42
SW-20	Lead	mg/L	ND	ND	ND	ND	ND	0.0033	0.0092	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	Manganese	mg/L	ND	ND	ND	ND	0.4952	ND	0.9064	NS	NT	NT	NT	NT	0.246	0.0698	0.148	0.163	0.202
SW-20	Mercury	mg/L	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	Nickel	mg/L	0.0032	ND	ND	0.0032	0.0028	0.003	0.0105	NS	0.0023	0.0027	ND	ND	ND	ND	ND	ND	ND
SW-20	Nitrate	mg/L as N	ND	ND	ND	ND	0.0928	0.2417	ND	NS	NT	NT	NT	NT	ND	ND	ND	ND	ND
SW-20	Selenium	mg/L	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	Silver	mg/L	ND	ND	ND	ND	ND	ND	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	Sulfate	mg/L	ND	ND	ND	ND	ND	16.7467	6.69	NS	NT	NT	NT	NT	10.5	5.79	6.28	7.81	5.58
SW-20	T.D.S.	mg/L	NS	NS	NS	NS	208	NS	ND	NS	NT	NT	NT	NT	68	108	96	140	
SW-20	Thallium	mg/L	ND	ND	ND	ND	ND	ND	64	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	Total Hardness	mg/L	NS	NS	NS	NS	164	102	116	NS	NT	NT	NT	NT	ND	50	63	68	
SW-20	Turbidity	NTU	ND	ND	ND	ND	5.6	18	67.8	NS	NT	NT	NT	NT	ND	5.58	NT	NT	NT
SW-20	Vanadium	mg/L	ND	ND	ND	0.0029	ND	0.0024	0.0247	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-20	Zinc	mg/L	0.0074	0.0092	ND	0.0083	0.0034	ND	0.0414	NS	0.0137	0.0113	ND	ND	ND	0.00542	0.00785	0.00902	0.00766

ND: Not Detected    NS: Not Sampled    NT: Not Tested

**Table 4: Elements and Indicator Parameters - Seven Year Summary**

Sample	Parameter	Units	Jan-05	Apr-05	Jul-05	Oct-05	Apr-06	Oct-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	12-Apr
SW-30	Alkalinity	mg/L	NS	NS	NS	NS	102	72	68	NS	NT	NT	NT	NT	NT	90	80	96	92
SW-30	Ammonia	mg/L as N	NS	NS	NS	NS	0.136	ND	ND	NS	NT	NT	NT	NT	ND	0.281	ND	ND	ND
SW-30	Antimony	mg/L	ND	NS	NT	NT	NT	ND	ND	ND	ND	ND	ND						
SW-30	Arsenic	mg/L	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND						
SW-30	Barium	mg/L	0.0029	0.0138	ND	0.0153	0.0192	0.0212	0.0145	NS	0.0137	0.0564	0.0301	0.0319	0.0113	0.0196	0.0094	0.0229	0.017
SW-30	Beryllium	mg/L	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND						
SW-30	C. O. D.	mg/L	ND	ND	ND	ND	ND	21.6	ND	NS	NT	NT	NT	NT	ND	18.7	10.5	16.6	32.4
SW-30	Cadmium	mg/L	ND	ND	ND	ND	ND	ND	18.8	NS	ND	NT	NT	NT	26.2	ND	ND	ND	ND
SW-30	Chloride	mg/L	ND	ND	ND	ND	6.13	6.4561	3.0787	NS	NT	NT	NT	NT	7.43	4.02	3.77	ND	ND
SW-30	Chromium	mg/L	ND	NS	ND	ND	ND	0.0021	ND	ND	ND	ND	ND						
SW-30	Cobalt	mg/L	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND						
SW-30	Copper	mg/L	0.0137	ND	ND	0.0133	0.0148	ND	0.0065	NS	0.0058	0.0067	0.0053	0.0068	0.0055	0.0058	ND	ND	0.00517
SW-30	Iron	mg/L	ND	ND	ND	ND	1.74	ND	ND	NS	NT	NT	NT	NT	1.26	1.42	0.923	0.782	1.61
SW-30	Lead	mg/L	ND	ND	ND	0.0025	ND	0.0039	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-30	Manganese	mg/L	ND	ND	ND	ND	0.3607	0.2213	0.3135	NS	NT	NT	NT	NT	0.197	0.301	0.0903	0.0596	0.372
SW-30	Mercury	mg/L	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND						
SW-30	Nickel	mg/L	ND	0.0026	ND	0.0026	0.0024	0.0027	0.0021	NS	0.003	0.0033	0.0038	0.0049	ND	ND	ND	ND	ND
SW-30	Nitrate	mg/L as N	ND	ND	ND	ND	0.43	0.0791	0.2174	NS	NT	NT	NT	NT	ND	ND	0.284	ND	ND
SW-30	Selenium	mg/L	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND						
SW-30	Silver	mg/L	ND	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND						
SW-30	Sulfate	mg/L	ND	NS	NT	NT	NT	NT	8.19	ND	14.5	11.4	4.02						
SW-30	T. D. S.	mg/L	NS	NS	NS	NS	108	NS	ND	NS	NT	NT	NT	NT	120	140	156	144	
SW-30	Thallium	mg/L	ND	ND	ND	ND	ND	ND	92	NS	ND	ND	ND	ND	ND	ND	ND	ND	ND
SW-30	Total Hardness	mg/L	NS	NS	NS	NS	106	74	74	NS	NT	NT	NT	NT	ND	83	100	100	86
SW-30	Turbidity	NTU	ND	ND	ND	ND	6.1	22	6.83	NS	NT	NT	NT	NT	ND	10.1	NT	NT	NT
SW-30	Vanadium	mg/L	ND	NS	0.0021	ND	ND	0.0055	ND	ND	ND	ND	ND						
SW-30	Zinc	mg/L	ND	0.0054	ND	0.007	0.0052	0.0323	0.0077	NS	0.017	0.006	ND	ND	ND	0.00633	ND	0.0103	0.00669

**TABLE A - Results for Filtered and Unfiltered Metal Samples**

		Monitoring Well										
		MW-01	MW-02	MW-03	MW-04	MW-05	MW-05	MW-07	MW-08	MW-09	MW-10	
Parameter	Antimony	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Arsenic	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Barium	Unfiltered	0.0154	0.0119	0.0209	0.0403	0.0223	0.0616	0.0322	0.0351	0.0252	0.00808
		Filtered	0.0163	0.0127	0.0173	0.0393	0.0233	0.0607	0.0304	0.0356	0.0221	0.00688
	Beryllium	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Cadmium	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Calcium	Unfiltered	10.1	11.7	13.6	14.6	8.89	20.1	12.8	8.2	14.3	4.59
		Filtered	10.5	11.7	12.6	14.7	8.97	20	12.5	8.23	16.7	4.31
	Chromium	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Cobalt	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	0.0068	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Copper	Unfiltered	0.0106	0.0136	0.0115	0.0155	0.014	0.0231	0.0115	0.0125	ND	0.00843
		Filtered	0.00759	0.00937	0.021	0.00775	0.007	0.0406	ND	0.00697	0.0073	ND
	Iron	Unfiltered	ND	0.445	1.76	0.42	0.386	ND	ND	ND	0.527	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	1.15	ND
	Lead	Unfiltered	ND	ND	ND	ND	ND	0.00035	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	Magnesium	Unfiltered	4.78	5.25	7.72	8.38	5.96	15.2	8.33	6.44	5.99	3.21
		Filtered	4.96	5.37	7.26	8.38	6.08	15.2	8.07	6.05	5.8	3.01
	Manganese	Unfiltered	ND	0.0182	0.0732	0.0245	0.0182	0.268	0.0154	0.0136	0.155	ND
		Filtered	ND	ND	ND	0.0141	ND	0.259	0.0148	0.0128	0.365	ND
	Mercury	Unfiltered	ND	ND	ND	ND	ND	0.00065	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	0.00065	ND	ND	ND	ND
	Nickel	Unfiltered	ND	ND	0.0103	0.00781	ND	0.0122	ND	0.00922	0.0068	ND
		Filtered	ND	ND	0.00525	0.00824	ND	0.0124	0.00514	0.00874	ND	ND
	Potassium	Unfiltered	0.996	1.24	1.83	1.43	1.21	2.23	1.44	0.913	0.844	0.601
		Filtered	0.898	1.24	1.8	1.48	1.15	2.25	1.48	0.877	1.15	0.605
Selenium	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Silver	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Sodium	Unfiltered	6.49	6.07	9.46	6.08	3.42	8.27	9.76	7.4	6.73	6	
	Filtered	5.94	5.85	10	6.11	3.03	7.95	9.72	6.44	6.92	6.22	
Thallium	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Vanadium	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Zinc	Unfiltered	0.0103	0.0145	0.0175	0.0499	0.011	0.062	0.0244	0.0221	0.0105	0.00862	
	Filtered	0.00969	0.00951	0.0224	0.0258	0.00929	0.0298	0.0132	0.0178	0.0101	0.00568	

**TABLE A - Results for Filtered and Unfiltered Metal Samples**

		Monitoring Well										
		MW-11	MW-12	MW-13	MW-14	MW-15	MW-16	MW-17	MW-18A	MW-19	MW-20	
<b>Parameter</b>	<b>Antimony</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	<b>Arsenic</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	<b>Barium</b>	Unfiltered	0.039	0.00901	0.014	0.0371	0.109	0.0399	0.0383	0.0257	0.053	0.0246
		Filtered	0.0291	0.00861	0.0145	0.0365	0.105	0.0387	0.0418	0.0274	0.0524	0.0249
	<b>Beryllium</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	<b>Cadmium</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	<b>Calcium</b>	Unfiltered	7.75	6.53	5.36	63.9	13.4	17.3	4.3	2.87	4.65	7.56
		Filtered	7.71	6.5	5.82	60.9	13.1	17.5	4.61	3	4.59	7.77
	<b>Chromium</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	<b>Cobalt</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	<b>Copper</b>	Unfiltered	0.0114	0.00713	0.00724	0.00514	0.0214	0.0374	0.0189	0.0116	0.0253	0.00931
		Filtered	0.0156	0.00503	0.00584	0.00646	ND	0.012	0.013	0.0086	0.00867	0.00559
	<b>Iron</b>	Unfiltered	1.76	ND	0.612	0.547	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	0.305	ND	ND	ND	ND	ND	ND
	<b>Lead</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
	<b>Magnesium</b>	Unfiltered	6.33	4.35	4.61	15.8	5.31	14.6	4.49	2.92	3.96	4.34
		Filtered	5.63	4.19	4.62	15.5	5.08	14.9	4.69	3.01	4	4.44
	<b>Manganese</b>	Unfiltered	0.0888	0.0053	0.0167	0.013	0.0186	0.0946	0.0154	0.013	0.0262	ND
		Filtered	0.0137	ND	0.00926	ND	0.0183	0.0932	0.0151	0.0128	0.0244	ND
	<b>Mercury</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
		Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>Nickel</b>	Unfiltered	0.00913	ND	ND	ND	ND	0.0113	0.00689	ND	ND	ND	
	Filtered	0.00623	ND	ND	ND	ND	0.0118	0.00702	ND	ND	ND	
<b>Potassium</b>	Unfiltered	1.6	0.883	0.295	1.64	0.983	1.2	1.35	1.18	1.53	0.729	
	Filtered	1.41	0.926	0.309	1.57	0.984	1.25	1.32	1.17	1.49	0.696	
<b>Selenium</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Silver</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Sodium</b>	Unfiltered	5.5	7.52	6.47	7.42	9.85	6.49	4.57	3.34	4.95	5.66	
	Filtered	5.96	7.35	6.26	6.87	9.6	6.88	4.27	2.88	4.5	5.18	
<b>Thallium</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Vanadium</b>	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
<b>Zinc</b>	Unfiltered	0.0274	0.00936	0.0164	0.00539	0.0391	0.0748	0.0329	0.0132	0.0313	0.0139	
	Filtered	0.0304	0.00562	0.00995	0.00712	0.0189	0.0305	0.0296	0.0121	0.0214	0.0116	

**TABLE A - Results for Filtered and Unfiltered Metal Samples**

		Monitoring Well							AVERAGE	
		MW-21	MW-22	MW-23	MW-24	MW-25	MW-26	MW-27		
Parameter	Antimony	Unfiltered	ND	ND						
		Filtered	ND	ND						
	Arsenic	Unfiltered	ND	ND						
		Filtered	ND	ND						
	Barium	Unfiltered	0.0212	0.046	0.0247	0.0353	0.0903	0.0402	0.0728	0.036781111
		Filtered	0.0143	0.0445	0.0225	0.0354	0.0882	0.033	0.0669	0.035121852
	Beryllium	Unfiltered	ND	ND						
		Filtered	ND	ND						
	Cadmium	Unfiltered	ND	ND						
		Filtered	ND	ND						
	Calcium	Unfiltered	11	11.6	4.59	13.4	15.2	14.1	8.58	12.25814815
		Filtered	10.9	10.6	4.37	13.6	15.157	13.6	8.04	12.1472963
	Chromium	Unfiltered	0.013	ND	ND	ND	ND	ND	ND	0.013
		Filtered	ND	ND						
	Cobalt	Unfiltered	ND	0.00683						
		Filtered	ND	ND						
	Copper	Unfiltered	0.00588	0.0194	0.0206	0.0167	0.0224	0.0146	0.0207	0.015224231
		Filtered	0.01	0.00538	0.00669	0.00652	0.00945	0.00804	0.00684	0.010054583
	Iron	Unfiltered	1.44	ND	ND	ND	0.43	1.04	ND	0.851545455
		Filtered	ND	ND	ND	ND	0.973	ND	ND	0.809333333
	Lead	Unfiltered	ND	0.00035						
		Filtered	ND	ND						
	Magnesium	Unfiltered	7.5	9.34	3.01	9.9	13.2	8.56	7.28	7.287407407
		Filtered	7.56	8.71	2.89	9.97	13	7.82	7	7.155185185
	Manganese	Unfiltered	0.284	0.0117	0.0324	0.0532	0.0172	0.0121	0.0331	0.055058333
		Filtered	0.00613	0.0101	0.0326	0.0478	0.0115	ND	0.0326	0.055177222
	Mercury	Unfiltered	ND	0.00065						
		Filtered	ND	0.00065						
Nickel	Unfiltered	0.00595	ND	ND	ND	0.00871	ND	0.00534	0.008509091	
	Filtered	ND	ND	ND	ND	0.00699	ND	ND	0.007978889	
Potassium	Unfiltered	1.91	1.79	1.1	1.58	2.4	1.91	2.29	1.374222222	
	Filtered	1.89	1.68	1.15	1.63	2.39	1.72	2.26	1.362037037	
Selenium	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	
Silver	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	
Sodium	Unfiltered	10.2	4.57	5.58	6.8	13.6	8.43	22.9	7.538148148	
	Filtered	10.7	5.02	6.03	6.51	13	8.71	22.3	7.414814815	
Thallium	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	
Vanadium	Unfiltered	ND	ND	ND	ND	ND	ND	ND	ND	
	Filtered	ND	ND	ND	ND	ND	ND	ND	ND	
Zinc	Unfiltered	0.00818	0.0207	0.0224	0.0153	0.0322	0.0166	0.0302	0.023709259	
	Filtered	0.00706	0.0116	0.0143	0.0104	0.027	0.0154	0.0178	0.016074815	

# **Appendix E**

## **Table of Groundwater Elevations and Groundwater Elevation Contour Map**

**Results in (ft. AMSL)**

# WATER TABLE ELEVATIONS OAKS LANDFILL


Monitoring Location	Elevation (ft)	Apr-06	Apr-07	Oct-07	May-08	Dec-08	Apr-09	Oct-09	Apr-10	Oct-10	Apr-11	Oct-11	Apr-12	Elevation Change (ft)	Measured water Level elevations from Ground surface - April 2012
MW01	533.71	522.7	527.61	514.4	519.61	519.51	522.11	523.41	524.3	521.1	524.5	523.5	523.3	-0.16	10.37
MW02	545.29	527.9	529.59	518.9	528.79	526.99	526.79	526.99	530.5	525.7	529.3	528.4	528.4	-0.02	16.91
MW03	549.87	539	541.37	531.4	541.27	537.87	538.97	540.47	542.0	538.8	541.3	541.6	539.8	-1.82	10.09
MW04	553.8	517.4	519.31	528.7	539.3	533.5	537.9	536.5	540.0	535.7	539.8	538.9	537.8	-1.07	15.97
MW05	550.71	535.7	537.31	526.3	538.41	533.71	539.11	535.71	537.1	534.7	537.9	536.9	536.3	-0.60	14.41
MW06	560.56	538.2	539.45	527.9	538.06	532.96	537.06	534.76	540.1	535.1	539.0	537.4	538.8	1.37	21.79
MW07	549.44	534.4	536.44	526.8	534.64	528.44	532.64	530.74	538.9	531.0	536.3	533.4	536.8	3.39	12.65
MW08	529.99	517.3	520.09	510	519.69	512.69	517.89	514.79	520.4	514.1	519.8	516.4	519.3	2.90	10.69
MW09	522.94	512.5	513.64	498.9	515.14	507.24	512.94	507.54	512.8	504.2	513.3	510.2	511.8	1.63	11.11
MW10	516.19	505.3	507.39	498.8	513.49	507.99	512.79	509.09	513.4	507.5	513.6	510.7	512.5	1.78	3.71
MW11	523.39	512	513.59	502.5	515.19	509.29	514.59	511.19	513.4	509.6	514.7	514.0	511.7	-2.27	11.66
MW12	507.49	501.8	502.94	490.9	504.29	493.29	503.59	499.69	502.9	498.7	505.4	501.8	501.7	-0.08	5.77
MW13	519.46	512.5	513.91	503.1	511.66	507.16	509.96	509.66	511.4	509.4	511.2	510.3	510.8	0.45	8.71
MW14	520.43	515.1	515.53	503	515.73	511.43	515.53	512.63	516.0	513.3	516.0	515.6	515.3	-0.26	5.09
MW15	546.75	530	530.85	524.2	529.75	526.05	528.45	527.75	531.6	527.9	530.7	529.5	530.1	0.62	16.63
MW16	540.29	529.6	531.29	522.3	530.19	525.39	528.69	527.79	532.9	527.5	532.2	529.9	530.2	0.34	10.05
MW17	552.57	536.9	538.37	529.7	535.27	532.57	534.77	535.27	540.0	535.1	538.2	536.8	538.5	1.72	14.05
MW18A	556.4	539.2	542.1	530.5	541.6	536.3	539.1	537.5	542.7	538.1	542.2	541.7	540.8	-0.89	15.59
MW19	551.87	540.4	542.37	528	536.27	533.17	535.07	534.17	536.1	533.4	536.1	535.2	535.0	-0.19	16.86
MW20	523.14	515.3	516.84	504.4	NM	510.04	517.44	512.44	516.8	510.7	518.2	515.3	514.9	-0.39	8.23
MW21	521.82	512.7	514.72	505.5	515.02	510.42	514.02	511.72	514.3	510.9	515.0	513.7	513.4	-0.30	8.42
MW22	553.06	535.2	536.18	525	537.76	533.76	536.36	535.16	536.8	534.5	537.5	536.3	536.3	0.00	16.76
MW23	546.44	NM	NM	527	NM	NM	NM	NM	539.2	534.9	539.6	537.1	538.7	1.55	7.79
MW24	542.58	534.5	534.98	525.2	534.98	533.68	534.38	534.78	535.1	534.0	535.8	535.0	534.7	-0.26	7.84
MW25	539.52	528.7	531.52	517.1	530.92	525.22	528.72	525.02	529.6	524.9	531.6	527.5	529.4	1.88	10.14
MW26	524.92	519	519.72	509.1	520.32	518.92	520.72	NM	519.2	516.9	520.8	518.7	519.1	0.38	5.84
MW27	585				NM	NM		NM	NM	NM	543.8	542.5	542.9	0.35	42.15
Average Water Table Elevation Change Since October 2011 - in feet														0.37	

NM: Not Measured

Spring 2012 Data

# Oaks Landfill Monitoring Well Locations

## Groundwater Contour Map and Flow Direction (April 2012)



# **Appendix F**

## **Methane Gas Monitoring Results**

**Results in (%)**

# OAKS LANDFILL METHANE GAS (CH<sub>4</sub>) MONITORING

Well #	Jan-08	May-08	Jul-08	Dec-08	Jan-09	Apr-09	Jul-09	Oct-09	Jan-10	Apr-10	Jun-10	Oct-10	Jan-11	Apr-11	Jun-11	Oct-11	Dec-12	Mar-12
OBO1	ND																	
OBO2	ND																	
OBO3	ND																	
OBO4	ND																	
OBO5	ND																	
OBO6	ND	33.0	ND															
OBO7	ND																	
OBO8	ND																	
OBO9	ND																	
OBO10	ND																	
OBO11	ND																	
OBO12	ND																	
OBO13	ND																	
OBO14	ND																	
OBO15	ND																	
OBO16	ND																	
OBO17	ND																	
OBO18A	ND																	
OBO19	ND																	
OBO20	ND																	
OBO21	ND																	
OBO22	ND																	
OBO23	ND																	
OBO24	ND																	
OBO25	ND																	
OBO26	ND																	
OBO27	ND																	
GMW1	ND																	
GMW2	ND																	
GMW3	ND																	
GMW3A	ND																	
GMW4	ND	FR	ND	ND	ND	ND	FW	ND	ND	ND	ND							
GMW5	ND	ND	ND	ND	ND	ND	NT	ND										
GMW6	ND																	
GMW7	FW	ND	ND	ND	FW	ND	FW	FW	FW	FW	FW							
GMW8	ND	ND	ND	ND	FR	ND												
GMW8A	ND	ND	ND	ND	FR	ND	ND		ND	ND	ND	ND	ND	FW	ND	ND	ND	FW
GMW8B	ND	ND	ND	ND	FR	ND	ND	2.0	15.0	ND	ND	ND	ND	FW	ND	ND	ND	ND
GMW9	NT	NT	NT	NT	ND	NT	NT	NT	53.1	ND	ND	ND	10.1	ND	ND	ND	ND	ND
GMW10	ND	NT	ND															
GMW11	ND																	
GMW12	NT	NT	ND	ND	FR	ND	Frozen	0.1	ND	ND	ND	ND						
GMW13	ND																	
GMW14	ND	FW	ND	ND	ND	ND												
GMW15	ND																	
GMW16	ND																	
GMW17	FW	FW	ND	ND	ND	ND	ND	FW	ND	FW	ND	FW	FW	FW	ND	FW	FW	FW
GMW18	ND	ND	ND	ND	FR	ND												
GMW19	ND	FW	ND															
GMW20	ND																	
GMW21	ND																	
GMW22	ND																	

FW: Full of Water  
 FR: Frozen  
 NT: Not Tested