#### **Briardale Road** Public Right-of-Way Construction Impacts

Side: North Limits: Shady Grove Road – Redland Road Sidewalk Width: 5-foot-wide Sidewalk Material: Concrete

ADDRESS	CONSTRUCTION IMPACTS
Briardale Road@Shady	Existing A.D.A ramp will be removed and replaced.
Grove Road	Raise existing utilities boxes to be flush with sidewalk.
	Construct sidewalk behind light pole.
16937 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	Relocate No Parking Sign.
16933 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	Remove boulders in County's public right of way in path of sidewalk.
16929 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	Elevate tree branches to 8 Ft above proposed sidewalk.
16925 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
16921 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
16917 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
16913 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
16909 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
16905 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	Install concrete rolled curb.
16900 Baederwood	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
Lane, work on side yard	Remove one tree, 22-inches in diameter; replacement trees may be replanted.
along Briardale Road	Remove evergreen bushes within County's public right of way as needed for
	sidewalk construction.
Briardale Road @	Construct 2 A.D.A ramps at intersection.
<b>Baederwood Lane</b>	
16821 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
16817 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace driveway apron in concrete.
	Remove 1- tree 42 inches in diameter, a replacement tree may be replanted.

ADDRESS	CONSTRUCTION IMPACTS
16813 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	Relocate Stop Sign Ahead.
16809 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
16805 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	County arborist will evaluate sidewalk construction impact to three trees and
	his recommendations.
16801 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	Remove one 4-inch in diameter tree; replacement trees may be replanted.
Briardale Road@	Remove asphalt curb and gutter and replace in concrete.
Bethayres Road	Construct two A.D.A ramps.
16717 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
16713 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	County arborist will evaluate sidewalk construction impact to three trees.
	Relocate Bump sign.
	Remove landscaping within County's public right of way at mailbox.
	Elevate pine tree branches at proposed sidewalk path.
16709 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	Remove landscaping within County's public right of way at mailbox.
	Remove overhanging branches in path of proposed sidewalk.
	Trim bushes within County's public right of way as needed for sidewalk
	installation.
16705 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
16700 Frontenac	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
Terrace, work on side	Remove and replace concrete driveway apron.
yard along Briardale	Remove landscaping within County's public right of way at mailbox.
Road	
16701 Frontenac Terr,	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
work on the side yard	
along Briardale Road	
16605 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
Lutheran Church of	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
<b>Redland Cemetery</b>	Remove and replace concrete driveway apron.

# **Briardale Road, NORTH**

ADDRESS	CONSTRUCTION IMPACTS
16601 Briardale Road	Construct a 5-foot-wide sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove and replace concrete driveway apron.
	Relocate Bumps Ahead sign.
Briardale Road @	Tie into existing sidewalk at intersection.
Redland Road	Existing sidewalk may need to be modified to coincide with proposed sidewalk.

#### **Briardale Road** Public Right-of-Way Construction Impacts

Side: West Limits: Dace Drive to Shady Grove Road Sidewalk Width: 5 Ft Sidewalk Material: Concrete Road Width: 35-Ft Curb to Curb

ADDRESS	CONSTRUCTION IMPACTS
17001 Teal Court, work	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
on the back side of the	greenspace and tie into the existing sidewalk at the intersection of Briardale
property along Briardale	Road and Shady Grove Road.
Road	Clear overgrown brush as needed to allow for sidewalk installation.
	Sidewalk will run behind the light pole.
	Relocate the 25 MPH Speed sign and the No Parking sign.
17000 Teal Court, work	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
on the back side of the	greenspace.
property along Briardale	Remove ten trees that are 12, 12, 14, 14, 16, 18, 20, 21, 23, and 42-inches in
Road	diameter. Replacement trees may be planted.
	Sidewalk will run behind the light pole, #17004.
17001 Dace Drive, work	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
on the side of the	greenspace.
property along Briardale	Construct an ADA crosswalk ramp at the intersection of Briardale Road and
Road	Dace Drive.
	Relocate light pole #17006 to allow the crosswalk ramp to be installed in the
	proper location.
	Remove two trees that are 41 and 44-inches in diameter that will be impacted
	by sidewalk construction. Replacement trees may be planted.
	Trim low hanging branches from the evergreen tree as needed.

#### **Baederwood Lane** Public Right-of-Way Construction Impacts

Side: Northeast, North and West Limits: Bethayres Road to Redland Road Sidewalk Width: 5 Ft Sidewalk Material: Concrete Road Width: 20-Ft Open Section

ADDRESS	CONSTRUCTION IMPACTS
County Right of Way, lot	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
in between 16847	greenspace.
<b>Bethayres Road and</b>	Remove up to 15-ft of the existing asphalt foot path and replace with
16940 Baederwood Lane	concrete.
16940 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	A 60-inch diameter tree may be impacted by sidewalk construction. If
	removal is necessary, a replacement tree may be planted.
16936 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
16932 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Manhole cover and Water meter.
16928 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Water meter.
16924 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	A 45-inch diameter tree may be impacted by sidewalk construction. If
	removal is necessary, a replacement tree may be planted.
	Remove the groundcover landscaping within County's public right of way
	around the mailbox as needed for sidewalk installation.
16920 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Water meter.
16916 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Manhole cover and the Water meter.

ADDRESS	CONSTRUCTION IMPACTS
16912 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Construct an ADA crosswalk ramp where Baederwood Lane and the cul-de-
	sac intersect.
	A 45-inch diameter tree may be impacted by sidewalk construction. If
	removal is necessary, a replacement tree may be planted.
	Adjust the Manhole cover.
16900 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Construct an ADA crosswalk ramp where Baederwood Lane and the cul-de- sac intersect.
	Construct an ADA crosswalk ramp at the intersection of Baederwood Lane
	and Briardale Road.
	Adjust the Manhole cover.
	May need to relocate the Stop sign at the intersection.
Baederwood Lane @	Construct ADA-compliant ramp.
Briardale Road	
16812 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
16808 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Adjust man hole cover and water valve.
16804 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Adjust water valve.
16800 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove two existing asphalt driveway aprons and replace with concrete.
	Adjust man hole cover.
16720 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Adjust man hole cover.
16716 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Remove small shrub and landscaping rocks within County's public right of
	way as needed for sidewalk installation.

## **Baederwood Lane, WEST**

ADDRESS	CONSTRUCTION IMPACTS
16712 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Adjust man hole cover.
16708 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Adjust man hole cover.
16704 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Remove bushes and landscaping within County's public right of way
	around mailbox as needed for sidewalk installation.
16620 Bethayres Road,	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
side of property along	greenspace.
Baederwood Lane	Remove existing asphalt curb and replace with concrete.
	May need to modify existing concrete inlet structure in swale to allow for
	sidewalk installation.
Baederwood Lane @	Construct ADA-compliant ramp.
Bethayres Road	
16621 Bethayres Road,	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
side of property along	greenspace.
Baederwood Lane	Tie into existing sidewalk at intersection.
16620 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Remove existing brick mailbox.
	Adjust water valve.
16616 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
16612 Deedermond Larra	Adjust man hole cover. Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
16612 Baederwood Lane	
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete. Remove bush and landscaping within County's public right of way around
	mailbox for sidewalk installation.
16608 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
10000 Dacuerwoou Lane	
	greenspace. Remove existing asphalt driveway aprop and replace with concrete
	Remove existing asphalt driveway apron and replace with concrete. Adjust man hole cover and water valve.
	Aujust man note cover and water valve.

ADDRESS	CONSTRUCTION IMPACTS
16604 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Remove shrubs, bushes and groundcover landscaping within County's
	public right of way as needed for sidewalk installation.
	Adjust man hole cover.
16600 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
16536 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Remove brick mailbox.
	Adjust man hole cover.
16532 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Adjust man hole cover.
16528 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Adjust man hole cover.
16524 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	Adjust sidewalk to run in front of light pole, 5-ft clearance from edge of
	road.
	Remove shrubs, bushes and landscaping rocks within County's public right
	of way as needed for sidewalk installation.
	Adjust water valve.
16520 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing brick driveway apron and replace with concrete.
	Remove landscaping within County's public right of way around mailbox for
	sidewalk installation.
	Adjust sidewalk to run behind utility box.
	Adjust man hole cover.
16516 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.

ADDRESS	CONSTRUCTION IMPACTS
Baederwood Lane @	Construct 2 ADA ramps.
Julia Terrace	Guard rails on both sides of intersection will need to be relocated to allow
	for sidewalk installation.
7500 Julia Terrace, work	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
along side of property	greenspace.
along Baederwood Lane	
16504 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
16500 Baederwood Lane	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove existing asphalt driveway apron and replace with concrete.
	May need to adjust slope of the swale near driveway to allow for sidewalk
	installation.
	Tie into existing sidewalk at intersection.
	Relocate Stop sign.
	Adjust water valve.
Baederwood Lane @	Remove and replace existing ADA ramp at intersection.
Redland Road	

#### **<u>Bethayres Road</u>** Public Right-of-Way Construction Impacts

Side: East Limits: Baederwood Lane to Bethayres Court Sidewalk: Width: 5-foot-wide Sidewalk Material: Concrete Road Width: 23-foot Open Section

ADDRESS	CONSTRUCTION IMPACTS
16623 Baederwood Lane,	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
work on the side of the	greenspace.
property along Bethayres	Construct an ADA crosswalk ramp at the intersection of Bethayres Road
Road	and Baederwood Lane.
	For the ADA ramp to be installed in the proper location at the intersection,
	the asphalt flume which collects stormwater runoff will need to be relocated.
	Remove the existing asphalt curb at the intersection and replace with Type-
	A concrete curb and gutter.
	Adjustments to the grade of the swale may be needed to allow for sidewalk
	installation.
	Trim low hanging branches from the evergreen tree as needed to allow for
	sidewalk installation.
	Adjust the Water meter.
16705 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjustments to the grade of the swale may be needed to allow for sidewalk
	installation.
	Adjust the Manhole cover.
16709 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjustments to the grade of the swale may be needed to allow for sidewalk
	installation.
	Adjust the Water meter.
16713 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjustments to the grade of the swale may be needed to allow for sidewalk
	installation.
	Adjust the Manhole cover and the Water meter.

ADDRESS	CONSTRUCTION IMPACTS
16717 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjustments to the grade of the swale may be needed to allow for sidewalk
	installation.
16721 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjustments to the grade of the swale may be needed to allow for sidewalk
	installation.
16720 Briardale Road,	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
work on the side of the	greenspace.
property along Bethayres Road	Construct an ADA crosswalk ramp at the intersection of Bethayres Road and Briardale Road.
	Remove the existing asphalt curb at the intersection and replace with Type-
	A concrete curb and gutter.
	Adjustments to the grade of the swale may be needed to allow for sidewalk
	installation.
	Adjust the storm drain inlet top located in the swale to the same grade as
	the sidewalk.
	A 60-inch diameter tree may be impacted by sidewalk construction. If
	removal is necessary, a replacement tree may be planted.
	Relocate the Stop sign at the intersection.
16717 Briardale Road,	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
work on the side of the	greenspace.
property along Bethayres	Construct an ADA crosswalk ramp at the intersection of Bethayres Road
Road	and Briardale Road.
	Remove the existing asphalt curb at the intersection and replace with Type-
	A concrete curb and gutter.
16805 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
16811 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.

ADDRESS	CONSTRUCTION IMPACTS
16815 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	May need to adjust the Manhole cover.
16819 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Remove groundcover landscaping around the mailbox as needed to allow for
	sidewalk installation.
	May need to adjust the Water meter.
16823 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	A 20-inch diameter tree may be impacted by sidewalk construction. If
	removal is necessary, a replacement tree may be planted.
16827 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Trim low hanging branches from the evergreen tree as needed to allow for
	sidewalk installation.
16831 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Remove groundcover landscaping and landscaping stones within County's
	public right of way as needed to allow for sidewalk installation.
	May need to adjust the Manhole cover and the Water meter.
16835 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
16839 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
16843 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
1(947 D-4) D 1	Remove and replace the existing concrete driveway apron.
16847 Bethayres Road	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
Detherme D. L. (	Remove the existing asphalt driveway apron and replace with concrete.
Bethayres Road at	Construct ADA ramp.
Bethayres Court	

## **Dace Drive** Public Right-of-Way Construction Impacts

Side: West Limits: Polara Place to Briardale Road Sidewalk Width: 5 Ft Sidewalk Material: Concrete Road Width: 26-Ft Curb to Curb

ADDRESS	CONSTRUCTION IMPACTS
17104 Dace Drive	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Construct an ADA crosswalk ramp at the intersection of Dace Drive and
	Polara Place.
	Remove and replace the existing concrete driveway apron.
	Remove a Crepe Myrtle tree and three other trees that are 5-8-inches in
	diameter that will be impacted by sidewalk construction. Replacement trees
	may be planted.
	Remove bushes and groundcover landscaping within the County's public
	right of way as needed to allow for sidewalk installation.
	The sidewalk will run behind the light pole, #17025.
7801 Rydal Terrace, work	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
on the side of the	greenspace.
property along Dace	Construct an ADA crosswalk ramp at the intersection of Dace Drive and
Drive	Rydal Terrace.
	Remove and replace the existing concrete driveway apron.
	Trim low hanging branches from the evergreen tree as needed to allow for sidewalk installation.
7800 Dydal Tannaga want	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
7800 Rydal Terrace, work on the side of the	greenspace.
property along Dace	Construct an ADA crosswalk ramp at the intersection of Dace Drive and
Drive	Rydal Terrace.
	Remove a 22-inch diameter evergreen tree that will be impacted by sidewalk
	construction. A replacement tree may be planted.
	Adjust the gas valve located near the intersection.
17020 Dace Drive	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove and replace the existing concrete driveway apron.
	Remove a 48-inch diameter multi-stem tree that will be impacted by
	sidewalk construction. A replacement tree may be planted.
	The sidewalk will run behind the green telecom box and the light pole,
	#17023.

Dace Drive, SOUTH

ADDRESS	CONSTRUCTION IMPACTS
17016 Dace Drive	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove and replace existing concrete driveway apron.
17012 Dace Drive	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove and replace the existing concrete driveway apron.
	Remove a 9-inch diameter evergreen tree that will be impacted by sidewalk
	construction. A replacement tree may be planted.
	Adjust the sidewalk to run in-front of the light pole, #17021, and the telecom
	box, #17012.
17004 Dace Drive	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove and replace the existing concrete driveway apron.
	The sidewalk will run behind the two green telecom boxes.
17000 Dace Drive, work	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
on the side of the	greenspace.
property along Dace	Construct an ADA crosswalk ramp at the intersection of Dace Drive and
Drive	Briardale Road.
	The sidewalk will run behind the storm drain inlet top.
	Adjust the Gas valve located near the intersection.
	The green Verizon telecom box may need to be adjusted.
	Relocate the Stop sign and the Dace Dr and Briardale Rd Street signs.

### **<u>Frontenac Terrace</u>** Public Right-of-Way Construction Impacts

Side: Southeast Limits: Baederwood Lane to end of Cul-de-Sac Sidewalk Width: 5-Ft Sidewalk Material: Concrete Road Width: 23-Ft Open Section

ADDRESS	CONSTRUCTION IMPACTS
16533 Baederwood Lane,	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
work on the side of the	greenspace.
property along Frontenac	Construct an ADA crosswalk ramp at the intersection of Frontenac Terrace
Terrace.	and Baederwood Lane.
	Adjustments to the grade of the swale may be needed to allow for sidewalk
	installation.
	Adjust the Water Meter.
16605 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
16609 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Water Meter.
16613 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Water Meter.
16617 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Water Meter.
16621 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Water Meter.
16625 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
16629 Frontenac Terrace	Adjust the Water Meter. Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
10029 Fromenac Terrace	
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Water Meter.

# Frontenac Terrace, SOUTHEAST

ADDRESS	CONSTRUCTION IMPACTS
16633 Frontenac Terrace	
10033 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Remove landscaping within County's public right of way around mailbox as
	needed to allow for sidewalk installation.
	Adjust the Water Meter.
16637 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Water Meter.
16641 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Construct an ADA crosswalk ramp at the intersection of Frontenac Terrace
	and Briardale Road.
	Remove the existing asphalt driveway apron and replace with concrete.
	Remove the existing asphalt curb at the intersection and replace with
	concrete curb and gutter.
	Adjust the Manhole cover.
	Relocate the Stop sign.
16701 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Construct an ADA crosswalk ramp at the intersection of Frontenac Terrace
	and Briardale Road.
	Remove the existing asphalt curb at the intersection and replace with
	concrete curb and gutter.
	Remove landscaping within County's public right of way around the
	mailbox as needed to allow for sidewalk installation.
16705 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove and replace the existing concrete driveway apron.
	Remove small bushes, landscaping rocks and landscaping within County's
	public right of way around the mailbox as needed to allow for sidewalk
	installation.
	Remove a 14-inch diameter evergreen tree that will be impacted by sidewalk
	installation. A replacement tree may be planted.
	Remove landscaping around the mailbox as needed to allow for sidewalk
	installation.
16709 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Manhole cover.
	העווע אומוווטוע נטאנו.

### Frontenac Terrace, SOUTHEAST

ADDRESS	CONSTRUCTION IMPACTS
16713 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
16717 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Remove the rock retaining wall within County's public right of way along
	the driveway apron as needed to allow for sidewalk installation.
	Adjust the Water Meter.
16721 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable greenspace.
	Remove the existing asphalt driveway apron and replace with concrete.
	Adjust the Water Meter.
16725 Frontenac Terrace	Construct a 5-foot-wide concrete sidewalk with a 0 to 3-foot-wide variable
	greenspace.
	Construct an ADA ramp at the intersection where Frontenac Terrace ends
	and the circle for the Cul-de-Sac begins. This is where the proposed
	sidewalk will end.